

64864-53

7/17/2013

1/6



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Mr. Andrew Kieniksman
Pace International LLC
5661 Branch Road
Wapato, WA 98951

JUL 17 2013

Subject: Product Name: eCOFOG-100
EPA Reg. No. 64864-53
Submission date: 6/27/13
Amendment: Product name change, update warranty statement and add emergency contact information
New Product Name: eFOG-100 DPA
Decision Number 480811

Dear Mr. Kieniksman:

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is unconditionally acceptable under 3(c)(5).

One copy of the label stamped "Accepted" is enclosed for your records. This label supersedes all labels previously accepted for this product. Please submit one copy of the final printed label before the product is released for shipment.

If you have questions concerning this letter, please call Banza Djapao at 703-305-7269 or via e-mail at djapao.banza@epa.gov or you may call me at 703-308-9443.

Sincerely,

A handwritten signature in black ink that reads "Banza Djapao for".

Tony Kish
Product Manager 22
Fungicide Branch
Registration Division (7504P)

eFOG-100 DPA

Post Harvest Diphenylamine
Antiscald Agent for Post-Harvest Treatment of Apples by Thermal Fogging

eFOG-100 DPA is recommended for reducing scald damage to apples while in storage.

eFOG-100 DPA is a special liquid form of diphenylamine intended for use with a thermal electrofogger to form a fine fog.

ACTIVE INGREDIENT:

Diphenylamine 10%

OTHER INGREDIENTS: 90%

Total 100%

EPA Reg. No. 64864-53

EPA Est. No. 64864-WA-1

KEEP OUT OF REACH OF CHILDREN
CAUTION - CUIDADO


Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand this label, find someone to explain it to you in detail.)

FIRST AID	
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency information concerning this product, call the National Pesticides Information Center (NPIC) at 1-800-858-7378 Monday through Friday, 7:30 am to 3:30 pm Pacific Time. During other times, call the poison control center at 1-800-222-1222.</p>	

Net Contents: _____

Lot # _____

Manufactured By:
Pace International LLC
5661 Branch Road
Wapato, WA 98051
800.936.6750



PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Caution. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear eye protection (such as goggles, safety glasses, or a face shield) when mixing and loading. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

Personal Protective Equipment (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category A on an EPA Chemical Resistance Selection Sheet.

Handlers (including mixers, loaders, persons cleaning or monitoring the fogging equipment, and persons handling treated apples or apple containers still wet with DPA) must wear:

- long-sleeved shirt and long pants
- chemical-resistant gloves made of any waterproof material such as polyvinyl chloride, nitrile rubber, or butyl rubber
- shoes and socks
- protective eyewear (such as goggles, safety glasses, or a face shield)

Fogging applicators must wear:

- full-face respirator with organic vapor filter
- long-sleeved shirt and long pants
- chemical-resistant gloves made of any waterproof material such as polyvinyl chloride, nitrile rubber, or butyl rubber
- shoes and socks

User Safety Requirements

Discard clothing or other absorbent materials that have been fogged or heavily contaminated with the product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/handling PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

- Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Re-Entry

Entry into the treatment area by any person other than properly trained and equipped handlers is prohibited from the start of application until the treated area is ventilated as follows:

- 8 hours with no ventilation followed by 1 hour of mechanical ventilation
- 24 hours with no ventilation

In case it is necessary to enter the treatment area during treatment or before ventilation requirements have been met, handlers must wear chemical resistant headgear and a self-contained breathing apparatus (SCBA, MSHA/NIOSH approval number prefix TC-13F) in addition to PPE listed under PRECAUTIONARY STATEMENTS.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not contaminate water by cleaning of equipment or disposing of equipment washwater or rinsate. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and

4/6

the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Application Restrictions

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. Consult Agricultural Experiment Station or Extension Service pomology specialists for current recommended DPA use-solution concentrations for local apple varieties.

Recommendations

- Treat only dry fruit as received from the field.
- Apply to fruit within 15 days after harvesting, prior to placing in storage.
- In case of prolonged storage (more than 4 months) or particularly high danger of scald due to climatological conditions, a second treatment is advisable between the second and third months of storage. This second treatment must be applied at a rate of between 50% and 100% of the initial dosage, depending on the importance of the danger and the length of further storage. A second treatment of 100% of the first dose is recommended for any additional storage of 3 months or longer.
- Before treatment, fruit in bins must be protected on top with plastic liners, cardboard sheets or Kraft sheets. Fruit directly in front of the fogging equipment should also be protected with liners or sheets from top to bottom.
- In case of treatment of a room that is not completely filled, calculate the dosage of eFOG-100 DPA by adding a tonnage value of 20% of the empty volume to the real tonnage of the fruit.

Application Rate

Apple Variety	Application Rate per US Ton
Granny Smith	4.4 oz (125 g)
Red Delicious	3.9 oz (110 g)
Braeburn, Fuji, Idared	2.8 oz (80 g)
Cortland, Empire, Jonagold, McIntosh, Rome Beauty, Royal Gala, Staymin, Winesap	2.3 oz (65 g)
Golden Delicious	1.2-1.6 oz (35-45 g)

Electrofogger Operation

- Place the Electrofog machine horizontally outside the treatment room at a height of about 3 feet from the floor. Cover the door or window to the treatment room with a plastic sheet and insert the fogging pipe through a hole in the plastic. Place a bucket under the nozzle to catch any drops. Seal the opening around the nozzle with duct tape.
- Set the Electrofog machine resistance temperature between between 500° to 600° C.
- Insert input pipe into product container and start pump. Stop pump when product reaches the pump body.
- Start fan and resistance, and start pump again when fog exit temperature reaches 180°C. Adjust pump as necessary during operation to maintain 180°C.

Application Procedures

- Avoid breathing the fog.
- Turn off room cooling systems and humidifiers 12 hours prior to and during treatment.
- Turn off room circulation fans immediately prior to and during treatment.

- Allow the fog to stay overnight or until the fog has totally disappeared (about 5 hours post-treatment) before restarting fans and cooling systems.
- DO NOT rinse apples after treatment.
- DO NOT apply to fruit treated with Diphenylamine prior to harvest.
- DO NOT use treated apples for pomace or livestock feed as illegal residues may occur in meat or milk.
- DO NOT wrap apples in Diphenylamine-treated paper.
- Fruit must have shipping carton marked: "Treated with Diphenylamine to retard spoilage."

Re-Entry

Entry into the treatment area by any person other than properly trained and equipped handlers is prohibited from the start of application until the treated area is ventilated as follows:

- 8 hours with no ventilation followed by 1 hour of mechanical ventilation
- 24 hours with no ventilation

In case it is necessary to enter the treatment area during treatment or before ventilation requirements have been met, handlers must wear chemical resistant headgear and a self-contained breathing apparatus (SCBA, MSHA/NIOSH approval number prefix TC-13F) in addition to PPE listed under PRECAUTIONARY STATEMENTS.

Check for Post-Treatment Signs of Scald.

In years of severe scald development, eFOG-100 DPA may not give desired control or other factors may reduce its effectiveness. After several months of storage, collect samples of fruit periodically (every 2 or 3 weeks) and hold them at room temperature to assess Scald development. Fruit lots showing scald can often be marketed immediately.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Avoid storing below 40° F. In case of spill or leak, absorb liquid with sawdust or other absorbent material and incinerate or dispose of it in approved disposal area.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

NOTICE TO BUYER

IMPORTANT: Read the information below before using this product. If the terms are not acceptable, you should return the unopened product container immediately for a complete refund.

LIMITED WARRANTY, TERMS OF SALE, AND LIMITATION OF LIABILITY

Upon purchase of this product, purchaser and user agree to the following terms:

Warranty: To the extent consistent with applicable law, Pace International, LLC (the Company) warrants that this product conforms to the chemical description on the label in all material respects and is reasonably fit for the purpose referred to in the directions for use, subject to the exceptions noted below, which are beyond the Company's control. The Company makes no other representation or warranty, express or implied, concerning the product, including no implied warranty of merchantability or fitness for a particular purpose; no such warranty shall be implied by law, and no agent or representative is authorized to make any such warranty on the Company's behalf.

Terms of Sale: The Company's directions for use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, and the manner of use or application (including failure to adhere to label directions), all of which are beyond the Company's control. All such risks are assumed by the user.

Limitations of Liability: To the extent consistent with applicable law, the exclusive remedy against the Company for any cause of action relating to the handling or use of this product is a claim for

damages, and in no event shall damages or any other recovery of any kind exceed the price of the product which caused the alleged loss, damage, injury, or other claim. Under no circumstances shall the Company be liable for any special, indirect, incidental, or consequential damages of any kind, including loss of profits or income, and any such claims are hereby waived. The Company and the seller offer this product, and the purchaser and user accept this product, subject to the foregoing warranty, terms of sale, and limitation of liability, which may be varied or modified only by an agreement in writing signed on behalf of the Company by an authorized representative.

MADE IN USA

ACCEPTED
MAY 17 2013
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 4884-53