64864-60

05/08/2009



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Mr. Andrew Kieniksman Product Registration Pace International, LLC 5661 Branch Road Wapato, WA 98951

MAY 8 2009

SUBJECT: Application for Pesticide Notification (PRN 98-10) Request General Label Change EPA Reg. No. 64864-60 Application Dated April 16, 2009

Dear Registrant:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 04/16/09 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

\$EPA	Environmenta	Juited States Jnited States Il Protection Age Ington, DC 20460	ency	Amendmen X Other	OPP Identifier Number
		Application for	Pesticide - Section	on I	
I. Company/Product Numi 64864-60	ber		2. EPA Product Manag	er	3. Proposed Classification
. Company/Product (Nam ecoFOG-180	ne}		PM# 22		X None Restricted
5. Name and Address of A Pace International, LL 5661 Branch Road Wapato, WA 98951		ode)	(b)(i), my product is to: EPA Reg. No		
		So/	Product Name		
Notification - Expla Explanation: Use addit Notification per PR Notice This notification is consis the labeling or the confic	ional page(s) if necessa e 98-10 to add the prod itent with the provisions	ry. (For section 1 and S uct claim "Post Harvest f s of PR Notice 98-10 and		n below.	
				tion of 18 U.S.C. Sec.	1001 to willfully make any false
	er understand that if thi	s notification is not cons inforcement action and	istent with the terms of P penalties under sections	tion of 18 U.S.C. Sec. PR Notice 98-10 and 4	
be in violation of FIFRA a	er understand that if thi nd I may be subject to e	s notification is not cons inforcement action and	istent with the terms of P	tion of 18 U.S.C. Sec. PR Notice 98-10 and 4	1001 to willfully make any false
be in violation of FIFRA a 1. Material This Product V Child-Resistant Packeging Yes* No * Certification must	er understand that if thi nd I may be subject to e Mill Be Packaged In:	s notification is not cons inforcement action and Sec Water Water No. per	istent with the terms of P penalties under sections tion - III r Soluble Packaging Yes No	tion of 18 U.S.C. Sec. PR Notice 98-10 and 4 12 and 14 of FIFRA. 2. Type of Cor G PH G PH	1001 to willfully make any false 40 CFR 152.46, this product may
be in violation of FIFRA a 1. Material This Product V Child-Resistant Packeging Yes [•] No * Certification must be submitted	er understand that if this nd I may be subject to e Will Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt	s notification is not cons inforcement action and Sec Water Water No. per	istent with the terms of P penalties under sections tion - III r Soluble Packaging Yes No ps" No. per container	tion of 18 U.S.C. Sec. PR Notice 98-10 and 4 12 and 14 of FIFRA. 2. Type of Cor G PH G PH	1001 to willfully make any false 40 CFR 152.46, this product may atainer letal lastic lass aper ther (Specify)
be in violation of FIFRA a A. Material This Product V Child-Resistant Packaging Yes* No Child-Resistant Packaging Yes* No Child-Resistant Packaging Yes* No Label Label	er understand that if this nd I may be subject to e Will Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt ts Information Container	s notification is not cons inforcement action and Sec Water Water No. per t. No. per t. Container 4. Size(s) Retail Conta	istent with the terms of P penalties under sections tion - III r Soluble Packaging Yes No ps" No. per container	tion of 18 U.S.C. Sec. PR Notice 98-10 and 4 12 and 14 of FIFRA. 2. Type of Cor 2. Type of Cor PR PR O Content of Label E On Label	1001 to willfully make any false 40 CFR 152.46, this product may ntainer letal lastic less aper ther (Specify)
be in violation of FIFRA a . Material This Product V Child-Resistant Packaging Yes* No Certification must be submitted . Location of Net Conten Label	er understand that if this nd I may be subject to e Will Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt ts Information Container	s notification is not cons inforcement action and Sec Water Water Water Water 4. Size(s) Retail Conta Stenciled	istent with the terms of P penalties under sections ition - III r Soluble Packaging Yes No bs" No. per container j siner 5 Other	tion of 18 U.S.C. Sec. PR Notice 98-10 and 4 12 and 14 of FIFRA. 2. Type of Cor 2. Type of Cor PR PR O Content of Label E On Label	1001 to willfully make any false 40 CFR 152.46, this product may atsiner letal lastic lass appr ther (Specify)
be in violation of FIFRA a	er understand that if this nd I may be subject to e Will Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt Its Information Container is Affixed to Product	s notification is not cons inforcement action and Sec Water Water Water No. per t. No. per t. container 4. Size(s) Retail Conta Paper glued Stenciled Sec	istent with the terms of P penalties under sections tion - III r Soluble Packaging Yes No ss" No. per container jainer 5 Other tion - IV	tion of 18 U.S.C. Sec. PR Notice 98-10 and 4 12 and 14 of FIFRA. 2. Type of Cor 2. Type of Cor PR PR PR On Label I On Label I On Labeling	1001 to willfully make any false 40 CFR 152.46, this product may atsiner letal lessic lass appr ther (Specify)
be in violation of FIFRA a 1. Material This Product V Child-Resistant Packaging Yes* No Certification must be submitted 3. Location of Net Conten Label 6. Manner in Which Label 1. Contact Point (Comple Name	er understand that if this nd I may be subject to e Will Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt Its Information Container is Affixed to Product	s notification is not cons inforcement action and Sec Water Water No. per container 4. Size(s) Retail Conta 4. Size(s) Retail Conta Paper glued Stenciled Stenciled Sec for identification of indi	istent with the terms of P penalties under sections tion - III r Soluble Packaging Yes No ss" No. per container jainer 5 Other tion - IV	tion of 18 U.S.C. Sec. PR Notice 98-10 and 4 12 and 14 of FIFRA. 2. Type of Cor 2. Type of Cor PR PR PR PR PR PR PR PR PR PR	1001 to willfully make any false 40 CFR 152.46, this product may atsiner letal lessic lass appr ther (Specify)
be in violation of FIFRA a 1. Material This Product V Child-Resistant Packaging Yes* No Certification must be submitted 3. Location of Net Conten Label 1. Contact Point /Comple Name Andrew Kieniksman I certify that the sta	er understand that if this nd I may be subject to e Will Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt Its Information Container is Affixed to Product atements I have made o any knowingly false or	s notification is not cons inforcement action and Sec Water Water Water Water Water A. Size(s) Retail Conta 4. Size(s) Retail Conta Lithograph Paper glued Stenciled Sec for identification of indi Title Regula Certification n this form and all attac misleading statement m	istent with the terms of P penalties under sections tion - III r Soluble Packaging Yes No os No. per container juiner 5 Other tion - IV vidual to be contacted, if	tion of 18 U.S.C. Sec. R Notice 98-10 and 4 12 and 14 of FIFRA. 2. Type of Cor 2. Type of Cor 2. Type of Cor 5. Location of Label On Label On Label On Label On Label Creation Cre	1001 to willfully make any false 40 CFR 152.46, this product may atainer letal lastic lass apper ther (Specify)
be in violation of FIFRA a 1. Material This Product V Child-Resistant Packeging Yes* No Contification must be submitted 3. Location of Net Conten Label 6. Manner in Which Label 1. Contact Point /Comple Name Andrew Kieniksman I certify that the sta I acknowledge that	er understand that if this nd I may be subject to e Will Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt Its Information Container is Affixed to Product atements I have made o any knowingly false or	s notification is not cons inforcement action and inforcement action and inforcement action and information and information action and information and an and an anticement information and anticement information	istent with the terms of P penalties under sections tion - III r Soluble Packaging Yes No bs" No. per container siner 5 C Other tion - IV vidual to be contacted, if atory Supervisor	tion of 18 U.S.C. Sec. R Notice 98-10 and 4 12 and 14 of FIFRA. 2. Type of Cor 2. Type of Cor 2. Type of Cor 5. Location of Label On Label On Label On Label On Label Creation Cre	1001 to willfully make any false 40 CFR 152.46, this product may atainer letal lastic lass aper ther (Specify) Directions accompanying product <u> </u>

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.	EPA	Form	8570-1	Rev.	8-94)	Previous	editions	ere	obsolete.
---	-----	------	--------	------	-------	----------	----------	-----	-----------

Pace International 3/

and the second secon

second end of the state of the

(c) and (c) is investment that it is a violation of 18 L enforcement to use will, make any relationship whether is improvement on that it is confiberion is non-constraint with the entered for motion (the discussion of 1000 and 1000 the presence may be in that confiberion is non-constraint with the entered for motion of a chemican of 1000 and 1000 the presence may be in the confiberion is non-constraint with the entered for motion of a chemican of 1000 and 1000 the presence may be in the confiberion is non-constraint with the entered for motion of 1000 and 1000 the presence may be in the confiberion is non-constraint of the presence of the motion of a chemican of 1000 and 1000 the presence of the confiberion of 18 L enforce on the presence of the contract of the and the entered of the constraint of the presence of the presence of the presence of the constraint of the and the presence of the pres

Washington, D.C. 20460

Subject: ecoFOG-180, EPA Reg. No. 64864-60

Notification to add product description to labeling

Enclosed is a notification to add the product description "Post Harvest Ethoxyquin" to the label of ecoFOG-180, EPA Reg. No. 64864-60.

The following documents are provided in support of this notification:


- EPA Form 8570-1
- One copy of the EPA Master Label for Reg. No. 64864-60, incorporating the description "Post
- Harvest Ethoxyquin" below the product name.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152:46; and no other changes have been made to the labeling or the confidential statement of formula of this product. Lunderstand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152:46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If you have any questions or require any further clarification, I may be reached at 206-331-4713 or via email at andykieniksman@paceint.com.

Sincerely,

Andrew Kieniksman Supervisor, Regulatory Affairs Pace International, LLC



Pace International, LLC tel 800.722.2476 fax 509.848.2506

5661 Branch Road Wapato, WA 98951 www.paceint.com



:

ecoFOG-180

Post Harvest Ethoxyquin Antiscald Agent for Post-Harvest Treatment of Pears by Thermal Fogging

FOR AGRICULTURAL USE ONLY

ecoFOG-180 is recommended for reducing scald damage to pears while in storage.

ecoFOG-180 is a special liquid form of ethoxyquin intended for use with a Xeda Brand Thermal Electrofogger to form a fine fog.

ACTIVE INGREDIENT:

Ethoxyquin (6-Ethoxy-1,2-dihydro-2,2,4-trimethyl quinoline)	18%
OTHER INGREDIENTS	
Total	. 100%

EPA Reg. No. 64864-60

EPA Est. No. 64864-WA-

...

ι ιι ι ι ι ι ι ι

MAY 08 2009

KEEP OUT OF REACH OF CHILDREN CAUTION - CUIDADO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detaile. (If you do not understand this label, find someone to explain it to you in detail.)

	FIRST AID
Have the produ	ct container or label with you when calling a poison control center or doctor, or going for treatment.
lf in eyes	 Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
lf on skin or clothing	 Take off contaminated clothing. Rinse skin with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment advice.
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
If swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person center or center.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Harmful if absorbed through skin. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wear protective eyewear. Prolonged or frequently repeated contact may cause allergic reactions in some individuals.

riii

'....

6166

Personal Protective Equipment (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category A on an EPA chemical-resistance category selection chart.

Handlers (including mixers, loaders, persons cleaning or monitoring the fogging equipment, and persons handling treated pears or pear containers still wet with ethoxyquin) must wear:

- long-sleeved shirt and long pants
- chemical-resistant gloves made of any waterproof material such as polyvinyl chloride, nitrile rubber, or butyl rubber
- shoes and socks
- protective eyewear (such as goggles, safety glasses, or a face shield)

Fogging applicators must wear:

- full-face respirator with organic vapor filter
- long-sleeved shirt and long pants
- chemical-resistant gloves made of any waterproof material such as polyvinyl chloride, nitrile rubber, or butyl rubber
- shoes and socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should:

- · Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Re-Entry

Entry into the treatment area by any person other than properly trained and equipped handlers is prohibited from the start of application until the treated area is ventilated as follows:

- 8 hours with no ventilation followed by 1 hour of mechanical ventilation
- 24 hours with no ventilation

In case it is necessary to enter the treatment area during treatment or before ventilation requirements have been met, handlers must wear chemical resistant headgear and a self-contained breathing apparatus (SCBA, MSHA/NIOSH approval number prefix TC-13F) in addition to PPE listed for handlers under PRECAUTIONARY STATEMENTS.

Environmental Hazards

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a composed of National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

Physical or Chemical Hazards

Combustible. Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Application Restrictions

Do not apply this product in a way that will contact workers or other persons. Only protected handlers may be in the area during application.

Recommendations

- Use entire contents of the container within 6 months after opening.
- Avoid exposing product to sunlight to prevent darkening, which may cause staining of fruit.
- Avoid exposing treated fruit to sunlight, as exposure may cause fruit to stain.
- Before treatment, fruit in bins must be protected on top with plastic liners, cardboard sheets or Kraft sheets. Fruit directly in front of the fogging equipment should also be protected with liners or sheets from top to bottom.
- In rooms that are less than 75% filled, calculate the dosage of ecoFOG-180 by adding a tonnage value of 20% of the empty volume to the real tonnage of the fruit.
- Consult your local extension horticulturist or a gualified pomologist for proper procedures and precautions.

Application Rate

Apply 60 grams of ecoFOG-180 per metric ton of fruit (1.9 ounces per ton).

Electrofogger Operation

- Place the Electrofog machine horizontally outside the treatment room at a height of about 3 feet from the floor. Cover the door or window to the treatment room with a plastic sheet and insert the fogging pipe through a hole in the plastic. Place a bucket under the nozzle to catch any drops. Seal the opening around the nozzle with duct tape.
- Set the Electrofog machine resistance temperature between 500° to 600° C.
- Insert input pipe into product container and start pump. Stop pump when product reaches the pump body.
- Start fan and resistance, and start pump again when fog exit temperature reaches 180°C. Adjust pump as necessary during operation to maintain 180°C.

Application Procedures

- Do not breathe the fog.
- Turn off room cooling systems and humidifiers 12 hours prior to and during treatment.
- Turn off room circulation fans immediately prior to and during treatment.
- Allow the fog to stay overnight or until the fog has totally disappeared (about 5 hours posttreatment) before restarting fans and cooling systems.
- For best control of scald, apply to Anjou pears no later than one week after harvest. For advice on other pear varieties, consult your Pace Technical Representative.

Re-Entry

ť

ceic Entry into the treatment area by any person other than properly trained and equipped handlers is prohibited from the start of application until the treated area is ventilated as follows: . د ر

- 8 hours with no ventilation followed by 1 hour of mechanical ventilation.
- 24 hours with no ventilation

In case it is necessary to enter the treatment area during treatment or before ventilation requirements have been met, handlers must wear chemical resistant headgear and a selfcontained breathing apparatus (SCBA, MSHA/NIOSH approval number prefix TC-13F) in addition to PPE listed for handlers under PRECAUTIONARY STATEMENTS.

çeri

66

·, '

.....

(() ((((

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. <u>PESTICIDE STORAGE</u>: Avoid storing below 40° F. In case of spill or leak, absorb liquid with sawdust or other absorbent material and incinerate or dispose of it in approved disposal area. <u>PESTICIDE DISPOSAL</u>: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

<u>CONTAINER DISPOSAL</u>: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

NOTICE TO BUYER

IMPORTANT: Read the information below before using this product. If the terms are not acceptable, you should return the unopened product container immediately for a complete refund.

LIMITED WARRANTY, TERMS OF SALE, AND LIMITATION OF LIABILITY

Upon purchase of this product, purchaser and user agree to the following terms: <u>Warranty</u>: Pace International, LLC (the Company) warrants that this product conforms to the chemical description on the label in all material respects and is reasonably fit for the purpose referred to in the directions for use, subject to the exceptions noted below, which are beyond the Company's control. To the extent consistent with applicable law, the Company makes no other representation or warranty, express or implied, concerning the product, including no implied warranty of merchantability or fitness for a particular purpose; no such warranty shall be implied by law, and no agent or representative is authorized to make any such warranty on the Company's behalf.

<u>Terms of Sale</u>: The Company's directions for use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, and the manner of use or application (including failure to adhere to label directions), all of which are beyond the Company's control. To the extent consistent with applicable law, all such risks are assumed by the user.

<u>Limitations of Liability:</u> To the extent consistent with applicable law, the exclusive remedy against the Company for any cause of action relating to the handling or use of this product is a claim for damages, and in no event shall damages or any other recovery of any kind exceed the price of the product which caused the alleged loss, damage, injury, or other claim. Under no circumstances shall the Company be liable for any special, indirect, incidental, or consequential damages of any kind, including loss of profits or income, and any such claims are hereby waived, except to the extent allowed by law.

To the extent consistent with applicable law, the Company and the seller offer this product, and the purchaser and user accept this product, subject to the foregoing warranty, terms of sale, and limitation of liability, which may be varied or modified only by an agreement in writing signed on behalf of the Company by an authorized representative.

MADE IN USA NET CONTENTS:

Manufactured By: Pace International LLC 5661 Branch Road Wapato, WA 98951 800.936.6750 www.paceint.com

NOTIFICATION

MAY 08 2009