

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

March 5, 2018

Tony Herber Agent for Aegis Environmental Management, Inc. 11400 Vanstory Drive Huntersville, NC 28078

Subject: Label Amendment – Revisions to uses and directions for use as well as other

modifications

Product Name: AEM 5772 Antimicrobial EPA Registration Number: 64881-2 Application Date: January 3, 2018

Decision Number: 537204

Dear Mr. Herber:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2 EPA Reg. No. 64881-2 Decision No. 537204

with FIFRA section 6. If you have any questions, please contact Tara Flint via email at flint.tara@epa.gov or Eric Miederhoff at Miederhoff.eric@epa.gov.

Sincerely, E. Midelloff

Eric Miederhoff

Product Manager 31

Regulatory Management Branch I Antimicrobials Division (7510P)

Office of Pesticide Programs

Enclosure

Master Label

AEM 5772 Antimicrobial

A SILANE QUATERNARY AMMONIUM SALT

EPA Reg. No. 64881-2

EPA Est. {to be inserted}

ACTIVE INGREDIENT: 3-(trimethoxysilyl) propyldimethyloctadecyl ammonium chloride	72%
INERT INGREDIENTS	28%
TOTAL	100%

CONTAINS OVER 12% METHANOL

KEEP OUT OF REACH OF CHILDREN

DANGER! POISON

FIRST AID

If in eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing. Call a Poison Control Center or doctor for treatment advice.
If inhaled:	Move person to fresh air.
	If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible
	Call a Poison Control Center or doctor for treatment advice.
If in skin or clothing:	Take off contaminated clothing.
	Rinse skin immediately with plenty of water for 15-20 minutes.
	Call a Poison Control Center or doctor immediately for treatment advice.
If swallowed:	 Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor.
	Do not give anything by mouth to an unconscious person.

PRODUCT FEATURES AND BENEFITS

- AEM 5772 Antimicrobial imparts durable biostatic activity to the surface of a wide variety of substrates.
- AEM 5772 Antimicrobial is effective against mold, mildew and algae as a static agent.
- Increased efficiency through proper application, durable bacteriostatic, fungistatic and algistatic surfaces can be attained with a minimum amount of AEM 5772 Antimicrobial.
- Provides freshness and combats deterioration and discoloration caused by bacteria, fungi and algae.

LOT NO. {to be inserted}

NET CONTENTS {to be inserted}

ACCEPTED

03/05/2018

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under

EPA Reg. No.

64881-2

Sold by:



AEGIS ENVIRONMENTAL MANAGEMENT, INC.

11400 Vanstory Drive, Huntersville, NC 28078 U.S.A. 1-704-875-0806

The AEGIS logo is a trademark of AEGIS Environmental Management, Inc.

Origin: U.S.A.

Master Label PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS.

DANGER! CORROSIVE. CONTAINS 12% METHANOL. CAUSES IRREVERSIBLE EYE DAMAGE AND SKIN IRRITATION. MAY BE FATAL IF INHALED. Methanol may cause blindness. May be harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear protective eyewear, rubber gloves, and protective clothing. Do not breathe vapor. Wear a NIOSH approved respirator with any N, R, P, or HE filter. Appropriate measures should be taken to prevent the accumulation of hazardous concentrations of methanol vapors in the work area. Wash thoroughly with soap and water after handling and before eating, drinking, using tobacco, chewing gum or using the toilet. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS:

This pesticide is toxic to fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Every effort should be made to contain accidental spills of concentrate to the immediate area. This may be accomplished by the use of sandbags or barrier material to confine the spill to facilitate cleanup and disposal. Contaminated sand or barrier material may then be disposed of by burial in an approved landfill. Many spills may be cleaned up with rags or other absorbent materials by wiping, soaking and/or mopping and allowing the liquid to absorb onto the material. The absorbent material may then be disposed of by incineration or landfill. Floor drains in areas of material use should be protected with absorbent material or barrier material to contain accidental spills.

Inactivation of solutions containing AEM 5772 Antimicrobial may be accomplished by addition of an anionic surfactant, or detergent in quantity equivalent to that of AEM 5772 Antimicrobial in solution.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Keep away from heat and open flame

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its label.

- . This product is registered for formulation into Antimicrobial Products or as a microbiostatic agent for material preservation.
 - Antimicrobial product formulations containing AEM 5772 Antimicrobial require approval by the US EPA for antimicrobial claims
 made. Formulators are responsible for satisfying registration requirements for their formulated products.
 - For use as a microbiostatic agent for material preservation, neither this product nor the articles treated with this product may state or imply any public health claims. Articles or substances treated with this product will be exempt from FIFRA regulation pursuant to 40 CFR 152.25(a) if the intended use for incorporating this material into a treated article or substance is for the protection of the article or substance itself.

APPROVED USES: AEM 5772 Antimicrobial is for application to or incorporation within manufactured products listed below for use in industrial, institutional, commercial or residential locations for non-food contact uses

Plastics, fiberglass, metals, glass, wood, ceramics, stone, natural materials, composites: Including air filters for furnaces, air conditioners, air purification devices, automobiles, and recirculating air handling systems; aquarium filters; automotive and vehicular parts; roofing materials (tiles, shakes, shingles, granules, stone, membranes, felt, underlayment and synthetic overcoats); building materials and components (including siding, wallboard, wood and wood composites, insulation and non-food contact cabinetry); ceiling tiles; concrete and concrete products (including wet cast, dry cast, and self-consolidating concrete (SCC) containing Ordinary Portland Cement (OPC), and/or Granulated Ground Blast-furnace Slag (GGBS) and/or silica fume and/or fly ash and which can be precast or formed-in-place); paints and coatings; mastics and sealants; cementitious materials (including caulk, grout and cement and grout premixes); non-food contact conveyor and humidifier belts; non-food contact countertops; fiberglass ductboard for air handling systems; floor covering; flooring; general purpose (non-food contact) containers; furniture; bathroom and non-food contact kitchen hardware; mats; plumbing supplies and fixtures; sheet and formed glass; non-food contact sponges and mops; vacuum cleaner bags and filters; foam for packaging and cushioning in non-food contact applications.

Fibers, fabrics (natural and synthetic, woven and non-woven), leather and household materials (natural and synthetic): Including buffer pads (abrasive and polishing); mattress cover pads, filling and ticking; pillow covers; sheets; blankets; bedspreads; fiberfill for upholstery, recreational gear, quilts and pillows; curtains; draperies; carpet and carpet underlay; rugs; upholstery; towels; shower curtains; toilet tank and seat covers; wall covering fabrics and wallpaper (including vinyl) for non-food contact surfaces; umbrellas; fire hose fabric; non-woven disposable diapers; wiping cloths; pre-moistened towelettes and tissue wipes (these do not impart pesticidal properties); apparel, including outerwear, sportswear, sleepwear, socks, hosiery, undergarments, gloves and uniforms; footwear (boots, shoes and components); sports equipment and athletic gear; cloth for sails, ropes, tents and other outdoor equipment; sand bags; tarps; awnings; file folders and binder covers; book covers; pictures.

<u>Miscellaneous Manufactured Products:</u> disposable foam cushions for Lapidus Airfloat Systems; foam used as a growth medium for non-food crops and plants.

AEM 5772 Antimicrobial provides residual self-sanitizing activity against athlete's foot fungus (Trichophyton mentagrophytes) on treated socks. Durable for up to 10 repeated washings; prevents 99.9% of the growth of athlete's foot fungus on the sock.

HOW TO USE:

SDS INFORMATION: BEFORE HANDLING, READ PRODUCT AND SAFETY DATA SHEETS AND CONTAINER LABELS FOR SAFE USE, PHYSICAL AND HEALTH HAZARD INFORMATION. THE SAFETY DATA SHEET CAN BE OBTAINED BY WRITING TO AEGIS ENVIRONMENTAL MANAGEMENT, INC. OR BY CALLING (704) 875-0806.

Wear goggles or face shield, protective clothing, rubber gloves and respirator when handling the concentrated material. Use with proper ventilation. Undiluted AEM 5772 Antimicrobial contains 12 percent methanol. Do not breathe vapors. Keep away from heat and open flame. Methanol is released during mixing, application and drying. If desired, methanol removal may be accelerated

Master Label

by heating dilute solution before treatment of substrate. Appropriate measures should be taken to prevent the accumulation of hazardous concentrations of methanol vapors in the work area.

AEM 5772 Antimicrobial is for application to organic and inorganic surfaces as a dilute aqueous solution to give 0.1 to 1.0 percent by weight of active ingredients. Aqueous solutions are prepared by simply adding the antimicrobial agent to water with stirring. NOTICE: Poor agitation when adding this silane to water can result in locally high concentrations, which may form gel particles. Surfaces are to be treated with the aqueous solution by brushing, dipping, padding, soaking, spraying or fogging until adequately wet, or applying by foaming techniques. After applying treatment, the surface must be allowed to dry at temperatures from ambient to a maximum of 160°C (320° F) to effect complete curing of silanol groups and to remove water, solvents and/or traces of methanol from hydrolysis. Curing of polymer is accelerated or enhanced with heat or catalysis. For each application, determine optimum application and drying conditions, such as time and temperature before use. If desired, reapply AEM 5772 Antimicrobial if odor, staining and discoloration due to bacteria, mold or mildew occur.

Incorporate AEM 5772 Antimicrobial directly into formulations used to make end-use products, or dilute with water or with organic solvents such as alcohols, ketones, esters, hydrocarbons and chlorinated hydrocarbons and then apply it to the organic and inorganic surfaces to give 0.1 to 1.0 percent by weight of active ingredient.

For incorporated use as a grout or cement additive and in concrete and concrete products, add AEM 5772 Antimicrobial directly to the dry mix during the grout, cement, or concrete preparation. Use 0.5-2 fluid ounces of AEM 5772 Antimicrobial per 50 pounds of dry mixture. For concrete applications, use 6.4-32 fluid ounces of AEM5772 per cubic yard of concrete. Follow directions for grout or concrete, using AEM 5772 Antimicrobial as part of the added water. Addition of AEM 5772 Antimicrobial inhibits the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae on the surface of the cured grout and concrete.

STORAGE AND DISPOSAL:

Do not contaminate water, food, or feed by storage and disposal.

1 lb. Packages:

Storage and Disposal

Store in original, tightly closed container in an area inaccessible to children or persons unfamiliar with its use. Moisture sensitive. Reclose tightly after each use. Do not reuse container. Discard in trash.

Pails and Drums

STORAGE: Store in original, tightly closed container in an area inaccessible to children and away from food or feed. Moisture sensitive. Keep tightly closed until ready to use. Reclose tightly after each use.

PESTICIDE DISPOSAL: Pesticide is acutely hazardous. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance

CONTAINER HANDLING: NONREFILLABLE CONTAINER. Do not reuse this container to hold materials other than pesticides or dilute pesticides (rinsate). After emptying and cleaning, it may be allowable to temporarily hold rinsate or other pesticide-related materials in the container. Contact your state regulatory agency to determine allowable practices in your state. Offer for recycling, if available.

Triple rinse container promptly after emptying.

For pails: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

For drums: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

NOTICE: AEGIS warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated in the labeling when used in accordance with directions under normal conditions of use; but this warranty of fitness for a particular purpose does not extend to the use of this product contrary to written instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. **AEGIS ENVIRONMENTAL MANAGEMENT, INC. SPECIFICALLY DISCLAIMS ANY OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING THE WARRANTY OF MERCHANTABILITY.**