


64962-1

12/30/2005

1/5

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060

 <b>United States Environmental Protection Agency</b> Washington, DC 20460		<input type="checkbox"/> <b>Registration</b> <input type="checkbox"/> <b>Amendment</b> <input type="checkbox"/> <b>Other</b>	OPP Identifier Number
<b>Application for Pesticide - Section I</b>			
1. Company/Product Number 64962-1		2. EPA Product Manager Cynthia Parker Giles	
4. Company/Product (Name) EarthTec		3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted	
5. Name and Address of Applicant (Include ZIP Code) Earth Science Laboratories, Inc. 106 B North 37th Street Rogers, AR 72756  <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____  Product Name _____	
<b>Section - II</b>			
<input type="checkbox"/> Amendment - Explain below.  <input type="checkbox"/> Resubmission in response to Agency letter dated _____  <input checked="" type="checkbox"/> Notification - Explain below.		<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application.  <input type="checkbox"/> Other - Explain below.	
<b>Explanation:</b> Use additional page(s) if necessary. (For section I and Section II.)  "This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling of the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA". See attached sheet for changes to alternative brand label that are consistent with PR Notice 98-10.			
<b>Section - III</b>			
1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No  If "Yes" Unit Packaging wgt. 8oz No. per container 18	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  If "Yes" Package wgt _____ No. per container _____	2. Type of Container <input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 8oz., 16oz, 4 lb	
5. Location of Label Directions <input checked="" type="checkbox"/> _____		6. Manner in Which Label is Affixed to Product screened on bottles and packages <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other _____	
<b>Section - IV</b>			
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)			
Name Lawrence McLeroy		Title Environmental Scientist  Telephone No. (Include Area Code) 479-619-2713	
<b>Certification</b> I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.			6. Date Application Received (Stamped)  _____ SIG
2. Signature  _____		3. Title Environmental Scientist	
4. Typed Name Lawrence McLeroy		5. Date 12-19-2005	









SM

# aqua solutions<sup>SM</sup>

A wholly owned division of LIFESPAN SOLUTIONS L.L.C

## ALGICIDE/BACTERICIDE

FOR LAKES, PONDS, RESERVOIRS, CANALS,  
LAGOONS AND SIMILAR WATER SYSTEMS

NSF Certified  
Standard 60

Certified by National Sanitation  
Foundation International for use in  
drinking water systems. The finished  
drinking water should be monitored  
to ensure that levels of copper do not  
exceed 1.0 mg/L.

### ACTIVE INGREDIENTS:

Copper Sulfate Pentahydrate*	19.8%*
Inert Ingredients	80.2%
Total	100.0%

\*Metallic Copper Equivalent Equal 5%

**THIS PRODUCT WEIGHS 9.9 LBS PER GALLON**

### Sold By:

Lifespan Solutions LLC.  
36598 Dowling  
Livonia, MI 48150  
www.lifespancorp.com  
Phone:(734) 425-1350 Fax:(734) 425-1350

EPA REGISTRATION NO.:

64962-1-82951

EPA ESTABLISHMENT NO.:

64962-NB-001

### NET CONTENTS:

5 gal / 18.93L

30 gal / 113.56L

55 gal / 208.19L

9.9 lbs. Per Gallon / 1.188 kg/L

LOT NUMBER

NOTIFICATION

DEC 30 2005

KEEP OUT OF REACH OF CHILDREN

## **DANGER PELIGRO**

Si Usted no entiende la etiqueta, busque a alguien para que se la explique a Usted en detalle.

(If you do not understand this label, find someone to explain it to you in detail.)

### FIRST AID

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of soap and water for 15-20 minutes. Call a poison control center or doctor for treatment.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for advice.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

3  
5



## PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

# DANGER

**Corrosive. Causes irreversible eye damage.** Do not get in eyes or on clothing. Avoid contact with skin. Wear protective eyewear (goggles, face shield, or safety glasses). Harmful if swallowed, inhaled, or absorbed through skin. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

## ENVIRONMENTAL HAZARDS

**Fish and Aquatic Organisms:** This product is toxic to fish. Direct application of copper sulfate to water may cause a significant reduction in populations of aquatic invertebrates, plants and fish. Do not treat more than one-half of a lake or pond at one time to avoid depletion of oxygen from decaying vegetation. Allow 1 to 2 weeks between treatments for oxygen levels to recover. Trout and other species of fish may be killed at application rates recommended on this label, especially in soft or acidic waters. Do not contaminate water when disposing of equipment wash waters. (See Disposal Instructions). Consult your local State Fish and Game Agency before applying this product to public waters. Permits may be required before treating such waters.

**Endangered Species Restrictions:** It is a violation of Federal laws to use any pesticide in a manner that results in the death of an endangered species or adverse modification of their habitat. The use of this product may pose a hazard to certain federally designated endangered species known to occur in specific areas within the following counties:

STATE	SPECIES	BULLETIN NO.	COUNTY
California	Solano Grass	EPA/ES-85-13	Solano
Tennessee	Slackwater Darter	EPA/ES-85-04	Lawrence Wayne Hancock
	Freshwater Mussels	EPA/ES-85-07	Claiborne Hawkins Sullivan
Alabama	Slackwater Darter	EPA/ES-85-05	Lauderdale Limestone Madison
Virginia	Freshwater Mussels	EPA/ES-85-06	Grayson Smyth Scott Washington Lee

**PLEASE NOTE:** Before using this product in the above counties you must obtain the EPA bulletin specific to your area. This Bulletin identifies areas within these counties where the use of this pesticide is prohibited unless specified otherwise. The EPA Bulletin is available from either your County Agricultural Extension Agent, the Endangered Species Specialist in your State Wildlife Agency Headquarters or the appropriate Regional Office of the U.S. Fish and Wildlife Service.

## FOR CHEMICAL EMERGENCY

Call INFOTRAC 1-800-535-5053  
Non-Flammable. Do Not Freeze.

THIS BULLETIN MUST BE REVIEWED PRIOR TO PESTICIDE USE

## PERSONAL PROTECTIVE EQUIPMENT:

Applicators and other handlers must wear:

- Long-sleeved shirt
- Long pants
- Chemical-resistant gloves made of any waterproof material
- Chemical resistance category A
- Protective eyewear
- Shoes plus socks

Maintain this clothing separately from other laundry and wash with detergent and hot water, or according to manufacturer's label. If these items become drenched with this product's con-centrate, discard the clothing and do not re-use.

## DIRECTIONS FOR USE

It is a violation of federal law to use this pro-duct in a manner inconsistent with its labeling.

## GENERAL INFORMATION

**Lifespan** is an innovative, unique formulation used for suppression of bacteria and toxic gases in sewage lagoons, feedlot run-off pits, animal confinement facilities and other ponds containing organic matter or algae/bacteria. **Lifespan** may be used to control algae and pond weed and suppress bacterial growth in irrigation, reservoirs, ponds, lagoons, and potable water supplies. **Lifespan** inhibits or suppresses the growth of bacteria. When used as directed on this label, it is a bactericide.

## APPLICATION AND HANDLING EQUIPMENT

Application, handling or storage equipment MUST consist of either fiberglass, PVC, poly-propylene, viton, most plastics, or stainless steel. Never use mild steel, nylon, brass or copper around full strength **Lifespan**.

Always rinse equipment free and clean of **Lifespan** each night with plenty of fresh, clean water.

Always store **Lifespan** above 32 degrees F. Freezing may cause product separation. Seller makes no warranty for product which has been frozen. Apply over entire area of lagoon or mix thoroughly until completely dispersed with sewage. Useful formulas for calculating water volume and flow rates. To find the capacity of water storage containment in gallons, multiply the water volume in cubic feet times 7.5.

**NOTE:** 1CFS/hr = 27,000 gallons 1 Acre foot = 326,000 gallons

## GENERAL BACTERIAL CONTROL

Application rates may vary depending on amounts of organic matter (sewage) in lagoons and pits. Application should be done by pouring **Lifespan** directly from the container into the pit or lagoon. Several application points speed up dispersal. Use one gallon of full strength **Lifespan** in 60,000 gallons (8,000 cubic feet) of sewage. For easiest results disperse **Lifespan** evenly throughout sewage. Bacterial odors should be noticeably reduced in 1-2 weeks. Repeat application when odor reoccurs.

**Feedlot Run-Off Lagoons:** Add a portion of the required dosage of **Lifespan** at several locations around the lagoon to speed dispersal of the product. A minimum of two applications per year (spring and fall) is recommended. Additional applications may be required as needed when the lagoon is pumped.



**NSF**

NSF Certified  
Standard 60

Certified by National Sanitation  
Foundation International for use in  
drinking water systems. The finished  
drinking water should be monitored  
to ensure that levels of copper do not  
exceed 1.0 mg/L.

## ACTIVE

Copper Sul

Inert Ingred

Total

\*Metallic C

THIS PR

## Sold By:

Lifespan Sol  
36598 Dowl  
Livonia, MI  
www.lifespa  
Phone: (734)

K E

Si Ust

**IF SWALLOWED:** Call a poison cc treatment advice. Have person sip a gl: induce vomiting unless told to do so by not give anything by mouth to an unco

**IF ON SKIN OR CLOTHING:** T: skin immediately with plenty of soap a poison control center or doctor for tre

SEE SIDE PA

4/5



# tions

SM

## PAN SOLUTIONS L.L.C

ES, PONDS, RESERVOIRS, CANALS,  
NS AND SIMILAR WATER SYSTEMS

IO.: 64962-1-82951

\* NO.: 64962-NB-001

g/L

E N

1 detalle.

1.)

rinse slowly and gently with water for 20  
resent, after first 5 minutes, then continue  
nter or doctor for advice.

able mucosal damage may contraindicate

with you when calling a poison control  
ment.

STATEMENTS

**Animal Confinement Pits:** If pits are located under the confinement buildings, add Lifespan directly to these pits. If the pits are outside, add Lifespan to the transfer line to the pit.

**Other Organic Sludges:** Lifespan must be thoroughly mixed with sludge. Apply at the rate of one gallon Lifespan in 30,000 gallons of sludge.

### GENERAL ALGAE CONTROL

For algae control, apply in the late spring or early summer when algae first appear. The dosages are variable and depend upon algae species, water hardness, water temperature, amount of algae present, as well as whether water is clear, turbid, flowing or static. Preferably, the water should be clear with temperature above 60 degrees F (15.6 degrees C). Higher dosages are required at lower water temperatures, higher algae concentrations and for hard waters. Application should be done by pouring Lifespan directly from the container into the lakes, ponds, reservoirs or irrigation canals. Several application points speed up dispersal. Static water requires less chemical for algae control than does flowing water. Use higher dosages for chara, nitella and filamentous algae (pond scum) and lower dosages for planktonic algae. If there is uncertainty about the dosage begin with a lower dosage and increase until control is achieved or until the maximum allowable level has been reached.

Treatment of algae can result in oxygen loss from the decomposition of dead algae. This loss can cause fish suffocation. If the algae cover more than one-third of the total water area, treat in sections. Treat one-half of the water area in a single operation and wait for 10 to 14 days between treatments. Begin treatment along the shore and proceed outward in bands to allow fish to move into untreated areas. In regions where ponds freeze in winter, treatment should be done 6 to 8 weeks before expected freeze to prevent masses of decaying algae under an ice cover.

Trout and certain other species of fish may be killed at recommended application rates, especially in soft or acidic waters. Before treating bodies of water, consult proper state authorities such as the Fisheries Commission or Conservation Department to obtain any necessary permits.

### SPECIFIC DIRECTIONS FOR USE

**To Control Algae in Irrigation Conveyance Systems:** For continuous addition, add one pint Lifespan for each 7,500-300,000 gallons. For conveyance systems longer than 30 miles, it is recommended that the above dose be dispersed among the injection points approximately every 30 miles. However, do not exceed the total dose of one gallon in 60,000 gallons.

**To Control Algae in Impounded Waters, Lakes, Ponds, Lagoons, and Reservoirs:** For easiest results disperse Lifespan evenly throughout the body of water. Apply at the rate of one pint Lifespan in 7,500 - 300,000 gallons. For best results apply to warm still water on a sunny day when algae are near the surface. For potable water, do not exceed one gallon in 60,000 gallons under any circumstances (1 ppm metallic copper).

Do not apply copper sulfate to water less than 40 ppm alkalinity without first doing a preliminary toxicity test on fish in the water in a separate container. Copper sulfate may be very toxic to trout and other species in soft or acid waters so preliminary testing is necessary.

Certified by National Sanitation Foundation International for use in drinking water systems. The finished drinking water should be monitored to ensure that levels of copper do not exceed 1.0 mg/L.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Store in a safe place away from pets and keep out of the reach of children. Store away from excessive heat. Lifespan will freeze. Always keep container closed. Store Lifespan in its original container only. Keep away from galvanized pipe, and any nylon storage or handling equipment.

**Pesticide Disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess Lifespan, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

In the event of spill, neutralize with limestone or baking soda before disposal. May deteriorate concrete.

**Container Disposal:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

### LIMITED WARRANTY AND LIMITATION OF REMEDIES

Seller warrants that the product conforms to the chemical description and is reasonably fit for the purpose stated on the label for use under normal conditions, but makes no other warranties of FITNESS OR MERCHANTABILITY expressed or implied, or any other warranty if the product is used contrary to the label instructions, or under abnormal conditions or under conditions not foreseeable to the seller. In no case shall the seller be liable for more than the cost of this product to the buyer and will in no event be liable for any consequential, special or indirect damages connected with the use or handling of this product. This product is offered and the buyer or user accepts it subject to the foregoing terms which may not be varied.

### Sold By:

Lifespan Solutions LLC.  
36598 Dowling  
Livonia, MI 48150  
www.lifespancorp.com  
Phone:(734) 425-1350 Fax:(734) 425-1350

FOR POSITION ONLY

5/5