UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

09 AUG 1993

William E. Brown, Ph.D. BioSentry, Inc. 1481 Rock Mountain Blvd. Stone Mountain, GA 30083-1920

Subject: CL-600

EPA Registration No. 65020-3

Your Labeling Dated October 6, 1992


Dear Dr. Brown:

This is in regard to your label re-submitted in response to the Agency letter dated September 28, 1992. That Agency letter was in regard to your label amendment prompted by a USDA letter stating that your product may not be used as a food-contact surface sanitizer at concentrations over 100 ppm available chlorine.

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. A stamped copy is enclosed for your records.

- 1. Delete the last sentence in the "General Sanitization" section -- "Rinse any treated food contact surfaces with potable water before reuse."
- 2. Submit five copies of the finished labeling before you release the product for shipment bearing the amended labeling.

The primary brand name for this product in our records is now "CL-600," as per your request.



If you have any questions about this letter, you may call Wallace Powell at 703-305-6938.

Sincerely,

Ø

Ruth G. Douglas
Product Manager 32
Antimicrobial Program Branch
Registration Division (H-7504C)

Enclosure



BioSentry

FOR SANITIZING COMMERCIAL EGGS, FOOD PROCESSING AND BEVERAGE EQUIPMENT.

Chlorinated Sanitizer

ACTIVE INGREDIENTS: INERT INGREDIENTS: 70.00% TOTAL INGREDIENTS..... Available Chlorine 18.00%

KEEP OUT OF REACH OF CHILDREN WARNING See additional precautions on back panel.

ACCEPTED with COMMENTS

in EPA Lector Deta

Under the address in Fungicide, and Fodentic amended for the registered under EPA

0 9 AUG 199

65020-

BloSentry" Agricultural

BioSentry™, Inc., Stone Mountain, GA 30083 USA NET WEIGHT 50 lb. pall



CL-600[™] is used for sanitizing commercial eggs, food sometimes of the sanitizing commercial eggs.

DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

EGG SANITIZING: For use as a final sanitizing spray after washing eggs, prepare a spray solution by adding 1 ounce CL-600TM per 14 gallons of water. Maintain temperature of 110-130°F.

GENERAL SANITIZATION: Use on walls, floors, tables, sinks and any furnishings not damaged by water. Prepare a solution containing 1 ounce of CL-600TM per 7 gallons of water. Apply in a wetting concentration. Rinse any treated feed sentact surfaces with petable water before reuse.

FOOD PROCESSING AND BEVERAGE EQUIPMENT: For sanitizing equipment that has been previously cleaned, use a solution containing 1 ounce of CL-600TM per 14 gallons of water. Apply in a wetting concentration. Drain and allow to air dry before use. Where local or state ordinances are in effect, follow the required procedures.

STORAGE & DISPOSAL

STORAGE: Keep product dry in tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition isolate container, if possible, and flood with large amounts of water to dissolve all material before discarding.

DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Do not contaminate water, food or feed by storage or disposal.

Triple rinse empty container. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, of, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARNING

KEEP OUT OF REACH OF CHILDREN

OXIDIZING MATERIAL. CONTACT WITH HEAT, MOISTURE OR FOREIGN MATERIALS MAY RESULT IN FIRE. WILL BURN WITH THE EVOLUTION OF IRRITATING AND HAZARDOUS GASES. KEEP AWAY FROM HEAT OR OPEN FLAME.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Avoid contact with skin and eyes. Avoid breathing dust. DO NOT TAKE INTERNALLY. May be harmful if swallowed. May cause eye irritation.

STATEMENT OF PRACTICAL TREATMENT

ANTIDOTE: Call a physician.

EXTERNAL: For skin and eyes, immediately flood with large amounts of water.

INTERNAL: If ingested drink large quantities of water. Do not induce vomiting.

EPA REG NO 65020-3 A3 EPA EST NO 65020-GA-1

NULL CONFIDENT IN TO 9 AUG 1

Under the rederal
Fungicide, and Fode
mended, for the
mended under