OCT 25 1999

David J. Schneider Vice President H & S Chemical Co. Inc. 1025 Mary Laidley Drive Covington, KY 41017

) Dear Mr. Schneider:

Subject:

32

Change Signal Word from "Caution" to "Danger"

Chloro Glass Disinfectant


EPA Registration No. 65169-1

Your resubmission of April 26, 1999

The amendment referred to above, submitted in connection with registration under FIFRA sec. 3(c)(7)(A), is acceptable provided that you:

- 1. Submit and/or cite all data or material required for registration/reregistration of your product under FIFRA sec. 3(c)(5) or FIFRA sec.4 when the Agency requires all registrants of similar products to submit such data.
- 2. Submit two copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.



2 4 3

A stamped copy of the label is enclosed for you records.

If you have any question concerning this letter, please contact Drusilla Copeland at (703) 308-6224.

Sincerely your,

Adam Heyward

Product Manager (34)

Regulatory Management Branch II Antimicrobials Division (7510C)

Enclosure

ì

CHLORO GLASS DISINFECTANT

Sanitizer for use on Bar, Restaurant Glassware, Utensils and Food Contact Surfaces. For Use on: Tabletops, Countertops, Sinks, Splashbacks, Trays, sealed Floors and Food Preparation Equipment. Surface composition may be: Stainless Steel, Glass, Fiberglass, Formica, Porcelain, Ceramic Tile or other Hard Nonporous Surfaces.

ACCEPTED with COMMENTS in EPA Letter Dated:

Active Ingredient: Trichloromelamine....18.7% Inert Ingredients:81.3%

OCT 25 1999.

Under the Federal Insecticide, Fungicide, and Rodenticide Act as smended, for the pesticide, registered under EPA Reg. No. 165/169-1 Provides 100 PPM Available Chlorine KEEP OUT OF REACH OF CHILDREN DANGER: See Cautions On Back Panel NET WT. 1/4 OZ.

EPA REG. NO. 65169-1 EPA EST. NO. 65169-KY-1 © 1999 H&S Chemical Co. Inc., Covington, Ky 41017 U.S.A. Distributor Made in the U.S.A.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive to eyes. Do not get in eyes, on skin, or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Do not breathe dust. Wash hands thoroughly with soap and water after handling.

FIRST AID: GIVE IMMEDIATELY

EYES: Immediately flush with water. Remove contact lenses. Then, flush eyes with water for 15 minutes. Get medical attention.

SKIN: Flush powder from skin with plenty of soap and water. If irritation occurs and persists, contact physician.

IF SWALLOWED: Rinse mouth. Drink glassful of water. Do not induce vomiting. Avoid alcohol. Then immediately contact Poison Center or physician.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

LAST TANK 1.) Pre-Wash glassware. 2.) Rinse with clear, cool water. 3.) In sanitizing tank (last tank) mix contents of this package in 3 gallons of water. This provides 100ppm available chlorine for an 8 hour shift. Use test strips to assure required chlorine levels. Immerse glassware for at least two minutes or for contact time specified by governing sanitary code. 4.) Place sanitized glassware on a rack or drainboard to air dry. Do not towel dry.

FOOD CONTACT SURFACES: 1.) Remove heavy soil from all surfaces by a prescrape, preflush or presoak treatment. Then prewash all surfaces with a detergent solution followed by a rinse with potable water. 2.) Fill sanitizing container with 3 gallons of water then add entire contents of packet to water. 3.) Sanitize by wiping or swabbing surfaces. Allow solution to remain on surfaces for two minutes or for contact time specified by governing sanitary code. Then air dry. 4.) Store cloths, sponges or mops in sanitizing solution between uses during each 8-1 hour shift. Clean and rinse cloths, sponges or mops frequently in sanitizing solution. 5.) Always prepare a fresh sanitizing solution and use the same day prepared. Periodically determine chlorine level with test strip. Change solution when testing indicates a level below federal, state, or local regulations.

STORAGE AND DISPOSAL: Store this product in a cool dry area, away from direct sunlight and heat. 'Do hot contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site. Dispose of packet in trash.