

65331-2

4-13-1999

1/9

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

APR 13 1999

Louis S. Grosso, Ph.D.
Merial Limited
2100 Ronson Road
Iselin, NJ 08830-3077

Dear Dr. Grosso:

Subject: Frontline Top Spot for Cats
EPA Reg. No. 65331-2
Your submission dated 3/5/99

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. One copy of the finished labeling must be submitted prior to releasing the product for shipment.

In accordance with our telephone conversation of April 8, 1999, and the materials submitted and reviewed at our meeting of April 9, 1999, you must delete the claim "For Veterinary Use" at the next printing of your label.

The child resistant certification for the 6 pack is acceptable and has been included in the file for this registration.

If you have questions, please call Ann Sibold at 703 305-6502.

Sincerely,

for Ann Sibold

Marion J. Johnson, Jr.
Product Manager 3
Insecticide Branch
Registration Division (7505C)

CONCURRENCES

SYMBOL	7505C							
SURNAME	Sibold							
DATE	4/13/99							

ACCEPTED
with COMMENTS
In EPA Letter Dated:
APR 13 1999
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
65331-2

FRONTLINE
TOP SPOT™

For
**CATS &
KITTENS**


FRONTLINE®

TOP SPOT™



Kills fleas and ticks

Convenient spot treatment for
fast-acting, long-lasting
control of fleas and ticks.



6 Easy to Use Applicators

ACTIVE INGREDIENT	
fipronil.....	9.7%
INERT INGREDIENTS.....	90.3%
TOTAL.....	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

Contains 6 - 0.017 fl oz (0.50 ml) applicators



FRONTLINE
TOP SPOT™

FRONTLINE

TOP SPOT

FRONTLINE provides convenient and effective flea and tick control for cats and kittens.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. **TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND ENCLOSED DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON OTHER ANIMALS.**

To kill fleas and all stages of brown dog ticks, American dog ticks, lone star ticks, and deer ticks (the major carrier of Lyme disease), apply to cats or kittens (12 weeks or older) as follows:

Hold upright and snap applicator tip away from face and body. Place applicator tip through animal's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the animal's skin. Avoid superficial application to the animal's hair. Only one applicator per treatment is needed.

FREQUENCY OF APPLICATION

Research demonstrates that FRONTLINE kills fleas and ticks for at least one month:

FRONTLINE remains effective even after bathing, water immersion, or exposure to sunlight. Avoid contact with treated area until dry. Do not reapply FRONTLINE for 30 days.

Merial Limited
2100 Ronson Road
Iselin, NJ 08830-3077, USA

*FRONTLINE is a registered trademark and *TOP SPOT is a trademark of Merial. ©1999 Merial. All rights reserved.


EPA Reg. No. 65331-2
EPA Est. Nos. 65331-FR-2;
65331-DE-1; 65331-GA-1

MERIAL

FRONTLINE
TOP SPOT

For CATS & KITTENS

How to Apply **FRONTLINE**
TOP SPOT



1. To remove applicator from child-resistant package: Use scissors. Or lift and remove plastic tab to expose foil, then peel down.



2. To open applicator: Hold upright and snap applicator tip away from face and body.



3. To apply **FRONTLINE**: Place applicator tip through animal's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the animal's skin.

Questions or Comments?
Call: 1-800-660-1842



LOT NO:
MADE IN GERMANY

For animal use only

Merial Limited
2100 Ronson Road
Iselin, NJ 08830-3077, USA

FRONTLINE® For **CATS & KITTENS**

TOP SPOT™

FRONTLINE provides convenient and effective flea and tick control for cats and kittens.

- *Fast acting and long lasting*
- *Prevents reinfestation*
- *Convenient to use*
- *Kills newly emerged adult fleas before they lay eggs*
- *Controls fleas which may cause flea allergy dermatitis*
- *Kills all stages of brown dog ticks, American dog ticks, lone star ticks, and deer ticks (the major carrier of Lyme disease)*

FRONTLINE contains the active ingredient fipronil which has a unique mode of action that effectively targets fleas and ticks. Fipronil collects in the oils of the skin and hair follicles, and continues to be released from hair follicles onto the skin and coat, resulting in long lasting activity.



FRONTLINE[®]

TOP SPOT.

FOR CATS AND KITTENS

Convenient, spot treatment for fast acting,
long lasting control of fleas and ticks.

ACTIVE INGREDIENT

fipronil.....	9.7%
INERT INGREDIENTS.....	90.3%
TOTAL.....	100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

FRONTLINE provides convenient and effective flea and tick control for cats and kittens.

- Fast acting and long lasting
- Prevents reinfestation
- Convenient to use
- Kills newly emerged adult fleas before they lay eggs
- Controls fleas which may cause flea allergy dermatitis
- Kills all stages of brown dog ticks, American dog ticks, lone star ticks, and deer ticks (the major carrier of Lyme disease)

FRONTLINE contains the active ingredient fipronil which has a unique mode of action that effectively targets fleas and ticks. Fipronil collects in the oils of the skin and hair follicles, and continues to be released from hair follicles onto the skin and coat, resulting in long lasting activity.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON OTHER ANIMALS.

To kill fleas and all stages of brown dog ticks, American dog ticks, lone star ticks, and deer ticks (known to carry Lyme disease), apply to cats or kittens (12 weeks or older) as follows: Remove applicator from child-resistant package. Hold applicator upright and snap applicator tip away from face and body. Place applicator tip through animal's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the animal's skin. Avoid superficial application to the animal's hair. Only one applicator per treatment is needed.

FREQUENCY OF APPLICATION

Research demonstrates that *FRONTLINE* kills fleas and ticks for at least one month.

FRONTLINE remains effective even after bathing, water immersion, or exposure to sunlight. Avoid contact with treated area until dry. Do not reapply *FRONTLINE* for 30 days.

7/9

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal. **STORAGE.** Store unused product in original container only, out of reach of children and animals.

PESTICIDE DISPOSAL. Waste resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL. Securely wrap original container in several layers of newspaper and discard in trash.

FIRST AID

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION.

Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

HAZARDS TO DOMESTIC ANIMALS.

For external use only. Do not use on kittens under 12 weeks of age. Individual sensitivities, while rare, may occur after using any pesticide product for pets. Pets may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian immediately. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated animals. Consult a veterinarian before using this product with other pesticides. This product may be harmful to debilitated, aged, pregnant, or nursing animals; consult a veterinarian before using. Call 1-800-660-1842 for 24-hour assistance.

PHYSICAL OR CHEMICAL HAZARDS *

FLAMMABLE. Keep away from heat and open flame.

WARRANTY

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

EPA Reg. No. 65331-2
EPA Est. Nos. 65331-FR-2;
65331-DEU-1, 65331-GA-1

Merial Limited
2100 Ronson Road
Iselin, NJ 08830-3077, USA

FRONTLINE is a registered trademark and TOP SPOT is a trademark of Merial. ©1998 Merial. All rights reserved.



