JUN 22 2001

Zareen Ahmed, Ph.D. Merial 3239 Satellite Blvd. Duluth, GA 30096-4640

Dear Dr. Ahmed:

Subject:

Frontline Top Spot for Cats

EPA Reg. No. 65331-2 Letter dated 6/22/01

As discussed by phone on 6/22/01, the acute tox review dated 7/17/95 and revised 2/29/96 has been re-reviewed. The results of the skin irritation study show that this product is tox category IV for skin irritation. Therefore, if you chose to include an "If on Skin" first aid statement, you are strongly urged, but not required, to modify it to conform to PR Notice 2001-1 as follows:

If on skin or clothing:

- -Take off contaminated clothing.
- -Rinse skin immediately with plenty of water for 15-20 minutes.
- -Call a poison control center or doctor for treatment advice.

Alternately, since this product is now classified as tox category IV for dermal toxicity and irritation you may delete the "If on Skin" first aid statement. If you have questions, please call Ann Sibold at 703 305-6502.

Sincerely,

Marion J. Johnson, Jr.
Product Manager 3

Insecticide Branch

Registration Division (7505C)

ACCEPTED WHI COMMENTS

Master Label Carton

JUN 22 2001

65331-2

FROSTLISE

Kills fleas & ticks

Convenient spot treatment for fast-acting, long-lasting control of fleas and ticks

For Cats & Kittens

ACTIVE INGREDIENTS

Special Sp

(PROTOTYPE GRAPHICS)

Printed at 110%
Actual Size

How to Apply FRONTLINE Top Spot for cats

INSERT COVER TAB HERE



1. To Remove Applicator from Child-Resistant Package Use scissors. Or lift and remove plastic tab to expose foil, then peel down.



2. To Open Applicator

Hold upright and snap applicator tip away from face and body.



3. To Apply FRONTLINE

Place applicator tip through animal's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the animal's skin.

Questions or Comments? Call: 1-800-660-1842



FRONTLINE provides convenient and effective flea and tick control for cats and kittens.



- Fast-acting and long-lasting
- Prevents reinfestation
- Convenient to use
- Kills newly emerged adult fleas before they lay eggs
- Controls fleas which may cause flea allergy dermatitis
- Kills all stages of brown dog ticks, American dog ticks, lone star ticks and deer ticks (which may carry Lyme disease)

FRONTLINE contains the active ingredient fipronil which has a unique mode of action that effectively targets fleas and ticks. Fipronil collects in the oils of the skin and hair follicles, and continues to be released from hair follicles onto the skin and coat, resulting in long-lasting activity.

















For Cats & Kittens

FROUTLINE® Top Spot®



FRONTLINE Top Spot*

FRONTLINE provides convenient and effective flea and tick control for cats and kittens.

Directions For Use

It is a violation of Federal Law to use this production a manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND ENCLOSED DIRECTIONS BEFORE EACH USE, FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY, USE ON CATS ONLY, DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.

To kill fleas and all stages of brown dog ticks, American dog ticks, Ione star ticks, and deer ticks (which may carry Lyrne disease), apply to cats or kittens (12 weeks or older) as follows:

Hold applicator upright and snap applicator tip away from face and body. Place applicator tip through animal's nair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the animal's skin. Avoid superficial application to the animal's hair. Only one applicator per treatment is needed.

Frequency Of Application

When used monthly, FRONTLINE TOP SPOT FOR CATS completely controls both flea and tick infestations. Research demonstrates that FRONTLINE kills adult fleas for up to six weeks. FRONTLINE kills ticks for at least one month. A once monthly application is recommended where tick control is needed. Although FRONTLINE can control fleas for up to six weeks, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE remains effective even after bothing, water immersion, or exposure to sunlight. Avoid contact with treated ared until dry. Do not reapply FRONTLINE for 30 days.

Merial Limited 3239 Satellite BNJ. Duluth, GA 30096-4640, USA

MADE IN FRANCE

@FRONTLINE and TOP SPOT are registered trademarks of Merial.
@2001 Merial. All rights reserved.

EPA Reg. No. 65331-2 EPA Est. 65331-FR-2 (EPA Est.65331-DEU-1)



If you are not satisfied with FRONTLINE for any reason, the product will be replaced or the purchase price refunded. If you have any questions or comments, please call -800-660-1842



LOT NO:

For animal use only

FRONTLINE Top Spot®

FOR CATS & KITTENS

Convenient spot treatment for fast-acting, long-lasting control of fleas and ticks.

ACTIVE NGREDIENT INERT SGREDIENTS 100.0% TOTAL

KEEP OUT OF REACH OF CHILDREN CAUTION

FRONTUNE provides convenient and effective flea and tick control for cats and kittens.

- Fast-acting and long-lasting
- Prevents reinfestation
- Convenient to use
- Kills newly emerged adult fleas before they lay eggs
- . Contros fleas which may cause flea allergy dermatitis
- Kills all stages of brown dog ticks, American dog ticks, lone star ticks, and deer ticks (which may carry Lyme disease)

FRONTLINE contains the active ingredient fipronil which has a unique mode of action that effectively targets fleas and ticks. Fibroni collects in the oils of the skin and hair follicles, and continues to be released from hair follicles onto the skin and cost, resulting in long-lasting activity.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner in Sa Modition of rederol Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.

To kill fiess and all stages of brown dog ticks, American dog ticks, lone star ticks, and deer ticks (which may carry Lyme disease) apply to cats or kittens (12 weeks or older) as follows:

Remove applicator from child-resistant package. Hold applicator upright and snap applicator tip away from face and body. Pixe applicator tip through animal's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the animal's skin. Avoid superficial application to the animal's hair. Only one applicator per treatment is needed.

FREQUENCY OF APPLICATION

When used monthly, FRONTLINE TOP SPOT FOR CATS completely controls both flea and tick infestations. Research demonstrates that FRONTLINE kills adult fleas for up to six weeks. FRONTLINE kills ticks for at least one month. A once monthly application is recommended where tick control is needed. Although FRONTLINE can control fleas for up to six weeks, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE remains effective even after bathing, water immersion, or exposure to sunlight. Avoid contact with treated area until dry. Do not reapply FRONTLINE for 30 days.



STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal. STORAGE. Store unused product in original container only, out of reach of children and animals.

PESTICIDE DISPOSAL. Waste resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL. Securely wrap original container in several layers of newspaper and discard in trash.

Have the product container or label with you when calling a

poison control center or doctor or going for treatment.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a pison control center or doctor for treatment advice

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water

HAZARDS TO DOMESTIC ANIMALS.

For external use only. Do not use on kittens under 12 weeks of age. Individual sensitivities, while rare, may occur after using any pesticide product for pets. Pets may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of production, consult a vectoring in mediately. Certain application, consult a veterinarian immediately. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated animals. Consult a veterinarian before using this product with other pesticides. This product may be harmful to debilitated, aged, pregnant, or nursing animals; consult a veterinarian before using. Call 1-800-660-1842 for 24-hour assistance.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE. Keep away from heat and open flame.

WARRANTY

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

EPA Reg. No. 65331-2

Marial Limited 3239 Satellite Blvd. Duluth, GA 30096-4640, USA

®FRONTLINE and TOP SPOT are registered trademarks of Merial. ©2001 Merial. All rights reserved.





Date of first treatment:






xx FPO XXXX

Place stickers on colendar as a reminder to apply FRONTLINE* ®FRONTLINE is a registered trademark of Merial. ©2001 Merial. All rights reserved.

(Prototype Graphics)


Remove the adhesive backing and attach to your refrigerator door.



(Prototype Graphics)



(Prototype Graphics)



Contains: fipronil (9.7%)

MERIAL
0.017 floz
FRONTLINE'
Top Spott for cots
FOR CATS AND KITTENS
Keep out of reach of mikren
See full label for
additional directions
CAUTION
EPA Reg. No. 65331-2