(5331-2

3/9/2010



### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

March 09, 2010

Karen Cunningham, DVM Head, Regulatory Affairs LCM Merial, Ltd. 3239 Satellite Blvd., Bld. 500 Duluth, GA 30096

Subject: Revised Child Resistant (CR) Packaging Wording

Frontline Top Spot for Cats: EPA Reg. No. 65331-2 Frontline Top Spot for Dogs: EPA Reg. No. 65331-3 Frontline Plus for Cats: EPA Reg. No. 65331-4 Frontline Plus for Dogs: EPA Reg. No. 65331-5

Submissions dated August 14 and December 11, 2009

Dear Dr. Cunningham:


The above referenced submissions, in connection with registrations under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, are acceptable.

Please note that we have approved the amended labeling for each product, with the understanding that it is consistent with the Agency's previously stamped accepted labels. See enclosed copies of the stamped labels for your record. If you have any questions concerning this action please contact Dr. B.A. Akinlosotu at (703) 605-0653.

Sincerely

7Richard Gebken, Product Manager 10 Insecticide Branch Registration Division (7505P)

Enclosure




|        | 0 0<br>000000<br>0                   |
|--------|--------------------------------------|
|        | 00000<br>00000<br>00000              |
|        | 0                                    |
| eccenc | د د د د ه<br>ه د د د ه               |
|        | ι οι<br>ι ι ι<br>ιι ι                |
|        | υ <u>υ</u> υ<br>υ                    |
|        | ι <sup>υυ</sup> οο<br>ι ιιου<br>ιιοι |
|        | 00000<br>00000                       |




.

ł




3/12




0 000000 6000 0000 ø ς ι ι c ιιιο 6666 0 00 0 0 0 0 0 0

с


412








# ЧG



كاريك



<u>مار</u>م







#### FOR CATS & KITTENS 8 weeks or older. Convenient spot treatment for fast-acting,

long-lasting control of fleas, ticks, chewing lice and mosquitoes.

#### ACTIVE INGREDIENT

| fipronil          | <br>9.7%    |
|-------------------|-------------|
| INERT INGREDIENTS | <br>. 90.3% |
| TOTAL             | <br>100.0%  |

## **KEEP OUT OF REACH OF CHILDREN** CAUTION

FRONTLINE® provides convenient and effective flea, tick, chewing lice and mosquito control for cats and kittens.

- Fast-acting and long-lasting
- Prevents reinfestation
- Convenient to use
- Kills newly emerged adult fleas before they lay eggs
- Controls fleas which may cause flea allergy dermatitis
- Kills all stages of brown dog ticks, American dog ticks, lone star ticks, and deer ticks (which may carry Lyme disease)
- Kills mosquitoes
- Rapidly eliminates infestations with chewing lice
- Can also be used on breeding, pregnant and lactating
- aueens
- Waterproof

FRONTLINE\* contains the active ingredient fipronil that effectively targets fleas, ticks, chewing lice and mosquitoes. Fipronil collects in the oils of the skin and hair follicles, and continues to be released from hair follicles onto the skin and coat, resulting in long-lasting activity.

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.

To kill fleas, all stages of brown dog ticks, American dog ticks, lone star ticks, and deer ticks (which may carry Lyme disease), chewing lice and mosquitoes, apply to cats and kittens (8 weeks or older) as follows:

Remove applicator from child-resistant package. Hold applicator upright and snap applicator tip away from face and body. Place applicator tip through animal's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the animal's skin. Avoid superficial application to the animal's hair. Only one applicator per treatment is needed.

FRONTLINE TOP SPOT FOR CATS can also be used for the



treatment and control of mosquitoes, and flea, tick and chewing lice infestations on breeding, pregnant and lactating queens. FREQUENCY OF APPLICATION

#### When used monthly, FRONTLINE\* TOP SPOT FOR CATS completely controls flea, tick and chewing lice infestations. Research demonstrates that FRONTLINE\* kills adult fleas for up to six weeks. FRONTLINE\* kills ticks for at least one month. A once monthly application is recommended where tick control is needed. Although FRONTLINE\* can control fleas for up to six weeks, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

With a monthly application, FRONTLINE\* TOP SPOT FOR CATS kills mosquitoes within 24 hours for up to 14 days and within 48 hours for up to 28 days.

FRONTLINE\* remains effective even after bathing, water immersion, or exposure to sunlight. Avoid contact with treated area until dry. Do not reapply FRONTLINE\* for 30 days.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal. STORAGE. Store unused product in original container only, out of reach of children and animals.

PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain. Nonrehitable container or 14/11 CONTAINER DISPOSAL. If empty: Do not reuse this container. Place in trash or offer for recycling if available.

#### FIRST AID

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS. CAUTION.

Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling

#### HAZARDS TO DOMESTIC ANIMALS.

For external use only. Do not use on kittens under 8 weeks of age. Individual sensitivities, while rare, may occur after using any pesticide product. Pets may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian immediately. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. Call 1-800-660-1842 for 24-hour assistance.

#### PHYSICAL OR CHEMICAL HAZARDS FLAMMABLE: Keep away from heat and open flame.

#### WARRANTY

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label? Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions. 0000 EPA Reg. No. 65331-2

#### **Merial Limited**

Ð ò 3239 Satellite Blvd. Duluth, GA 30096-4640, USA \*\*\*\*\* оc **®FRONTLINE** and TOP SPOT are 00000 6 0 registered trademarks of Merial. ©2004 Merial, All rights reserved.




cici

09/14/2009 TR 09/22/2009 TR


037 XXXXXX

sta nacio 56.140



e

.



12/12