

65331-2

4/24/2012

10f11



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460-0001

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

April 24, 2012

Ms. Karen C. Cunningham, DVM, DABVP  
Head, Regulatory Affairs North America  
Merial Limited  
3239 Satellite Boulevard, Building 500  
Duluth, GA 30096-4640

**Subject: Amended Master Labeling; Removal of 2-Year Time-Limited Registration Restriction  
FRONTLINE® Top Spot® For Cats, EPA Reg. No. 65331-2  
Your Submission Dated April 13, 2012**

Dear Ms. Cunningham:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable.

In direct response to Merial Limited's submission (September 9, 2011) of enhanced reporting of adverse events for its FRONTLINE® products (EPA Reg. Nos. 65331-2, 65331-3, 65331-4, and 65331-5), the following changes are being made to the terms and conditions of the subject product registration as a result of EPA's recent review (copy enclosed) of this submission:

1. The 2-year time-limited registration restriction has been removed from the subject product registration.
2. Merial's reporting of enhanced incident data is now only required on an annual basis, rather than on a quarterly basis because 7 years of enhanced incident data reporting have been provided and these data did not demonstrate a concern.

Please note that this product is still subject to all other previously required conditions of registration, including the spot-on mitigation. A copy of your label stamped "Accepted" is enclosed for your records along with a hard copy of the HED review completed for the subject product. If you have any questions about this label review, please contact Mr. Carmen J. Rodia, Jr. at (703) 306-0327 or via e-mail at [Rodia.Carmen@epa.gov](mailto:Rodia.Carmen@epa.gov).

Sincerely Yours,

*Carmen J. Rodia, Jr.*

Richard J. Gebken  
Product Manager (10)  
Insecticide Branch  
Registration Division (7504P)

Enclosures: Label stamped "Accepted"  
HED Memo: "Fipronil Spot-On Products: Conditional Registration and Enhanced Reporting," dated February 27, 2012

065331-00102 D463901

2011



# How to Apply FRONTLINE® Top Spot® FOR CATS

### Step 1.

#### OPEN Applicator

Hold upright with foil side toward you and snap applicator tip.

### Step 2.

#### APPLY FRONTLINE TOP SPOT

Part the cat's hair above the shoulder blades, at the base of the neck. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the cat's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry.

#### Questions or Comments?

Call: 1-800-660-1842,  
Monday-Friday, 8am-8pm EST or  
visit us at [www.FRONTLINE.com](http://www.FRONTLINE.com)



\* 3 0 0 0 0 0 0 \*

BACK

# FRONTLINE® Top Spot® FOR CATS

Kills fleas, ticks,  
chewing lice  
& mosquitoes

- Fast-acting
- Long-lasting
- Waterproof


ACTIVE INGREDIENTS:  
Fipronil: ..... 9.7%  
INERT INGREDIENTS: ..... 90.3%  
TOTAL: ..... 100%  
Contains 1-0.017 fl oz (0.50 mL) applicator  
1 monthly dose

EPA Reg. No. 65331-2  
EPA Est. 65331-FR-2  
MADE IN FRANCE

Kills ticks, including those that may transmit Lyme disease



3 00000 00000 1  
For use ONLY on  
CATS & KITTENS  
8 weeks  
and Older



See inside panels  
for FIRST AID and  
PRECAUTIONARY  
statements.

KEEP OUT OF REACH OF CHILDREN  
CAUTION

FRONT

# FRONTLINE® Top Spot® FOR CATS

For use: ONLY on CATS & KITTENS 8 weeks or older.

Fast-acting, long-lasting, waterproof treatment and control of fleas, ticks, chewing lice and mosquitoes.

ACTIVE INGREDIENT  
fipronil ..... 9.7%  
INERT INGREDIENTS ..... 90.3%  
TOTAL ..... 100%  
**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

#### FRONTLINE® TOP SPOT® for Cats:

##### Fleas

- Kills fleas
- Kills newly emerged adult fleas before they lay eggs
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

##### Ticks

- Kills all life stages of ticks (larva, nymph and adult), including brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*), lone star ticks (*Amblyomma americanum*) and deer ticks (*Ixodes scapularis*)
- Kills ticks that may transmit Lyme disease, haemobartonellosis, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases

##### Lice

- Rapidly eliminates chewing lice infestations

##### Mosquitoes

- Kills mosquitoes

FRONTLINE TOP SPOT is approved for use on all cats, including:

- Breeding, pregnant, and lactating queens
- Kittens as young as 8 weeks

One spot application is all that's needed: FRONTLINE TOP SPOT spreads from the single point of application, rapidly covering the entire cat and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE TOP SPOT onto the skin and hair coat, so it keeps working even if the cat gets wet.

Fleas, ticks and chewing lice are killed quickly after coming into contact with a treated cat. Fleas and ticks do not need to bite the cat in order to die.

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS. To kill fleas, ticks, chewing lice and mosquitoes apply FRONTLINE TOP SPOT for Cats as follows:

- OPEN Applicator

Hold upright with foil side toward you and snap applicator tip.  
• APPLY FRONTLINE TOP SPOT  
Part the cat's hair above the shoulder blades, at the base of the neck. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the cat's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry.

FRONTLINE TOP SPOT for Cats is approved for use on all cats, including breeding, pregnant, and lactating queens and kittens as young as 8 weeks.

FRONTLINE TOP SPOT remains effective even after bathing, water immersion, or exposure to sunlight.

#### FREQUENCY OF APPLICATION

When used monthly, FRONTLINE TOP SPOT completely controls flea, tick and chewing lice infestations. Do not reapply FRONTLINE TOP SPOT for 30 days.

FRONTLINE TOP SPOT kills adult fleas for up to six weeks, however, if there is a high risk of reinfestation or if the cat has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE TOP SPOT kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE TOP SPOT kills all life stages of ticks (larva, nymph and adult). FRONTLINE TOP SPOT kills ticks that may transmit Lyme disease, haemobartonellosis, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases.

FRONTLINE TOP SPOT kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

FRONTLINE TOP SPOT kills mosquitoes within 24 hours for up to 14 days, and within 48 hours for up to 28 days with a monthly application.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

**STORAGE.** Store unused product in original container only, out of reach of children and animals.

**PESTICIDE DISPOSAL.** If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

**CONTAINER DISPOSAL.** If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

#### FIRST AID

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

#### PRECAUTIONARY STATEMENTS

##### HAZARDS TO HUMANS. CAUTION.

Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

##### HAZARDS TO DOMESTIC ANIMALS.

For external use only. Do not use on kittens under 8 weeks of age. Individual sensitivities, while rare, may occur after using any pesticide product. Pets may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian immediately. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. Call 1-800-660-1842, Monday-Friday, 8am-8pm EST.

##### PHYSICAL OR CHEMICAL HAZARDS

##### COMBUSTIBLE:

Do not use or store near heat or open flame.

##### WARRANTY

To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.


Merial Limited  
3239 Satellite Blvd.  
Duluth, GA 30096-4640, USA  
©FRONTLINE and TOP SPOT are registered trademarks of Merial.  
©2011 Merial Limited, Duluth, GA.  
All rights reserved.

ACCEPTED  
April 24, 2012

Under the Federal Insecticide, Fungicide,  
and Rodenticide Act, as amended, for the  
pesticide registered under:

EPA. Reg. No: 65331-2

INSIDE PANELS



Lot #

40911

**FRONTLINE®**  
Top Spot® FOR CATS  
  
For use ONLY on CATS & KITTENS  
**8 Weeks and Older**  
  
**3(6)**  
doses


# FRONTLINE® Top Spot® FOR CATS

**3(6)**  
doses

**Kills fleas, ticks,  
chewing lice & mosquitoes**

- Fast-acting
- Long-lasting
- Waterproof

**Kills ticks, including those that  
may transmit Lyme disease**



For use ONLY on  
CATS & KITTENS

**8 Weeks  
and Older**

**ACTIVE INGREDIENT:**  
Fipronil: ..... 9.7%  
**INERT INGREDIENTS:** ..... 90.3%  
**TOTAL:** ..... 100%  
Contains 3(6)-0.017 fl oz (0.50 mL) applicators

SEE INSERT FOR FIRST AID AND PRECAUTIONARY STATEMENTS.

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**



Lift Here

PROTOTYPE GRAPHICS

# FRONTLINE® Top Spot® FOR CATS

FRONTLINE® TOP SPOT® for Cats is:

- Fast-acting
- Long-lasting
- Waterproof

**One spot application is all that's needed:**

FRONTLINE TOP SPOT spreads from the single point of application, rapidly covering the entire cat and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE TOP SPOT onto the skin and hair coat, so it keeps working even if the cat gets wet.

Fleas, ticks and chewing lice are killed quickly after coming into contact with a treated cat. Fleas and ticks do not need to bite the cat in order to die.

**FRONTLINE TOP SPOT for Cats:**

**Fleas**

- Kills fleas
- Kills newly emerged adult fleas before they lay eggs
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

**Ticks**

- Kills all life stages of ticks (larva, nymph and adult), including deer ticks (*Ixodes scapularis*), brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*) and lone star ticks (*Amblyomma americanum*)
- Kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis, haemobartonellosis and other tick-borne diseases

**Lice**

- Rapidly eliminates chewing lice infestations

**Mosquitoes**

- Kills mosquitoes

**FRONTLINE TOP SPOT** is approved for use on all cats, including:

- Breeding, pregnant, and lactating queens
- Kittens as young as 8 weeks



Adult Fleas



Ticks



Chewing Lice



Mosquitoes

60f11

How to Apply  
**FRONTLINE®**  
Top Spot® FOR CATS



**Step 1. To REMOVE Applicator:**  
Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.



**Step 2. OPEN Applicator**  
Hold upright with foil side toward you and snap applicator tip.



**Step 3. APPLY FRONTLINE TOP SPOT**  
Part the cat's hair above the shoulder blades, at the base of the neck. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the cat's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry.



**Questions or Comments?**  
Call: **1-800-660-1842**,  
Monday-Friday, 8am-8pm EST or  
visit us at [www.FRONTLINE.com](http://www.FRONTLINE.com)



XXXXXX 960

70911

3 (6) doses

8 Weeks and Older  
For use ONLY on CATS & KITTENS

FRONTLINE®  
Top Spot® FOR CATS

# FRONTLINE® Top Spot® FOR CATS

FRONTLINE TOP SPOT for Cats provides fast-acting, long-lasting, waterproof treatment and control of fleas, ticks, chewing lice and mosquitoes for use ONLY on cats and kittens 8 weeks or older.

### Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. **TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND ENCLOSED DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.**

To kill fleas, ticks, chewing lice and mosquitoes apply FRONTLINE TOP SPOT for Cats as follows:

- To REMOVE Applicator: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.
- OPEN Applicator: Hold upright with foil side toward you and snap applicator tip.
- APPLY FRONTLINE TOP SPOT: Part the cat's hair above the shoulder blades, at the base of the neck. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the cat's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry.

FRONTLINE TOP SPOT for Cats is approved for use on all cats, including breeding, pregnant, and lactating queens and kittens as young as 8 weeks.

FRONTLINE TOP SPOT remains effective even after bathing, water immersion, or exposure to sunlight.

### Frequency of Application

When used monthly, FRONTLINE TOP SPOT completely controls flea, tick and chewing lice infestations. Do not reapply FRONTLINE TOP SPOT for 30 days.

FRONTLINE TOP SPOT kills adult fleas for up to six weeks, however, if there is a high risk of reinfestation or if the cat has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE TOP SPOT kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE TOP SPOT kills all life stages of ticks (larva, nymph and adult). FRONTLINE TOP SPOT kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis, haemobartonellosis and other tick-borne diseases.

FRONTLINE TOP SPOT kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

FRONTLINE TOP SPOT kills mosquitoes within 24 hours for up to 14 days, and within 48 hours for up to 28 days, with a monthly application.



Please call our experts at  
**1-800-660-1842**,  
Monday-Friday,  
8am-8pm EST with any  
questions or comments  
about flea, tick, chewing  
lice, or mosquito control  
or FRONTLINE Top Spot.



Merial Limited  
3239 Satellite Blvd.  
Duluth, GA 30096-4640, USA  
MADE IN FRANCE

®FRONTLINE and TOP SPOT are registered trademarks of Merial.  
©2011 Merial Limited, Duluth, GA.  
All rights reserved.




EPA Reg. No. 65331-2  
EPA Est. 00000-XX-0\*  
LOT NO: x00000xx




For cat use only

\* Toulouse EPA Est. 65331-FR-2  
Ivers Lee EPA Est. 74528-CHE-1

80411

 <p><b>FRONTLINE<sup>®</sup></b> Tap Spot<sup>®</sup></p>	 <p><b>FRONTLINE<sup>®</sup></b> Tap Spot<sup>®</sup></p>	 <p><b>FRONTLINE<sup>®</sup></b> Tap Spot<sup>®</sup></p>
<p><b>MERIAL</b></p> <p>TO REMOVE APPLICATOR: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.</p>	<p><b>MERIAL</b></p> <p>TO REMOVE APPLICATOR: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.</p>	<p><b>MERIAL</b></p> <p>TO REMOVE APPLICATOR: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.</p>
<p>0.017 fl oz Lot #</p> <p><b>CAT</b></p>	<p>0.017 fl oz Lot #</p> <p><b>CAT</b></p>	<p>0.017 fl oz Lot #</p> <p><b>CAT</b></p>





# FRONTLINE® Top Spot® FOR CATS

For use **ONLY** on **CATS & KITTENS** 8 weeks or older:  
Fast-acting, long-lasting, waterproof treatment and control of  
fleas, ticks, chewing lice and mosquitoes.

#### ACTIVE INGREDIENT

fipronil ..... 9.7%

INERT INGREDIENTS ..... 90.3%

TOTAL ..... 100%

### KEEP OUT OF REACH OF CHILDREN CAUTION

#### FRONTLINE® TOP SPOT® for Cats:

##### Fleas

- Kills fleas
- Kills newly emerged adult fleas before they lay eggs
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

##### Ticks

- Kills all life stages of ticks (larva, nymph and adult), including brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*), lone star ticks (*Amblyomma americanum*) and deer ticks (*Ixodes scapularis*)
- Kills ticks that may transmit Lyme disease, haemobartonellosis, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases

##### Lice

- Rapidly eliminates chewing lice infestations

##### Mosquitoes

- Kills mosquitoes

FRONTLINE TOP SPOT is approved for use on all cats, including:

- Breeding, pregnant, and lactating queens
- Kittens as young as 8 weeks

#### One spot application is all that's needed:

FRONTLINE TOP SPOT spreads from the single point of application, rapidly covering the entire cat and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE TOP SPOT onto the skin and hair coat, so it keeps working even if the cat gets wet.

Fleas, ticks and chewing lice are killed quickly after coming into contact with a treated cat. Fleas and ticks do not need to bite the cat in order to die.

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. **TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.**

To kill fleas, ticks, chewing lice and mosquitoes apply FRONTLINE TOP SPOT for Cats as follows:

- To **REMOVE** Applicator: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.
- **OPEN** Applicator

Hold upright with foil side toward you and snap applicator tip.

- **APPLY FRONTLINE TOP SPOT**

Part the cat's hair above the shoulder blades, at the base of the neck. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the cat's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry.



037 00000

FRONT

FRONTLINE TOP SPOT for Cats is approved for use on all cats, including breeding, pregnant, and lactating queens and kittens as young as 8 weeks.

FRONTLINE TOP SPOT remains effective even after bathing, water immersion, or exposure to sunlight.

#### FREQUENCY OF APPLICATION

When used monthly, FRONTLINE TOP SPOT completely controls flea, tick and chewing lice infestations. Do not reapply FRONTLINE TOP SPOT for 30 days.

FRONTLINE TOP SPOT kills adult fleas for up to six weeks, however, if there is a high risk of reinfestation or if the cat has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE TOP SPOT kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE TOP SPOT kills all life stages of ticks (larva, nymph and adult). FRONTLINE TOP SPOT kills ticks that may transmit Lyme disease, haemobartonellosis, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases.

FRONTLINE TOP SPOT kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

FRONTLINE TOP SPOT kills mosquitoes within 24 hours for up to 14 days, and within 48 hours for up to 28 days with a monthly application.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

**STORAGE.** Store unused product in original container only, out of reach of children and animals.

**PESTICIDE DISPOSAL. If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

**CONTAINER DISPOSAL. If empty:** Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

#### FIRST AID

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment or advice.

#### PRECAUTIONARY STATEMENTS

##### HAZARDS TO HUMANS. CAUTION.

Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

##### HAZARDS TO DOMESTIC ANIMALS.

For external use only. Do not use on kittens under 8 weeks of age. Individual sensitivities, while rare, may occur after using any pesticide product. Pets may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian immediately. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. Call 1-800-660-1842, Monday-Friday, 8am-8pm EST.

##### PHYSICAL OR CHEMICAL HAZARDS

**COMBUSTIBLE:** Do not use or store near heat or open flame.

#### WARRANTY

To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

EPA Reg. No. 65331-2

Merial Limited  
3239 Satellite Blvd.  
Duluth, GA 30096-4640, USA

©FRONTLINE and TOP SPOT are registered trademarks of Merial.  
©2011 Merial Limited, Duluth, GA.  
All rights reserved.



BACK

# FRONTLINE®

**Some tips and other information**

- ✓ To successfully control fleas and ticks, all dogs and cats must be treated with their own dose of FRONTLINE®.
- ✓ Apply according to label instructions, ensuring the product is applied to the skin, not on top of the fur and not near the collar. It may be helpful to remove the collar before application, so it doesn't absorb the product.
- ✓ Remember, your pet needs to be dry at the time FRONTLINE is applied and remain dry 24 hours after application.
- ✓ Verify pipette is empty after application (multiple squeezes may be necessary to apply the entire dose).
- ✓ Even indoor pets need flea and tick control because you or other pets in the household may bring fleas into the home. These fleas can lead to a flea infestation.

**FLEAS: What you need to know**

It can take up to 3 months to get rid of a serious flea infestation because of all of the flea life stages that existed BEFORE you started using FRONTLINE.

The adult fleas on your pet may just be the tip of the infestation iceberg.

5% Adult Fleas: Adult fleas live up to 120 days  
10% Pupae: Pupae can survive up to 174 days  
35% Larvae: The larval stage lasts 5-11 days  
50% Eggs: Eggs will hatch in 1-10 days

The average flea life cycle in the home is about 21 days long.

Fleas   Ticks   Chewing Lice

Front

**Calendar Reminder stickers**

**Don't forget to re-purchase!**

**To ensure continued protection of your pets, use these stickers as a reminder to apply and re-purchase FRONTLINE.**

After treating your pet for the first time, peel off the sticker and place on your calendar that day.

Place the remaining stickers on your calendar as a reminder to apply FRONTLINE monthly.

**QUESTIONS?**  
Contact your veterinarian or call our technical experts at **1-800-660-1842**, Monday-Friday, 8am-8pm. For more information, visit [www.FRONTLINE.com](http://www.FRONTLINE.com)

©FRONTLINE is a registered trademark of Merial.  
©2011 Merial Limited, Duluth, GA.  
All rights reserved.

**6 Months**  
use all 6 stickers

**3 Months**

037 000000

\*7000000\*

Back with stickers