1653,31-3





UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

March 09, 2010

Karen Cunningham, DVM Head, Regulatory Affairs LCM Merial, Ltd. 3239 Satellite Blvd., Bld. 500 Duluth, GA 30096

Subject:

Revised Child Resistant (CR) Packaging Wording

Frontline Top Spot for Cats: EPA Reg. No. 65331-2 Frontline Top Spot for Dogs: EPA Reg. No. 65331-3 Frontline Plus for Cats: EPA Reg. No. 65331-4 Frontline Plus for Dogs: EPA Reg. No. 65331-5

Submissions dated August 14 and December 11, 2009

Dear Dr. Cunningham:

The above referenced submissions, in connection with registrations under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, are acceptable.

Please note that we have approved the amended labeling for each product, with the understanding that it is consistent with the Agency's previously stamped accepted labels. See enclosed copies of the stamped labels for your record. If you have any questions concerning this action please contact Dr. B.A. Akinlosotu at (703) 605-0653.

Sincerely

Richard Gebken, Product Manager 10

Insecticide Branch

Registration Division (7505P)

Enclosure

ACCEPTED

MAR 0 9 2010

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under:


EPA. Reg. No: 65331-3



(Prototype Graphics)

0	0 0
	0
0 0 0	
0 0 00	0.0
υ	
000000 00	o c
o e	_
0 0	0 0
c o	
00000 0000	υc
0 6	
0 0 0	Ċ.
(0)	o c
U	
(0	υc
٠.	0 0

600000



FRONTLIN

Top Spot®

For Dogs & Puppies 8 weeks or older and up to 22 lbs. For Dogs 23-44 lbs. For Dogs 45-88 lbs. For Dogs 89-132 lbs.

FRONTLINE provides convenient and effective flea, tick, chewing lice and mosquito control for (dogs and puppies 8 weeks or older and up to 22 lbs., dogs weighing 23-44 lbs., dogs weighing 45-88 lbs., dogs weighing 89-132 lbs.).

- Fast-acting and long-lasting
- **Prevents reinfestation**
- Convenient to use
- Kills newly emerged adult fleas before they lay eggs
- Controls fleas which may cause flea allergy dermatitis
 Kills all stages of brown dog ticks, American dog ticks, Ione star
 ticks and deer ticks (which may carry Lyme disease) Kills all stages of brown dog ticks, American dog ticks, Ione star ticks and deer ticks (which may carry Lyme disease)
 Kills mosquitoes
 Rapidly eliminates infestations with chewing lice
 Aids in control of sarcoptic mange infestations
 Can also be used on breeding, pregnant and lactating bitches
 Waterproof
 FRONTLINE contains the active ingredient fipronil that effectively American Dog Tick taggets flees ticks chewing lice and mosquitoes. Fipronil collects in

targets fleas, ticks, chewing lice and mosquitoes. Fipronil collects in the oils of the skin and hair follicles, and continues to be released from hair follicles onto the skin and coat, resulting in long-lasting activity.

















0000 0000

6060	0 6	
0000	С	
	C	
00		
0000		
0 0 0	C	

U 0000 0000



For Dogs 89-132 lbs. For Dogs & Puppies 8 weeks or older and up to 22 lbs.
For Dogs 23-44 lbs.
For Dogs 45-48 lbs.

tor dogs °3oq2 qoT

FRONTLIN

for dogs

FRONTLINE TOP SPOT FOR DOGS provides convenient and effective flea, tick, chewing lice and mosquito control for (dogs and puppies 8 weeks or older and up to 22 lbs., dogs weighing 23-44 lbs., dogs weighing 45-88 lbs., dogs weighing 89-132 lbs.).

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND ENCLOSED DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.

To kill fleas, all stages of **brown dog ticks**, **American dog ticks**, **lone star ticks**, and **deer ticks** (which may carry Lyme disease), chewing lice and mosquitoes, apply to dogs and pupples (8 weeks or older) as follows:

Hold applicator upright and snap applicator tip away from face and body. Place applicator tip through animal's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the animal's skin. Avoid superficial application to the animal's hair. Only one applicator per treatment is needed.

FRONTLINE aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for the elimination of mites.

FRONTLINE TOP SPOT FOR DOGS can also be used for the treatment and control of mosquitoes, and flea, tick and chewing lice infestations on breeding, pregnant and lactating bitches.

Frequency Of Application
When used monthly, FRONTLINE TOP SPOT FOR DOGS completely controls flea, tick and chewing lice infestations. Research demonstrates that FRONTLINE kills adult fleas for up to three months. Although FRONTLINE can control fleas for up to three months, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed. FRONTLINE kills ticks for at least one month. A once monthly application is recommended where tick control is needed.

FRONTLINE kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

With a monthly application, FRONTLINE kills mosquitoes within 24 hours for up to 7 days, and within 48 hours for up to 28 days.

Merial Limited

3239 Satellite Blvd Duluth, GA 30096-4640, USA

MADE IN FRANCE ®FRONTLINE and TOP SPOT are registered trademarks of Merial. ©2009 Merial. All rights reserved.

Please call our experts at 1-800-660-1842 if

you have any questions or comments about flea, tick, lice and mosquito control or FRONTLINE TOP SPOT.





For animal use only

o 000 0000 00 00000 \tilde{c} ειζιο

EPA Reg. No. 65331-3


(EPA Est. 65331-DEU-1) (EPA Est. 65331-GA-1)

(EPA Est. 74528-CHE-1)

EPA Est. 65331-FR-2

<u>8</u> 9

DOGS compliance card x3 - Front




DOGS compliance card x3 - Back


Remove the adhesive backing and attach to your refrigerator door.

Fleas, Ticks, Chewing Lice and Mosquitoes can be a year-round problem! Spring Summer Prevention Prevention - Treatment Fleas and ticks start to breed more The period of highest risk. Summer temperatures and humidity quickly as spring progresses. can quickly lead to huge infestations. Winter Autumn Prevention Prevention - Treatment The risk is still there. Prevents reinfestation from newly emerged adult fleas and With the cold weather, fleas all stages of brown dog ticks, American dog ticks, lone star can breed in your warm home. ticks, and deer ticks (which may carry Lyme disease).

DOGS compliance card x6 - Front



DOGS compliance card x6 - Back



FRONTLINE®

FOR DOGS & PUPPIES 8 weeks or older Convenient spot treatment for fast-acting, long-lasting control of fleas, ticks and chewing lice. FRONTLINE® also kills mosquitoes.

ACTIVE INGREDIENT INERT INGREDIENTS..... 90.3%

KEEP OUT OF REACH OF CHILDREN CAUTION

FRONTLINE* provides convenient and effective flea, tick, chewing lice and mosquito control for dogs and puppies.

- Fast-acting and long-lasting
- Prevents reinfestation
- Convenient to use
- Kills newly emerged adult fleas before they lay eggs
- Controls fleas which may cause flea allergy dermatitis
- Kills all stages of brown dog ticks, American dog ticks, lone star ticks, and deer ticks (which may carry Lyme disease)
- Kills mosquitoes
- Rapidly eliminates infestations with chewing lice
- Aids in control of sarcoptic mange infestations
- Can also be used on breeding, pregnant and lactating bitches

FRONTLINE® contains the active ingredient fipronil that effectively targets fleas, ticks, chewing lice and mosquitoes. Fipronil collects in the oils of the skin and hair follicles, and continues to be released from hair follicles onto the skin and coat, resulting in long-lasting activity.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS. To kill fleas, all stages of brown dog ticks, American dog ticks, lone star ticks, and deer ticks (which may carry Lyme disease), chewing lice and mosquitoes, apply to dogs or puppies (8 weeks or older) as follows:

Remove applicator from child-resistant package. Hold applicator upright and snap applicator tip away from face and body. Place applicator tip through animal's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the animal's skin. Avoid superficial application to the animal's hair. Only one applicator per treatment is needed.

FRONTLINE* aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for the elimination of mites.

FRONTLINE" TOP SPOT FOR DOGS can also be used for the treatment and control of mosquitoes, and flea, tick and chewing lice infestations on breeding, pregnant and lactating bitches.

FREQUENCY OF APPLICATION

When used monthly, FRONTLINE® TOP SPOT FOR DOGS completely controls flea, tick and chewing lice infestations. Research demonstrates that FRONTLINE® kills adult fleas for up to three months. Although FRONTLINE® can control fleas for up to three months, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed. FRONTLINE® kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE® kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed. With a monthly application, FRONTLINE* kills mosquitoes within 24 hours for up to 7 days, and within 48 hours for up to 28 days. FRONTLINE® remains effective even after bathing, water immersion, or exposure to sunlight. Avoid contact with treated area until dry. Do not reapply FRONTLINE® for

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal. STORAGE. Store unused product in original container only, out of reach of children and animals.

PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor

CONTAINER DISPOSAL. If empty: Do not reuse this container. Place in trash or offer for recycling if available.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give

anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN: Wash with plenty of soap and water. Get

medical attention if irritation persists.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS. CAUTION.

Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.
HAZARDS TO DOMESTIC ANIMALS.

For external use only. Do not use on puppies under 8 weeks of age. Individual sensitivities, while rare, may occur after using any pesticide product. Pets may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian immediately. If your pet has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. Call 1-800-660-1842 for 24-hour assistance.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE: Keep away from heat and open flame.

HOW SUPPLIED

For easy and convenient treatment, FRONTLINE® TOP SPOT FOR DOGS is available in sizes for small dogs and publies 8 weeks or older and up to 22 lbs., medium dogs 23-44 lbs., large dogs 45-88 lbs., and extra large dogs 89-132 lbs.

WARRANTY


Seller makes no warranty, expressed or implied, concerning the use of this product other thur indicated on the label Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

EPA Reg. No. 65331-3


Merial Limited 3239 Satellite Blvd. Duluth, GA 30096-4640, USA

®FRONTLINE and TOP SPOT are registered trademarks of Merial. ©2004 Merial. All rights reserved.







=1=




ゴス



ふん



コス



 $\bar{\nu}/\bar{\nu}$