

65331-3

04-24-2012

1
11



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460-0001

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

April 24, 2012

Ms. Karen C. Cunningham, DVM, DABVP
Head, Regulatory Affairs North America
Merial Limited
3239 Satellite Boulevard, Building 500
Duluth, GA 30096-4640

**Subject: Amended Master Labeling; Removal of 2-Year Time-Limited Registration Restriction
FRONTLINE® Top Spot® For Dogs, EPA Reg. No. 65331-3
Your Submission Dated April 13, 2012**

Dear Ms. Cunningham:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable.

In direct response to Merial Limited's submission (September 9, 2011) of enhanced reporting of adverse events for its FRONTLINE® products (EPA Reg. Nos. 65331-2, 65331-3, 65331-4, and 65331-5), the following changes are being made to the terms and conditions of the subject product registration as a result of EPA's recent review (copy enclosed) of this submission:

1. The 2-year time-limited registration restriction has been removed from the subject product registration.
2. Merial's reporting of enhanced incident data is now only required on an annual basis, rather than on a quarterly basis because 7 years of enhanced incident data reporting have been provided and these data did not demonstrate a concern.

Please note that this product is still subject to all other previously required conditions of registration, including the spot-on mitigation. A copy of your label stamped "Accepted" is enclosed for your records along with a hard copy of the HED review completed for the subject product. If you have any questions about this label review, please contact Mr. Carmen J. Rodia, Jr. at (703) 306-0327 or via e-mail at Rodia.Carmen@epa.gov.

Sincerely Yours,

A handwritten signature in black ink that reads "Carmen J. Rodia, Jr." with a stylized flourish at the end.

Richard J. Gebken
Product Manager (10)
Insecticide Branch
Registration Division (7504P)

Enclosures: Label stamped "Accepted"
HED Memo: "Fipronil Spot-On Products: Conditional Registration and Enhanced Reporting," dated February 27, 2012

065331-00:03 D463904

2
11




How to Apply FRONTLINE® Top Spot® FOR DOGS

Step 1.

OPEN Applicator

Hold upright with foil side toward you and snap applicator tip.



Step 2.

APPLY FRONTLINE TOP SPOT

Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry.



Questions or Comments?

Call: 1-800-660-1842,
Monday-Friday, 8am-8pm EST or
visit us at www.FRONTLINE.com



* 3 0 0 0 0 0 0 * BACK

Technical area:
No print except prod. barcode

FRONTLINE® Top Spot® FOR DOGS

Kills fleas, ticks,
chewing lice
& mosquitoes

- Fast-acting
- Long-lasting
- Waterproof

ACTIVE INGREDIENTS:
Fipronil:9.7%
INERT INGREDIENTS:90.3%
TOTAL:100%
[Contains 1-0.091 fl oz (2.68 mL) applicator]

EPA Reg. No. 65331-3
EPA Est. 65331-FR-2


MADE IN FRANCE

Kills ticks, including those that may transmit Lyme disease



For use ONLY on DOGS

45 to 88 lbs



053 000000

KEEP OUT OF REACH OF CHILDREN
CAUTION
See inside panels for FIRST AID and PRECAUTIONARY statements.

FRONT

FRONTLINE® Top Spot® FOR DOGS

For use ONLY on DOGS & PUPPIES 8 weeks or older:
Fast-acting, long-lasting, waterproof treatment and control of fleas, ticks, chewing lice, sarcoptic mites and mosquitoes.

ACTIVE INGREDIENT
fipronil9.7%
INERT INGREDIENTS90.3%
TOTAL100.0%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FRONTLINE® TOP SPOT® for Dogs:

- Fleas**
- Kills fleas
 - Kills newly emerged adult fleas before they lay eggs
 - Stops existing infestations and prevents establishment of new infestations
 - Kills fleas which may cause flea allergy dermatitis
- Ticks**
- Kills all life stages of ticks (larva, nymph and adult), including brown dog ticks (*Diplocephalus sanguineus*), American dog ticks (*Dermacentor variabilis*), lone star ticks (*Amblyomma americanum*) and deer ticks (*Ixodes scapularis*)
 - Kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases
- Lice**
- Rapidly eliminates chewing lice infestations
- Mites**
- Acts in control of sarcoptic mange infestations
- Mosquitoes**
- Kills mosquitoes
- FRONTLINE TOP SPOT is approved for use on all dogs, including:
- Breeding, pregnant, and lactating bitches
 - Puppies as young as 8 weeks

One spot application is all that's needed.

FRONTLINE TOP SPOT spreads from the single point of application, rapidly covering the entire dog and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE TOP SPOT onto the skin and hair coat, so it keeps working even if the dog gets wet.

Fleas, ticks and chewing lice are killed quickly after coming into contact with a treated dog. Fleas and ticks do not need to bite the dog in order to die.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. **TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.** To kill fleas, ticks, chewing lice and mosquitoes apply FRONTLINE TOP SPOT for Dogs as follows:

- **OPEN** Applicator: Hold upright with foil side toward you and snap applicator tip.
- **APPLY** FRONTLINE TOP SPOT: Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the animal's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry.

FRONTLINE TOP SPOT for Dogs is approved for use on breeding, pregnant, and lactating bitches and puppies as young as 8 weeks. FRONTLINE TOP SPOT remains effective even after bathing, water immersion, or exposure to sunlight.

FREQUENCY OF APPLICATION
When used monthly, FRONTLINE TOP SPOT completely controls flea, tick and chewing lice infestations. Do not reapply FRONTLINE TOP SPOT for 30 days. FRONTLINE TOP SPOT kills adult fleas for up to three months, however, if there is a high risk of reinfestation or if the dog has fleas which may cause flea allergy dermatitis, a once monthly

application may be needed. FRONTLINE TOP SPOT kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE TOP SPOT kills all life stages of ticks (larva, nymph and adult). FRONTLINE TOP SPOT kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases.

FRONTLINE TOP SPOT kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

FRONTLINE TOP SPOT aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for the elimination of mites. FRONTLINE TOP SPOT kills mosquitoes within 24 hours for up to 7 days, and within 48 hours for up to 28 days with a monthly application.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE. Store unused product in original container only, out of reach of children and animals.

PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL. If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control

center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

HAZARDS TO DOMESTIC ANIMALS.

For external use only. Do not use on puppies under 8 weeks of age. Individual sensitivities, while rare, may occur after using any pesticide product. Pets may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian immediately. If your pet has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. Call 1-800-660-1842, Monday-Friday, 8am-8pm EST.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE: Do not use near open flame or open flame.

HOW SUPPLIED

For easy and convenient treatment, FRONTLINE TOP SPOT for Dogs is available in sizes for use ONLY on small dogs and puppies 8 weeks or older and up to 22 lbs., medium dogs 23-44 lbs., large dogs 45-88 lbs., and extra large dogs 89-132 lbs.

WARRANTY

To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

Merial Limited

3239 Satellite Blvd,
Duluth, GA 30096-4640, USA
©FRONTLINE and TOP SPOT are registered trademarks of Merial.
©2011 Merial Limited, Duluth Ga.
All rights reserved.

INSIDE: PANELS

ACCEPTED

April 24, 2012

Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended, for the
pesticide registered under:

EPA. Reg. No: 65331-3

1 Contains 1-0.023 fl oz (0.67 mL) applicator
Contains 1-0.045 fl oz (1.34 mL) applicator
Contains 1-0.136 fl oz (4.02 mL) applicator


2 For use ONLY on DOGS & PUPPIES 8 Weeks or Older and up to

22 lbs

For use ONLY on DOGS

23 to 44 lbs

For use ONLY on DOGS
89 to 132 lbs



FRONTLINE®
Top Spot®
For Dogs

22 lbs
For use ONLY on DOGS

23 to 44 lbs
For use ONLY on DOGS

45 to 88 lbs
For use ONLY on DOGS

89 to 132 lbs
For use ONLY on DOGS

3(6) doses

FRONTLINE®

Top Spot® FOR DOGS

Kills fleas, ticks, chewing lice & mosquitoes

- Fast-acting
- Long-lasting
- Waterproof

Kills ticks, including those that may transmit Lyme disease

For use ONLY on
DOGS & PUPPIES
1 year of age or Older
and up to

22 lbs
For use ONLY on DOGS

23 to 44 lbs
For use ONLY on DOGS

45 to 88 lbs
For use ONLY on DOGS

89 to 132 lbs
For use ONLY on DOGS

ACTIVE INGREDIENT:
Fipronil: 9.7%
INERT INGREDIENTS: ... 90.3%
TOTAL: 100%


Contains 3(6)-0.228 fl.oz. (6.7 ml) applicators
Contains 3(6)-0.245 fl.oz. (7.1 ml) applicators
Contains 3(6)-0.291 fl.oz. (8.4 ml) applicators
Contains 3(6)-0.336 fl.oz. (9.7 ml) applicators

SEE INSERT FOR FIRST AID AND PRECAUTIONARY STATEMENTS
KEEP OUT OF REACH OF CHILDREN
CAUTION

MERIAL

3(6) doses

Lift Here



PROTOTYPE GRAPHICS

FRONTLINE® Top Spot® FOR DOGS

FRONTLINE® TOP SPOT® for Dogs is:

- Fast-acting
- Long-lasting
- Waterproof

One spot application is all that's needed:

FRONTLINE TOP SPOT spreads from the single point of application, rapidly covering the entire dog and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE TOP SPOT onto the skin and hair coat, so it keeps working even if the dog gets wet.

Fleas, ticks and chewing lice are killed quickly after coming into contact with a treated dog. Fleas and ticks do not need to bite the dog in order to die.

FRONTLINE TOP SPOT for Dogs:

Fleas

- Kills fleas
- Kills newly emerged adult fleas before they lay eggs
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

Ticks

- Kills all life stages of ticks (larva, nymph and adult), including deer ticks (*Ixodes scapularis*), brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*) and lone star ticks (*Amblyomma americanum*)
- Kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases

Lice

- Rapidly eliminates chewing lice infestations

Mosquitoes

- Kills mosquitoes

Mites

- Aids in control of sarcoptic mange infestations

FRONTLINE TOP SPOT is approved for use on all dogs, including:

- Breeding, pregnant, and lactating bitches
- Puppies as young as 8 weeks



Adult Fleas



Ticks



Chewing Lice



Mosquitoes

PROTOTYPE GRAPHICS

How to Apply
FRONTLINE®
Top Spot® FOR DOGS



Step 1. To REMOVE Applicator:
Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.



Step 2. OPEN Applicator
Hold upright with foil side toward you and snap applicator tip.



Step 3. APPLY FRONTLINE TOP SPOT
Part the dog's hair above the shoulder blades, at the base of the neck. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry.



Questions or Comments?
Call: 1-800-660-1842,
Monday-Friday, 8am-8pm EST or
visit us at www.FRONTLINE.com



036 XXXXX

7
11

22 For use ONLY on DOGS 23-44 lbs.
 45-88 For use ONLY on DOGS 45-88 lbs.
 89-132 For use ONLY on DOGS 89-132 lbs.
 3 (6) doses

FRONTLINE®
Top Spot® FOR DOGS

FRONTLINE®
Top Spot® FOR DOGS

FRONTLINE TOP SPOT for Dogs provides fast-acting, long-lasting, waterproof treatment and control of fleas, ticks, chewing lice, sarcoptic mites and mosquitoes for use ONLY on (dogs and puppies 8 weeks or older and up to 22 lbs., dogs weighing 23-44 lbs., dogs weighing 45-88 lbs., dogs weighing 89-132 lbs.).

Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. **TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND ENCLOSED DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.**

To kill fleas, ticks, chewing lice and mosquitoes apply FRONTLINE TOP SPOT for Dogs as follows:

- To REMOVE Applicator: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.
- OPEN Applicator: Hold upright with foil side toward you and snap applicator tip.
- APPLY FRONTLINE TOP SPOT: Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the animal's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry.

FRONTLINE TOP SPOT for Dogs is approved for use on breeding, pregnant, and lactating bitches and puppies as young as 8 weeks.

FRONTLINE TOP SPOT remains effective even after bathing, water immersion, or exposure to sunlight.

Frequency of Application

When used monthly, FRONTLINE TOP SPOT completely controls flea, tick and chewing lice infestations. Do not reapply FRONTLINE TOP SPOT for 30 days.

FRONTLINE TOP SPOT kills adult fleas for up to three months, however, if there is a high risk of reinfestation or if the dog has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE TOP SPOT kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE TOP SPOT kills all life stages of ticks (larva, nymph and adult). FRONTLINE TOP SPOT kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases.

FRONTLINE TOP SPOT kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

FRONTLINE TOP SPOT aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for the elimination of mites.

FRONTLINE TOP SPOT kills mosquitoes within 24 hours for up to 7 days, and within 48 hours for up to 28 days, with a monthly application.



Please call our experts at
1-800-660-1842
 Monday-Friday,
 8am-8pm EST with any
 questions or comments
 about flea, tick, chewing lice,
 sarcoptic mite or mosquito
 control or FRONTLINE TOP SPOT.



Merial Limited
 3239 Satellite Blvd.
 Duluth, GA 30096-4640, USA
MADE IN FRANCE

®FRONTLINE and TOP SPOT are
 registered trademarks of Merial.
 ©2011 Merial Limited, Duluth, GA.
 All rights reserved.

EPA Reg. No. 65331-3
 EPA Est. 00000-XX-0*
 LOT NO: X00000xx



For dog use only

† Toulouse EPA Est. 65331-FR-2
 Ivers Lee EPA Est. 74528-CHE-1

FRONTLINE[®] Top Spot[®]

TO REMOVE APPLICATOR:
Lift and remove the plastic top to expose foil backing; then peel away the foil. Or use scissors to open.

0.023 fl oz
Lot #

DOG 22

FRONTLINE[®] Top Spot[®]

TO REMOVE APPLICATOR:
Lift and remove the plastic top to expose foil backing; then peel away the foil. Or use scissors to open.

0.045 fl oz
Lot #

DOG 44

FRONTLINE[®] Top Spot[®]

TO REMOVE APPLICATOR:
Lift and remove the plastic top to expose foil backing; then peel away the foil. Or use scissors to open.

0.091 fl oz
Lot #



DOG 88

FRONTLINE[®] Top Spot[®]

TO REMOVE APPLICATOR:
Lift and remove the plastic top to expose foil backing; then peel away the foil. Or use scissors to open.

0.136 fl oz
Lot #

DOG 132



FRONTLINE® Top Spot® FOR DOGS

For use **ONLY** on **DOGS & PUPPIES** 8 weeks or older:
Fast-acting, long-lasting, waterproof treatment and control of
fleas, ticks, chewing lice, sarcoptic mites and mosquitoes.

ACTIVE INGREDIENT

fipronil..... 9.7%

INERT INGREDIENTS..... 90.3%

TOTAL..... 100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

FRONTLINE® TOP SPOT® for Dogs:

Fleas

- Kills fleas
- Kills newly emerged adult fleas before they lay eggs
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

Ticks

- Kills all life stages of ticks (larva, nymph and adult), including brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*), lone star ticks (*Amblyomma americanum*) and deer ticks (*Ixodes scapularis*)
- Kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases

Lice

- Rapidly eliminates chewing lice infestations

Mites

- Aids in control of sarcoptic mange infestations

Mosquitoes

- Kills mosquitoes

FRONTLINE TOP SPOT is approved for use on all dogs, including:

- Breeding, pregnant, and lactating bitches
- Puppies as young as 8 weeks

One spot application is all that's needed:

FRONTLINE TOP SPOT spreads from the single point of application, rapidly covering the entire dog and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE TOP SPOT onto the skin and hair coat, so it keeps working even if the dog gets wet.

Fleas, ticks and chewing lice are killed quickly after coming into contact with a treated dog. Fleas and ticks do not need to bite the dog in order to die.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. **TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.**

To kill fleas, ticks, chewing lice and mosquitoes apply FRONTLINE TOP SPOT for Dogs as follows:

- To **REMOVE** Applicator: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.
- **OPEN** Applicator

Hold upright with foil side toward you and snap applicator tip.

- **APPLY** FRONTLINE TOP SPOT

Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the animal's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry.

FRONTLINE TOP SPOT for Dogs is approved for use on breeding, pregnant, and lactating bitches and puppies as young as 8 weeks.



037 000000

FRONT

FRONTLINE TOP SPOT remains effective even after bathing, water immersion, or exposure to sunlight.

FREQUENCY OF APPLICATION

When used monthly, FRONTLINE TOP SPOT completely controls flea, tick and chewing lice infestations. Do not reapply FRONTLINE TOP SPOT for 30 days.

FRONTLINE TOP SPOT kills adult fleas for up to three months, however, if there is a high risk of reinfestation or if the dog has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE TOP SPOT kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE TOP SPOT kills all life stages of ticks (larva, nymph and adult). FRONTLINE TOP SPOT kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases.

FRONTLINE TOP SPOT kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

FRONTLINE TOP SPOT aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for the elimination of mites.

FRONTLINE TOP SPOT kills mosquitoes within 24 hours for up to 7 days, and within 48 hours for up to 28 days with a monthly application.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE. Store unused product in original container only, out of reach of children and animals.

PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL. If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment or advice.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION.

Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

HAZARDS TO DOMESTIC ANIMALS.

For external use only. Do not use on puppies under 8 weeks of age. Individual sensitivities, while rare, may occur after using any pesticide product. Pets may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian immediately. If your pet has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. Call 1-800-660-1842, Monday-Friday, 8am-8pm EST.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE: Do not use or store near heat or open flame.

HOW SUPPLIED

For easy and convenient treatment, FRONTLINE TOP SPOT for Dogs is available in sizes for use **ONLY** on small dogs and puppies 8 weeks or older and up to 22 lbs., medium dogs 23-44 lbs., large dogs 45-88 lbs., and extra large dogs 89-132 lbs.

WARRANTY

To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

EPA Reg. No. 65331-3

Merial Limited

3239 Satellite Blvd.

Duluth, GA 30096-4640, USA

©FRONTLINE and TOP SPOT are registered trademarks of Merial.

©2011 Merial Limited, Duluth, GA.

All rights reserved.



BACK

11
11

FRONTLINE®

Some tips and other information

- ✓ To successfully control fleas and ticks, all dogs and cats must be treated with their own dose of FRONTLINE®.
- ✓ Apply according to label instructions, ensuring the product is applied to the skin, not on top of the fur and not near the collar. It may be helpful to remove the collar before application, so it doesn't absorb the product.
- ✓ Remember, your pet needs to be dry at the time FRONTLINE is applied and remain dry 24 hours after application.
- ✓ Verify pipette is empty after application (multiple squeezes may be necessary to apply the entire dose).
- ✓ Even indoor pets need flea and tick control because you or other pets in the household may bring fleas into the home. These fleas can lead to a flea infestation.

FLEAS: What you need to know

It can take up to **3 months** to get rid of a serious flea infestation because of all of the flea life stages that existed **BEFORE** you started using FRONTLINE.

The adult fleas on your pet may just be the tip of the infestation iceberg.

5% Adult Fleas
10% Pupae
35% Larvae
50% Eggs

The average flea life cycle in the home is about 21 days long.

Front

Calendar Reminder stickers

Don't forget to re-purchase!

To ensure continued protection of your pets, use these stickers as a reminder to apply and re-purchase FRONTLINE.

After treating your pet for the first time, peel off the sticker and place on your calendar that day.

Place the remaining stickers on your calendar as a reminder to apply FRONTLINE monthly.

6 Months
use all 6 stickers

3 Months

QUESTIONS?
Contact your veterinarian or call our technical experts at **1-800-660-1842**, Monday-Friday, 8am-8pm. For more information, visit www.FRONTLINE.com

MERIAL

©FRONTLINE is a registered trademark of Merial.
©2011 Merial Limited, Duluth, GA.
All rights reserved.

037 000000

Back with stickers