65331-4	1/27/2003	Page 1713
United State Environmental Protect Washington, DC	Registration Agency Amend	
Application for Pesticide - Section I		
1. Company/Product Number 65331-4	2. EPA Product Manager Mr. Marion Johnson	3. Proposed Classification None Restricted
4. Company/Product (Name) Frontline Plus for Cats	PM# 3	
5. Name and Address of Applicant (Include ZIP Code) Merial Limited 3239 Satellite Blvd. Duluth, GA 30096	6. Expedited Reveiw. In accord (b)(i), my product is similar or ider to: EPA Reg. No	ntical in composition and labeling
Check if this is a new address Product Name		
Section - II		
Amendment - Explain below. Resubmission in response to Agency letter dated	Final printed labels in repson Agency letter dated "Me Too" Application.	JAN 2 7 2003
Notification - Explain below.	Other - Explain below.	
Confidential Statement of Formula (CSF) of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR-Notice 2001-6 and the requirements of 40 CFR 156.10 and 40 CFR 146, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA. Section - III		
Material This Product Will Be Packaged In:		
Child-Resistant Packaging V Yes No * Certification must be submitted Unit Packaging V Yes No If "Yes" Unit Packaging V Yes No, per Contained	Yes V No If "Yes" No. per	f Container Metal Plastic Glass Paper Other (Specify)
6 oz. 3 and 6 3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions		
Label Container	0.017 fl. oz. On Lab	peling accompanying product
5. Manner in Which Label is Affixed to Product Lithograph Other Printed Stenciled		
Section - IV		
1. Contact Point (Complete items directly below for identification)		
Name Timothy A. Dotson	Title Technical Director	Telephone No. (Include Area Code) 678-638-3713
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowlingtly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		• • • •
ineture A do to	3. Title Technical Director	Sender Mana Mana Mana
Timothy A. Dotson	5. Date 1/13/03	*1.

3239 Satellite Blvd. Duluth, GA 30096 Tel: 678 638 3000

Timothy A. Dotson Technical Director Regulatory Affairs North America Tel: 678-638-3713 Fax: 678-638-3715

January 13, 2003

Ms. Ann Sibold Team 3, Insecticide Branch Registration Division (H7505C) Document Processing Desk (NOTIF) Office of Pesticide Programs Room 266A, Crystal Mall #2 1921 Jefferson Davis Highway Arlington, VA 22202

SUBJECT:

Frontline® Top Spot® for Cats, EPA Reg. No. 65331-2 Frontline® Top Spot® for Dogs, EPA Reg. No. 65331-3 Frontline® Plus for Cats, EPA Reg. No. 65331-4

Frontline® Plus for Dogs, EPA Reg. No. 65331-4

NOTIFICATION of Label Revisions Per PR-Notice 2001-6

Dear Ms. Sibold:

Please find enclosed a NOTIFICATION per PR-Notice 2001-6 for revision of pesticide disposal statements for the aforementioned Frontline® products. Since Merial chose to adopt the exact wording set forth in this notice, the Master labels are being submitted by NOTIFICATION only. Enclosed are copies of EPA Form 8570-1 along with a highlighted copy of the revised Master labels for the 3X/6X pipette presentations for cats/dogs including all four weight range presentations (dogs only). Please note the printed facsimile labels may not be actual size.

Thank you for your assistance. Please call me at 678-638-3713 (email at timothy.dotson@merial.com) if you have any questions regarding this submission.

Sincerely,

Timothy A. Dotson
Technical Director
Regulatory Affairs NA


1 2. 4

•••••





NOTIFICATION JAN 2 7 2003



(Prototype Graphics)





1. Remove Applicator from Child-Resistant Package Use scissors. Or lift and remove plastic tab to expose foil, then peel down.



2. Open Applicator

Hold upright and snap applicator tip away from face and body.



3. Apply FRONTLINE® PLUS FOR CATS

Place applicator tip through animal's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the animal's skin.

Questions or Comments? Call: 1-800-660-1842



INSERT COVER TAB HERE



FRONTLINE PLUS FOR CATS provides fast, effective and convenient treatment and control of fleas and ticks for cats and kittens 8 weeks or older.

- Stops and prevents infestations
- Kills adult fleas, flea eggs & flea larvae
- Prevents all flea stages (eggs, larvae, pupae) from developing
- Kills fleas which may cause flea allergy dermatitis
- Kills all stages of deer ticks (which may carry Lyme disease), brown dog ticks, American dog ticks & lone star ticks
- Prevents and controls reinfestations
- Fast-acting
- Long-lasting
- Waterproof
- Convenient to use

FRONTLINE PLUS FOR CATS contains fipronil and the insect growth regulator (IGR) (S)-methoprene. FRONTLINE PLUS effectively targets all stages of fleas. Fipronil collects in the oils of the skin and hair follicles, and continues to be released from hair follicles onto the skin and coat, resulting in long-lasting activity against fleas and ticks.



















Lone Star Tick







FRONTLINE

FRONTLINE PLUS FOR CATS provides fast, effective and convenient treatment and control of fleas and ticks for cats and kittens 8 weeks or older.

Directions For Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND ENCLOSED DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY, DO NOT USE ON RABBITS, DO NOT USE ON

To kill fleas and all stages of brown dog ticks, American dog ticks, lone star ticks, and deer ticks (which may carry Lyme disease), apply to cats and kittens (8 weeks or older) as follows: Remove applicator from child-resistant package. Hold applicator upright and snap applicator tip away from face and body. Place applicator tip through animal's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the animal's skin. Avoid superficial application to the animal's hair. Only one applicator per treatment is needed.

Frequency Of Application

When used monthly, FRONTLINE PLUS FOR CATS completely breaks the flea life cycle and controls tick infestations. Research demonstrates that FRONTLINE PLUS kills adult fleas, flea eggs, and flea larvae for up to six weeks. FRONTLINE PLUS also prevents development of all flea stages for up to six weeks. FRONTLINE PLUS kills ticks for at least one month. A once monthly application is recommended where tick control is needed. Although FRONTLINE PLUS can control fleas for up to six weeks, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE PLUS remains effective even after bathing, water immersion, or exposure to sunlight. Avoid contact with treated area until dry. Do not reapply FRONTLINE PLUS for 30 days.

3239 Sotellite Blvd.

Duluth, GA 30096-4640, USA

©2001 Merial. All rights reserved.

®FRONTLINE is a registered trademark of Merial.

MADE IN FRANCE

EPA Reg. No. 65331-4 (EPA Est. XXXXX-XXX-X)

EPA Est. 65331-FR-2 (EPA Est. 74720-DEU-1) (EPA Est. 74528-CHE-1)



If you are not satisfied with FRONTLINE PLUS for any reason, the product will be replaced or the purchase nrice refunded. If you have ony questions or comments. please call 1-800-660-1842.

9 5

For animal use only

FOR CATS & KITTENS 8 weeks or older Convenient spot treatment for fast-acting, long-lasting control of fleas and ticks.

ACTIVE INGREDIENTS fipronil: ... 9.8% (S)-methoprene ... 11.8% INERT INGREDIENTS ... 78.4% TOTAL ... 100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

FRONTLINE® PLUS FOR CATS provides fast, effective and convenient treatment and control of fleas and ticks for cats and kittens.

- · Stops and prevents infestations
- · Kills adult fleas, flea eggs, and flea larvae
- Prevents all flea stages (eggs, larvae, pupae) from developing
- · Kills fleas which may cause flea allergy dermatitis
- Kills all stages of deer ticks (which may carry Lyme disease), brown dog ticks, American dog ticks, and lone star ticks
- · Prevents and controls reinfestations
- Fast-actina
- Long-lasting
- Waterproof
- · Convenient to use

FRONTUNE® PLUS FOR CATS contains fipronil and the insect growth regulator (IGR) (S)-methoprene. FRONTUNE® PLUS effectively targets all stages of fleas. Fipronil collects in the oils of the skin and hair follicles, and continues to be released from hair follicles onto the skin and coat, resulting in long-lasting activity against fleas and ticks.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.

To kill fleas and all stages of brown dog ticks, American dog ticks, lone star ticks, and deer ticks (which may carry Lyme disease), apply to cats and kittens (8 weeks or older) as follows: Remove applicator from child-resistant package. Hold applicator upright and snap applicator tip away from face and body. Place applicator tip through animal's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the animal's skin. Avoid superficial application to the animal's hair. Only one applicator per treatment is needed.



When used monthly, FRONTUNE® PLUS FOR CATS completely breaks the flea life cycle and controls tick infestations. Research demonstrates that FRONTUNE® PLUS kills adult fleas, flea eggs, and flea larvae for up to six weeks. FRONTLINE® PLUS also prevents development of all flea stages for up to six weeks. FRONTUNE® PLUS kills ticks for at least one month. A once monthly application is recommended where tick control is needed. Although FRONTUNE® PLUS can control fleas for up to six weeks, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE® PLUS FOR CATS remains effective even after bathing, water immersion, or exposure to sunlight. Avoid contact with treated area until dry. Do not reapply FRONTLINE® PLUS for 30 days.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE. Store unused product in original container only, out of reach of children and animals.

PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL. If empty: Do not reuse this container. Place in trash or offer for recycling if available.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Flush eyes with plenty of water. Call a doctor if irritation persists.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS. CAUTION.

Harmful if swallowed. Causes eye irritation. Avoid contact, with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

HAZARDS TO DOMESTIC ANIMALS.

For external use only. Do not use on kittens under 8 weeks of age. Individual sensitivities, while rare, may occur after using any pesticide product. Pets may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian immediately. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated, aged, pregnant, or nursing animals. Call 1-800-660-1842 for 24-hour assistance.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE: Do not use or store near heat or open flame.

WARRANTY

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.


EPA Reg. No. 65331-4

Merial Limited

3239 Satellite Blvd. Duluth, GA 30096-4640, USA

®FRONTLINE is a registered trademark of Merial. ©2003 Merial. All rights reserved.





Remove the adhesive backing and attach to your refrigerator door

Fleas and ticks can be a year-round problem!

Floas and ticks breed more

Summer

Winter

mize the risk of any reinfestation.

period of highest risi

Flea and Tick Protection Card Instructions for Use

The calendor stickers on the front of this card will help you remember to apply PRONTLINE PLUS FOR CAIS.

- box shown.

 2 After freating your pet, peel off the sticker corresponding to the current month.


 3 Place the remaining sticken on your odender as a rewinder to apply FRONTLINE PLLS FOR CUS monthly or as needed.



<u>Autumn</u>

The risk continues. Flees and ticks (brown dog ticks, American dog ticks, ione star ticks, and deer ticks which may carry lyme disease) remain a threat.





Remove the adhesive backing and attach to your refrigerator door

Fleas and ticks can be a year-round problem!

Spring

as and ticks breed more quently as spring progresses.

Summer

The period of highest risk

Winter

ize the risk of any reinfestation.

<u>Autumn</u>

The risk continues. Pleas and ticks (brown dog ticks, American dog ticks, ione star ticks, and deer ticks which may carry Lyme disease) remain a threat.

Flea and Tick Protection Card Instructions for Use

The calendar stickers on the front of this card will help you remember to apply PRONTLINE FLUS FOR CATS.

- PRONTLINE" PLLS FOR CATS.

 1 Write the date of your per's first rearment in the box shown.

 2 After treatment group pat, peal off the stricker corresponding to the current morth.

 3 Place the remaining stickers on your collector on a reminder to apply FRONTLINE" PLLS.

 FOR CATS mentity or as needed.





