



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

November 19, 2015

Ms. Cassie Alexander  
Associate Manager, RA NA  
Merial, Inc.  
3239 Satellite Blvd., Bld. 500  
Duluth, GA 30096

Subject: PRIA Label Amendment – Additional Unit Packages  
Product Name: Frontline Plus for Cats  
EPA Registration Number: 65331-4  
Application Date: July 17, 2015  
Decision Number: 507719

Dear Ms. Alexander:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2  
EPA Reg. No. 65331-4  
Decision No. 507719

with FIFRA section 6. If you have any questions, please contact Tim Ciarlo by phone at 703-347-8082, or via email at [Ciarlo.Timothy@epa.gov](mailto:Ciarlo.Timothy@epa.gov).

Sincerely,

A handwritten signature in black ink, appearing to read 'KB Davis', enclosed within a hand-drawn oval.

Kable Bo Davis, Product Manager 3  
Invertebrate and Vertebrate Branch 1  
Registration Division (7505P)  
Office of Pesticide Programs

Enclosure

**Master Label**  
**1x, 3x, 4x, 6x and 8x pipette presentations**

**Includes label text for 1x, 3x, 4x, 6x and 8x applicator presentation. Due to space limitations the layout of the 1x hanging card may differ from the 3x, 4x, 6x and 8x cartons (NOTE: The 1x hanging card will not utilize a carton or compliance cards, so all required information will be located on the Insert, blister pack or pipette for the 1x presentation).**

[Optional text appears in brackets-the final product label may include some or all of the optional text on the front, back, side panels, or insert.]

**FRONTLINE® Plus FOR CATS**  
**[ABN] [FRONTLINE® Top Spot® FOR CATS**

(Note: font size of FOR CATS will be 40% of the size of the largest letter in the brand name on the front panel)


(FRONT PANEL OF 3X, 4X, 6X and 8X CARTON)

**[Full brand name]**

**[3][4][6][8] doses**

**Kills fleas, flea eggs & larvae, ticks, [&] chewing lice [& mosquitoes]**

- Fast-acting
- Long-lasting
- Waterproof




**Kills ticks, including those that may transmit Lyme disease**

**For use ONLY on CATS & KITTENS 8 Weeks and Older and Weighing Over 1.5 lbs.**

ACTIVE INGREDIENTS:

Fipronil.....	9.8%
(S)-methoprene.....	11.8%
OTHER INGREDIENTS.....	78.4%
TOTAL.....	100.0%

NET CONTENTS: X fl oz (Y-X fl oz applicators)  
[3][4][6][8]-0.017 fl oz (0.50 ml) applicators



SEE INSERT FOR FIRST AID AND PRECAUTIONARY STATEMENTS  
KEEP OUT OF REACH OF CHILDREN  
**CAUTION**

(LEFT INNER PANEL OF 3X, 4X, 6X and 8X CARTON)

**[Full brand name]**

**[Full or partial brand name]** is:

- Fast-acting
- Long-lasting
- Waterproof

One spot application is all that's needed:

[Full or partial brand name] spreads from the single point of application, rapidly covering the entire cat and localizing in the hair, on the surface of the skin and in the sebaceous glands.

These glands act as a reservoir, continuously replenishing [Full or partial brand name] onto the skin and hair coat, so it keeps working even if the cat gets wet.

Fleas, ticks, and chewing lice are killed quickly after coming into contact with a treated cat. Fleas and ticks do not need to bite the cat in order to die.

**[Full or partial brand name]:**

**Fleas**

- Kills fleas, flea eggs and flea larvae
- Prevents all flea stages (egg, larvae, pupae) from developing
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

**Ticks**

- Kills all life stages of ticks (larva, nymph and adult), including deer ticks (*Ixodes scapularis*), brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*) and lone star ticks (*Amblyomma americanum*)
- Kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis, haemobartonellosis and other tick-borne diseases

**Lice**

- Rapidly eliminates chewing lice infestations

**[Mosquitoes]**

- [Kills mosquitoes]

**[Full or partial brand name]** is approved for use on all cats, including:

- Breeding, pregnant, and lactating queens
- Kittens as young as 8 weeks and over 1.5 lbs.



Adult Fleas



Flea Eggs



Flea Larvae



Ticks



Chewing Lice



[Mosquitoes]

(RIGHT INNER PANEL OF 3X, 4X, 6X and 8X CARTON)

### How to Apply [Full or partial brand name]



#### Step 1. To **REMOVE** Applicator

1. Use scissors to separate one blister
2. Use scissors to cut along dotted line
3. Peel down foil to remove the applicator



#### Step 2. **OPEN** Applicator

Hold upright with foil side toward you and snap applicator tip.



#### Step 3. **APPLY** [Full or partial brand name]

Part the cat's hair above the shoulder blades, at the base of the neck. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the cat's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not apply to cats weighing less than 1.5 lbs. or younger than 8 weeks of age. Do not allow your cat to ingest this product. Do not use more than one application per cat per month.

#### Questions or Comments?

Call: 1-800-660-1842.

Monday-Friday, 8am-8pm EST or  
visit us at [www. FRONTLINE.com](http://www.FRONTLINE.com)

(BACK PANEL OF 3X, 4x, 6X and 8x CARTON)

**[Full brand name]**

[Full or partial brand name] provides fast-acting, long-lasting, waterproof treatment and control of fleas, ticks, [&] chewing lice [& mosquitoes] for use ONLY on cats and kittens 8 weeks or older.

**Directions for Use**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. **TO PREVENT HARM TO YOU AND YOUR CAT, READ ENTIRE LABEL AND ENCLOSED DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.** Cats may experience some temporary irritation at the site of application. Please see insert for additional information.

To kill fleas, flea eggs & larvae, ticks, [and] chewing lice [and mosquitoes], apply [Full or partial brand name] as follows:

- To *REMOVE* Applicator:
  1. Use scissors to separate one blister
  2. Use scissors to cut along dotted line
  3. Peel down foil to remove the applicator
- *OPEN* Applicator. Hold upright with foil side toward you and snap applicator tip.
- *APPLY* [Full or partial brand name]. Part the cat's hair above the shoulder blades, at the base of the neck. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the cat's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow the cat to ingest the product. Do not apply to cats weighing less than 1.5 lbs. or younger than 8 weeks of age. Do not use more than one application per cat per month.

[Full or partial brand name] is approved for use on all cats, including breeding, pregnant, and lactating queens and kittens as young as 8 weeks.

[Full or partial brand name] remains effective even after bathing, water immersion, or exposure to sunlight.

SIDE EFFECTS: Cats may experience some temporary irritation at the site of application. If signs persist or become more severe within a few days of application, consult a veterinarian immediately.

**Frequency of Application**

When used monthly, [Full or partial brand name] completely breaks the flea life cycle and controls tick and chewing lice infestations. Do not reapply [Full or partial brand name] for 30 days.

[Full or partial brand name] kills adult fleas, flea eggs, and flea larvae for up to six weeks. [Full or partial brand name] also prevents development of all flea stages for up to six weeks. [Full or partial brand name] can control fleas up to six weeks, however, if there is a high risk of reinfestation or if the cat has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

(BACK PANEL OF 3X, 4X, 6X and 8X CARTON) (Cont'd)

[Full or partial brand name] kills ticks for at least one month. A once monthly application is recommended where tick control is needed. [Full or partial brand name] kills all life stages of ticks (larva, nymph and adult).

[Full or partial brand name] kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis, haemobartonellosis and other tick-borne diseases.

[Full or partial brand name] kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

[[Full or partial brand name] kills mosquitoes within 24 hours for up to 14 days, and within 48 hours for up to 28 days, with a monthly application.]



Please call our experts at **1-800-660-1842**, Monday-Friday, 8am-8pm EST, with any questions or comments about flea, tick, [or] chewing lice, [or mosquito] control or [Full or partial brand name].

Merial, Inc.  
3239 Satellite Blvd.  
Duluth, GA 30096-4640, USA  
MADE IN FRANCE


®FRONTLINE and TOP SPOT are registered trademarks of Merial.  
©2015 Merial, Inc., Duluth, GA.  
All rights reserved.

(TOP OUTER PANEL and LEFT SIDE OUTER PANEL OF 3X, 4X, 6X and 8X CARTON)

**[Full brand name]**

For use ONLY on CATS & KITTENS 8 Weeks and Older and Weighing Over 1.5 lbs.

**[3][4][6][8] doses**



(BOTTOM OUTER PANEL OF 3X, 4X, 6X and 8X CARTON)

For cat use only



(RIGHT SIDE PANEL OF 3X, 4X, 6X and 8X CARTON)

EPA Reg. No 65331-4    LOT NO:

EPA Est.



(INSERT FOR 3X, 4X, 6X and 8X)

[Full brand name]

For use ONLY on CATS & KITTENS 8 weeks or older and weighing over 1.5 lbs.:  
Fast-acting, long-lasting, waterproof treatment and control of fleas, flea eggs & larvae, ticks, [and] chewing lice [and mosquitoes].

**ACTIVE INGREDIENTS**

Fipronil ..... 9.8%  
(S)-methoprene..... 11.8%  
OTHER INGREDIENTS..... 78.4%  
TOTAL ..... 100.0%

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

[Full or partial brand name]:

**Fleas**

- Kills fleas, flea eggs and flea larvae
- Prevents all flea stages (egg, larvae, pupae) from developing
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

**Ticks**

- Kills all life stages of ticks (larva, nymph and adult), including brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*), lone star ticks (*Amblyomma americanum*) and deer ticks (*Ixodes scapularis*)
- Kills ticks that may transmit Lyme disease, haemobartonellosis, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases

**Lice**

- Rapidly eliminates chewing lice infestations

**[Mosquitoes]**

- [Kills mosquitoes]

[Full or partial brand name] is approved for use on all cats, including:

- Breeding, pregnant, and lactating queens
- Kittens as young as 8 weeks and weighing at least 1.5 lbs.

**One spot application is all that's needed:**

[Full or partial brand name] spreads from the single point of application, rapidly covering the entire cat and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE Plus (alternate brand name) onto the skin and hair coat, so it keeps working even if the cat gets wet. Fleas, ticks, and chewing lice are killed quickly after coming into contact with a treated cat. Fleas and ticks do not need to bite the cat in order to die.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR CAT, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.

(INSERT FOR 3X, 4X, 6X and 8X) (Cont'd)

To kill fleas, flea eggs & larvae, ticks, chewing lice and mosquitoes, apply [Full or partial brand name] as follows:

- To *REMOVE* Applicator:
  1. Use scissors to separate one blister
  2. Use scissors to cut along dotted line
  3. Peel down foil to remove the applicator
- *OPEN* Applicator. Hold upright with foil side toward you and snap applicator tip.
- *APPLY* [Full or partial brand name].

Part the cat's hair above the shoulder blades, at the base of the neck. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the cat's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow the cat to ingest the product. Do not apply to cats weighing less than 1.5 lbs. or younger than 8 weeks of age. Do not use more than one application per cat per month. [Full or partial brand name] is approved for use on all cats, including breeding, pregnant, and lactating queens and kittens as young as 8 weeks.

[Full or partial brand name] remains effective even after bathing, water immersion, or exposure to sunlight.

#### **FREQUENCY OF APPLICATION**

When used monthly, [Full or partial brand name] completely breaks the flea life cycle and controls tick and chewing lice infestations. Do not reapply [Full or partial brand name] for 30 days.

[Full or partial brand name] kills adult fleas, flea eggs, and flea larvae for up to six weeks. [Full or partial brand name] also prevents development of all flea stages for up to six weeks. [Full or partial brand name] can control fleas for up to six weeks, however, if there is a high risk of reinfestation or if the cat has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

[Full or partial brand name] kills ticks for at least one month. A once monthly application is recommended where tick control is needed. [Full or partial brand name] kills all life stages of ticks (larva, nymph and adult). [Full or partial brand name] kills ticks that may transmit Lyme disease, haemobartonellosis, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases.

[Full or partial brand name] kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

[[Full or partial brand name] kills mosquitoes within 24 hours for up to 14 days, and within 48 hours for up to 28 days, with a monthly application.]

#### **STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage and disposal.

**STORAGE.** Store unused product in original container only, out of reach of children and animals.

**PESTICIDE DISPOSAL. If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

**CONTAINER DISPOSAL. If empty:** Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

#### **FIRST AID**

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

(INSERT FOR 3X, 4X, 6X and 8X) (Cont'd)

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment or advice.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS. CAUTION.**

Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

**HAZARDS TO DOMESTIC ANIMALS.**

For external use only. Do not use on kittens under 8 weeks of age or 1.5 lbs. Individual sensitivities, while rare, may occur after using any pesticide product.

<p>SIDE EFFECTS: Cats may experience some temporary irritation at the site of application. If signs persist or become more severe within a few days of application, consult a veterinarian immediately.</p>
---

Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. Call 1-800-660-1842, Monday-Friday, 8am-8pm EST.

**PHYSICAL OR CHEMICAL HAZARDS**

**COMBUSTIBLE:** Do not use or store near heat or open flame.

**WARRANTY**

To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

EPA Reg. No. 65331-4

**Merial, Inc.**

3239 Satellite Blvd.  
Duluth, GA 30096-4640, USA


®FRONTLINE and TOP SPOT are registered trademarks of Merial.  
©2015 Merial Inc., Duluth, GA. All rights reserved.

Bar Code
----------

(3X, 4X, 6X and 8X BLISTER)

↑ CUT LINE ↑

[Full or partial brand name]



TO REMOVE APPLICATOR:

1. Use scissors to separate one blister
2. Use scissors to cut along dotted line
3. Peel down foil to remove the applicator

0.017 fl oz

Lot #

**ONLY for CATS & KITTENS** 8 Weeks and Older and Over 1.5 lbs.

Reason to issue: Addition of 4x and 8x packaging  
EPA Reg. No. 65331-4

Amendment  
Date: 11/19/15  
Supersedes: 7/2/13

---

(1X, 3X, 4X, 6X, 8X PIPETTE)

MERIAL

Contains: fipronil (9.8%)  
(S)-methoprene (11.8%)

ONLY for CATS & KITTENS 8 Weeks and Older and Weighing Over 1.5 lbs.



0.017 fl oz

**[Full or partial brand name]**

Keep out of reach of children  
See full label for additional directions

**CAUTION**

EPA Reg. No. 65331-4

(3X/6X AND 4X/8X COMPLIANCE CARD - FRONT)

**FRONTLINE®**

See other side for more.....



**Fleas**



**Ticks**




**Chewing Lice**

Some tips and other information

- To successfully control fleas and ticks, all pets must be treated with their own dose of FRONTLINE®.
- Apply according to label instructions, ensuring the product is applied to the skin, not on top of the fur and not near the collar. It may be helpful to remove the collar before application, so it doesn't absorb the product.
- Remember, your cat needs to be dry at the time FRONTLINE is applied and remain dry 24 hours after application.
- Verify pipette is empty after application (multiple squeezes may be necessary to apply the entire dose).
- Even indoor cats need flea and tick control because you or other pets in the household may bring fleas into the home. These fleas can lead to a flea infestation.

**FLEAS: What you need to know**

It can take up to 3 months to get rid of a serious flea infestation because of all of the flea life stages that existed BEFORE you started using FRONTLINE.



(3X/6X AND 4X/8X COMPLIANCE CARD - BACK)

Calendar Reminder Stickers

To ensure continued protection of your cats, use these stickers as a reminder to apply and re-purchase FRONTLINE.

After treating your cat for the first time, peel off the sticker and place on your calendar that day.

Place the remaining stickers on your calendar as a reminder to apply FRONTLINE monthly.

Don't forget to re-purchase!

**QUESTIONS?**

Contact your veterinarian or call our technical experts at **1-800-660-1842**.  
Monday-Friday, 8am-8pm. For more information, visit [www.FRONTLINE.com](http://www.FRONTLINE.com).

®FRONTLINE and TOP SPOT are registered trademarks of Merial.  
©2015 Merial, Inc., Duluth, GA.  
All rights reserved.

[6][8] Months  
use all [6][8] stickers

[3][4] stickers that read "Apply  
FRONTLINE®" with a picture of a pipette

---

[3][4] Months

[3][4] stickers that read "Apply  
FRONTLINE®" with a picture of a pipette

Bar Code


(FRONT PANEL OF 1X Insert)

**(Note: font size of FOR CATS will be 40% of the size of the largest letter in the brand name on the front panel)**



**[Full or partial brand name]**

EPA Reg. No. 65331-4  
EPA Est. No. 65331-FR-2  
MADE IN FRANCE



**Kills fleas, flea eggs & larvae, ticks, [&] chewing lice [& mosquitoes]**

- Fast-acting
- Long-lasting
- Waterproof

**ACTIVE INGREDIENTS:**

Fipronil.....9.8%  
(S)-methoprene.....11.8%  
OTHER INGREDIENTS.....78.4%  
TOTAL .....100.0%

Net Contents: 1-0.017 fl oz (0.50 ml) applicator

**1 monthly dose**

**Kills ticks, including those that may transmit Lyme disease**



**For use ONLY on CATS & KITTENS 8 weeks and Older and Weighing Over 1.5 lbs.**

See inside panels for FIRST AID and PRECAUTIONARY statements.

KEEP OUT OF REACH OF CHILDREN

**CAUTION**



(INNER PANELS FOR 1X INSERT)

[Full brand name]

**For use ONLY on CATS & KITTENS 8 weeks or older and Weighing Over 1.5 lbs:  
Fast-acting, long-lasting, waterproof treatment and control of fleas, flea eggs &  
larvae, ticks, [and] chewing lice [and mosquitoes].**

**ACTIVE INGREDIENTS**

**Fipronil** ..... 9.8%  
**(S)-methoprene**..... 11.8%  
**OTHER INGREDIENTS**..... 78.4%  
**TOTAL** ..... 100.0%

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

[Full or partial brand name]:

**Fleas**

- Kills fleas, flea eggs and flea larvae
- Prevents all flea stages (egg, larvae, pupae) from developing
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

**Ticks**

- Kills all life stages of ticks (larva, nymph and adult), including brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*), lone star ticks (*Amblyomma americanum*) and deer ticks (*Ixodes scapularis*)
- Kills ticks that may transmit Lyme disease, haemobartonellosis, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases

**Lice**

- Rapidly eliminates chewing lice infestations

**[Mosquitoes]**

- [Kills mosquitoes]

[Full or partial brand name] is approved for use on all cats, including:

- Breeding, pregnant, and lactating queens
- Kittens as young as 8 weeks and weighing at least 1.5 lbs.

**One spot application is all that's needed:**

[Full or partial brand name] spreads from the single point of application, rapidly covering the entire cat and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE Plus (alternate brand name) onto the skin and hair coat, so it keeps working even if the cat gets wet. Fleas, ticks, and chewing lice are killed quickly after coming into contact with a treated cat. Fleas and ticks do not need to bite the cat in order to die.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.

(INNER PANELS FOR 1X) (Cont'd)

To kill fleas, flea eggs & larvae, ticks, chewing lice and mosquitoes, apply [Full or partial brand name] as follows:

- *OPEN* Applicator.

Hold upright with foil side toward you and snap applicator tip.

- *APPLY* [Full or partial brand name].

Part the cat's hair above the shoulder blades, at the base of the neck. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the cat's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow the cat to ingest the product. Do not apply to cats weighing less than 1.5 lbs. or younger than 8 weeks of age. Do not use more than one application per cat per month.

[Full or partial brand name] is approved for use on all cats, including breeding, pregnant, and lactating queens and kittens as young as 8 weeks.

[Full or partial brand name] remains effective even after bathing, water immersion, or exposure to sunlight.

**FREQUENCY OF APPLICATION**

When used monthly, [Full or partial brand name] completely breaks the flea life cycle and controls tick and chewing lice infestations. Do not reapply [Full or partial brand name] for 30 days.

[Full or partial brand name] kills adult fleas, flea eggs, and flea larvae for up to six weeks. [Full or partial brand name] also prevents development of all flea stages for up to six weeks. [Full or partial brand name] can control fleas for up to six weeks, however, if there is a high risk of reinfestation or if the cat has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

[Full or partial brand name] kills ticks for at least one month. A once monthly application is recommended where tick control is needed. [Full or partial brand name] kills all life stages of ticks (larva, nymph and adult). [Full or partial brand name] kills ticks that may transmit Lyme disease, haemobartonellosis, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases.

[Full or partial brand name] kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

[[Full or partial brand name] kills mosquitoes within 24 hours for up to 14 days, and within 48 hours for up to 28 days, with a monthly application.]

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage and disposal.

**STORAGE.** Store unused product in original container only, out of reach of children and animals.

**PESTICIDE DISPOSAL. If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

**CONTAINER DISPOSAL. If empty:** Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

**FIRST AID**

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to

(INNER PANELS FOR 1X) (Cont'd)

do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment or advice.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS. CAUTION.**

Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

**HAZARDS TO DOMESTIC ANIMALS.**

For external use only. Do not use on kittens under 8 weeks of age or 1.5 lbs. Individual sensitivities, while rare, may occur after using any pesticide product

<p>SIDE EFFECTS: Cats may experience some temporary irritation at the site of application. If signs persist or become more severe within a few days of application, consult a veterinarian immediately.</p>
---

Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. Call 1-800-660-1842, Monday-Friday, 8am-8pm EST.

**PHYSICAL OR CHEMICAL HAZARDS**

**COMBUSTIBLE:** Do not use or store near heat or open flame.

**WARRANTY**

To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

**Merial, Inc.**

3239 Satellite Blvd.  
Duluth, GA 30096-4640, USA

®FRONTLINE and TOP SPOT are registered trademarks of Merial.  
©2015 Merial, Inc., Duluth, GA. All rights reserved.

(BACK PANEL OF 1X Insert)

### How to Apply [Full or partial brand name]



**Step 1.**

***OPEN* Applicator**

Hold upright with foil side toward you and snap applicator tip.



**Step 2.**

***APPLY* [Full or partial brand name]**

Part the cat's hair above the shoulder blades, at the base of the neck. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the cat's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not apply to cats weighing less than 1.5 lbs. or younger than 8 weeks of age. Do not allow your cat to ingest this product. Do not use more than one application per cat per month.

**Questions or Comments?**

**Call: 1-800-660-1842.**

**Monday-Friday, 8am-8pm EST or  
visit us at [www. FRONTLINE.com](http://www.FRONTLINE.com)**

(1X BLISTER)

