



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

May 11, 2016

Jennifer C. Harmer
Director, Regulatory Affairs
Merial, Inc.
3239 Satellite Boulevard
Duluth, GA 30096

Subject: Notification per PRN 98-10 – Removal of actual Est. No. for placeholder
Product Name: Frontline Plus for Cats
EPA Registration Number: 65331-4
Application Date: 3-May-2016
Decision Number: 517020

Dear Ms. Harmer

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you have any questions, you may contact Julie Breeden-Alemi at 703-347-0511 or via email at Breeden.Julie@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Kable Bo Davis", enclosed in a hand-drawn oval.

Kable Bo Davis, Product Manager 3
Invertebrate and Vertebrate Branch 1
Registration Division (7505P)
Office of Pesticide Programs

Master Label

1x, 3x, 4x, 6x and 8x pipette presentations

Includes label text for 1x, 3x, 4x, 6x and 8x applicator presentation. Due to space limitations the layout of the 1x hanging card may differ from the 3x, 4x, 6x and 8x cartons (NOTE: The 1x hanging card will not utilize a carton or compliance cards, so all required information will be located on the Insert, blister pack or pipette for the 1x presentation).

[Optional text appears in brackets-the final product label may include some or all of the optional text on the front, back, side panels, or insert.]

**FRONTLINE® Plus FOR CATS
[ABN] [FRONTLINE® Top Spot® FOR CATS**

(Note: font size of FOR CATS will be 40% of the size of the largest letter in the brand name on the front panel)



(FRONT PANEL OF 3X, 4X, 6X and 8X CARTON)

[Full brand name]

[3][4][6][8] doses

Kills fleas, flea eggs & larvae, ticks, [&] chewing lice [& mosquitoes]

- Fast-acting
- Long-lasting
- Waterproof



Kills ticks, including those that may transmit Lyme disease

For use ONLY on CATS & KITTENS 8 Weeks and Older and Weighing Over 1.5 lbs.

ACTIVE INGREDIENTS:

Fipronil.....9.8%
 (S)-methoprene.....11.8%
 OTHER INGREDIENTS.....78.4%
 TOTAL.....100.0%

**NET CONTENTS: X fl oz (Y-X fl oz applicators)
[3][4][6][8]-0.017 fl oz (0.50 ml) applicators**

NOTIFICATION

65331-4

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

05/11/2016

SEE INSERT FOR FIRST AID AND PRECAUTIONARY STATEMENTS

KEEP OUT OF REACH OF CHILDREN

CAUTION

(LEFT INNER PANEL OF 3X, 4X, 6X and 8X CARTON)

[Full brand name]

[Full or partial brand name] is:

- Fast-acting
- Long-lasting
- Waterproof

One spot application is all that's needed:

[Full or partial brand name] spreads from the single point of application, rapidly covering the entire cat and localizing in the hair, on the surface of the skin and in the sebaceous glands.

These glands act as a reservoir, continuously replenishing [Full or partial brand name] onto the skin and hair coat, so it keeps working even if the cat gets wet.

Fleas, ticks, and chewing lice are killed quickly after coming into contact with a treated cat. Fleas and ticks do not need to bite the cat in order to die.

[Full or partial brand name]:

Fleas

- Kills fleas, flea eggs and flea larvae
- Prevents all flea stages (egg, larvae, pupae) from developing
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

Ticks

- Kills all life stages of ticks (larva, nymph and adult), including deer ticks (*Ixodes scapularis*), brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*) and lone star ticks (*Amblyomma americanum*)
- Kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis, haemobartonellosis and other tick-borne diseases

Lice

- Rapidly eliminates chewing lice infestations

[Mosquitoes]

- [Kills mosquitoes]

[Full or partial brand name] is approved for use on all cats, including:

- Breeding, pregnant, and lactating queens
- Kittens as young as 8 weeks and over 1.5 lbs.



Adult Fleas



Flea Eggs



Ticks



Chewing Lice



Flea Larvae



[Mosquitoes]

(RIGHT INNER PANEL OF 3X, 4X, 6X and 8X CARTON)

How to Apply [Full or partial brand name]



Step 1. To **REMOVE** Applicator

1. Use scissors to separate one blister
2. Use scissors to cut along dotted line
3. Peel down foil to remove the applicator



Step 2. **OPEN** Applicator

Hold upright with foil side toward you and snap applicator tip.



Step 3. **APPLY** [Full or partial brand name]

Part the cat's hair above the shoulder blades, at the base of the neck. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the cat's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not apply to cats weighing less than 1.5 lbs. or younger than 8 weeks of age. Do not allow your cat to ingest this product. Do not use more than one application per cat per month.

Questions or Comments?

Call: 1-800-660-1842.

Monday-Friday, 8am-8pm EST or
visit us at [www. FRONTLINE.com](http://www.FRONTLINE.com)

Reason to issue: Addition of 4x and 8x packaging
EPA Reg. No. 65331-4

~~Amendment Notification~~

Date: ~~11/19/15~~ 3/16

Supersedes:

~~7/2/13~~ 11/19/15

Bar Code

(BACK PANEL OF 3X, 4x, 6X and 8x CARTON)

[Full brand name]

[Full or partial brand name] provides fast-acting, long-lasting, waterproof treatment and control of fleas, ticks, [&] chewing lice [& mosquitoes] for use ONLY on cats and kittens 8 weeks or older.

Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. **TO PREVENT HARM TO YOU AND YOUR CAT, READ ENTIRE LABEL AND ENCLOSED DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.** Cats may experience some temporary irritation at the site of application. Please see insert for additional information.

To kill fleas, flea eggs & larvae, ticks, [and] chewing lice [and mosquitoes], apply [Full or partial brand name] as follows:

- To *REMOVE* Applicator:
 1. Use scissors to separate one blister
 2. Use scissors to cut along dotted line
 3. Peel down foil to remove the applicator
- *OPEN* Applicator. Hold upright with foil side toward you and snap applicator tip.
- *APPLY* [Full or partial brand name]. Part the cat's hair above the shoulder blades, at the base of the neck. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the cat's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow the cat to ingest the product. Do not apply to cats weighing less than 1.5 lbs. or younger than 8 weeks of age. Do not use more than one application per cat per month.

[Full or partial brand name] is approved for use on all cats, including breeding, pregnant, and lactating queens and kittens as young as 8 weeks.

[Full or partial brand name] remains effective even after bathing, water immersion, or exposure to sunlight.

SIDE EFFECTS: Cats may experience some temporary irritation at the site of application. If signs persist or become more severe within a few days of application, consult a veterinarian immediately.

Frequency of Application

When used monthly, [Full or partial brand name] completely breaks the flea life cycle and controls tick and chewing lice infestations. Do not reapply [Full or partial brand name] for 30 days.

[Full or partial brand name] kills adult fleas, flea eggs, and flea larvae for up to six weeks. [Full or partial brand name] also prevents development of all flea stages for up to six weeks. [Full or partial brand name] can control fleas up to six weeks, however, if there is a high risk of reinfestation or if the cat has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

(BACK PANEL OF 3X, 4X, 6X and 8X CARTON) (Cont'd)

[Full or partial brand name] kills ticks for at least one month. A once monthly application is recommended where tick control is needed. [Full or partial brand name] kills all life stages of ticks (larva, nymph and adult).

[Full or partial brand name] kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis, haemobartonellosis and other tick-borne diseases.

[Full or partial brand name] kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

[[Full or partial brand name] kills mosquitoes within 24 hours for up to 14 days, and within 48 hours for up to 28 days, with a monthly application.]



Please call our experts at **1-800-660-1842**, Monday-Friday, 8am-8pm EST, with any questions or comments about flea, tick, [or] chewing lice, [or mosquito] control or [Full or partial brand name].

Merial, Inc.
3239 Satellite Blvd.
Duluth, GA 30096-4640, USA
MADE IN FRANCE

®FRONTLINE and TOP SPOT are registered trademarks of Merial.
©2015 Merial, Inc., Duluth, GA.
All rights reserved.

Reason to issue: Addition of 4x and 8x packaging
EPA Reg. No. 65331-4

Amendment Notification

Date: 11/19/155/3/16

Supersedes:

7/2/1311/19/15

(TOP OUTER PANEL and LEFT SIDE OUTER PANEL OF 3X, 4X, 6X and 8X CARTON)

[Full brand name]

For use ONLY on CATS & KITTENS 8 Weeks and Older and Weighing Over 1.5 lbs.

[3][4][6][8] doses

Picture of
pipette

(BOTTOM OUTER PANEL OF 3X, 4X, 6X and 8X CARTON)

For cat use only

Bar Code

(RIGHT SIDE PANEL OF 3X, 4X, 6X and 8X CARTON)

EPA Reg. No 65331-4 LOT NO:

EPA Est.

(INSERT FOR 3X, 4X, 6X and 8X)

[Full brand name]

For use **ONLY** on **CATS & KITTENS 8 weeks or older and weighing over 1.5 lbs.:**
Fast-acting, long-lasting, waterproof treatment and control of fleas, flea eggs & larvae, ticks, [and] chewing lice [and mosquitoes].

ACTIVE INGREDIENTS

Fipronil **9.8%**
(S)-methoprene..... **11.8%**
OTHER INGREDIENTS..... **78.4%**
TOTAL **100.0%**

KEEP OUT OF REACH OF CHILDREN

CAUTION

[Full or partial brand name]:

Fleas

- Kills fleas, flea eggs and flea larvae
- Prevents all flea stages (egg, larvae, pupae) from developing
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

Ticks

- Kills all life stages of ticks (larva, nymph and adult), including brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*), lone star ticks (*Amblyomma americanum*) and deer ticks (*Ixodes scapularis*)
- Kills ticks that may transmit Lyme disease, haemobartonellosis, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases

Lice

- Rapidly eliminates chewing lice infestations

[Mosquitoes]

- [Kills mosquitoes]

[Full or partial brand name] is approved for use on all cats, including:

- Breeding, pregnant, and lactating queens
- Kittens as young as 8 weeks and weighing at least 1.5 lbs.

One spot application is all that's needed:

[Full or partial brand name] spreads from the single point of application, rapidly covering the entire cat and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE Plus (alternate brand name) onto the skin and hair coat, so it keeps working even if the cat gets wet. Fleas, ticks, and chewing lice are killed quickly after coming into contact with a treated cat. Fleas and ticks do not need to bite the cat in order to die.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. **TO PREVENT HARM TO YOU AND YOUR CAT, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.**

(INSERT FOR 3X, 4X, 6X and 8X) (Cont'd)

To kill fleas, flea eggs & larvae, ticks, chewing lice and mosquitoes, apply [Full or partial brand name] as follows:

- To *REMOVE* Applicator:
 1. Use scissors to separate one blister
 2. Use scissors to cut along dotted line
 3. Peel down foil to remove the applicator
- *OPEN* Applicator. Hold upright with foil side toward you and snap applicator tip.
- *APPLY* [Full or partial brand name].

Part the cat's hair above the shoulder blades, at the base of the neck. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the cat's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow the cat to ingest the product. Do not apply to cats weighing less than 1.5 lbs. or younger than 8 weeks of age. Do not use more than one application per cat per month. [Full or partial brand name] is approved for use on all cats, including breeding, pregnant, and lactating queens and kittens as young as 8 weeks.

[Full or partial brand name] remains effective even after bathing, water immersion, or exposure to sunlight.

FREQUENCY OF APPLICATION

When used monthly, [Full or partial brand name] completely breaks the flea life cycle and controls tick and chewing lice infestations. Do not reapply [Full or partial brand name] for 30 days.

[Full or partial brand name] kills adult fleas, flea eggs, and flea larvae for up to six weeks. [Full or partial brand name] also prevents development of all flea stages for up to six weeks. [Full or partial brand name] can control fleas for up to six weeks, however, if there is a high risk of reinfestation or if the cat has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

[Full or partial brand name] kills ticks for at least one month. A once monthly application is recommended where tick control is needed. [Full or partial brand name] kills all life stages of ticks (larva, nymph and adult). [Full or partial brand name] kills ticks that may transmit Lyme disease, haemobartonellosis, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases.

[Full or partial brand name] kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

[[Full or partial brand name] kills mosquitoes within 24 hours for up to 14 days, and within 48 hours for up to 28 days, with a monthly application.]

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE. Store unused product in original container only, out of reach of children and animals.

PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL. If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

(INSERT FOR 3X, 4X, 6X and 8X) (Cont'd)

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment or advice.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION.

Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

HAZARDS TO DOMESTIC ANIMALS.

For external use only. Do not use on kittens under 8 weeks of age or 1.5 lbs. Individual sensitivities, while rare, may occur after using any pesticide product.

SIDE EFFECTS: Cats may experience some temporary irritation at the site of application. If signs persist or become more severe within a few days of application, consult a veterinarian immediately.

Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. Call 1-800-660-1842, Monday-Friday, 8am-8pm EST.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE: Do not use or store near heat or open flame.

WARRANTY

To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

EPA Reg. No. 65331-4

Merial, Inc.

3239 Satellite Blvd.

Duluth, GA 30096-4640, USA

®FRONTLINE and TOP SPOT are registered trademarks of Merial.

©2015 Merial Inc., Duluth, GA. All rights reserved.


Bar Code

~~7/2/13~~ 11/19/15

(3X, 4X, 6X and 8X BLISTER)

↑ CUT LINE ↑

[Full or partial brand name]



TO REMOVE APPLICATOR:

1. Use scissors to separate one blister
2. Use scissors to cut along dotted line
3. Peel down foil to remove the applicator

0.017 fl oz

Lot #

ONLY for CATS & KITTENS 8 Weeks and Older and Over 1.5 lbs.

Reason to issue: Addition of 4x and 8x packaging
EPA Reg. No. 65331-4

~~Amendment Notification~~

Date: ~~11/19/15~~ 3/16

Supersedes:

~~7/2/13~~ 11/19/15

(1X, 3X, 4X, 6X, 8X PIPETTE)

MERIAL

Contains: fipronil (9.8%)

(S)-methoprene (11.8%)

ONLY for CATS & KITTENS 8 Weeks and Older and Weighing Over 1.5 lbs.



0.017 fl oz

[Full or partial brand name]

Keep out of reach of children

See full label for additional directions

CAUTION

EPA Reg. No. 65331-4

(3X/6X AND 4X/8X COMPLIANCE CARD - FRONT)

FRONTLINE®

See other side for more.....



Fleas



Ticks




Chewing Lice

Some tips and other information

- To successfully control fleas and ticks, all pets must be treated with their own dose of FRONTLINE®.
- Apply according to label instructions, ensuring the product is applied to the skin, not on top of the fur and not near the collar. It may be helpful to remove the collar before application, so it doesn't absorb the product.
- Remember, your cat needs to be dry at the time FRONTLINE is applied and remain dry 24 hours after application.
- Verify pipette is empty after application (multiple squeezes may be necessary to apply the entire dose).
- Even indoor cats need flea and tick control because you or other pets in the household may bring fleas into the home. These fleas can lead to a flea infestation.

FLEAS: What you need to know

It can take up to 3 months to get rid of a serious flea infestation because of all of the flea life stages that existed BEFORE you started using FRONTLINE.



(3X/6X AND 4X/8X COMPLIANCE CARD - BACK)

Calendar Reminder Stickers

To ensure continued protection of your cats, use these stickers as a reminder to apply and re-purchase FRONTLINE.

After treating your cat for the first time, peel off the sticker and place on your calendar that day.

Place the remaining stickers on your calendar as a reminder to apply FRONTLINE monthly.

Don't forget to re-purchase!

QUESTIONS?

Contact your veterinarian or call our technical experts at **1-800-660-1842**.

Monday-Friday, 8am-8pm. For more information, visit **www.FRONTLINE.com**.

®FRONTLINE and TOP SPOT are registered trademarks of Merial.

©2015 Merial, Inc., Duluth, GA.

All rights reserved.

[6][8] Months
use all [6][8] stickers

[3][4] stickers that read "Apply
FRONTLINE®" with a picture of a pipette

[3][4] Months

[3][4] stickers that read "Apply
FRONTLINE®" with a picture of a pipette

Bar Code

Reason to issue: Addition of 4x and 8x packaging
EPA Reg. No. 65331-4

Amendment Notification

Date: 11/19/15/3/16

Supersedes:

7/2/13/11/19/15

(FRONT PANEL OF 1X Insert)

(Note: font size of FOR CATS will be 40% of the size of the largest letter in the brand name on the front panel)

[Full or partial brand name]



EPA Reg. No. 65331-4
EPA Est. No. ~~65331-FR-2~~
MADE IN FRANCE

Picture of Cat

Kills fleas, flea eggs & larvae, ticks, [&] chewing lice [& mosquitoes]

- Fast-acting
- Long-lasting
- Waterproof

ACTIVE INGREDIENTS:

Fipronil.....9.8%
(S)-methoprene.....11.8%
OTHER INGREDIENTS.....78.4%
TOTAL100.0%

Net Contents: 1-0.017 fl oz (0.50 ml) applicator

1 monthly dose

Kills ticks, including those that may transmit Lyme disease

Bar Code

For use ONLY on CATS & KITTENS **8 weeks and Older and Weighing Over 1.5 lbs.**

See inside panels for FIRST AID and PRECAUTIONARY statements.

KEEP OUT OF REACH OF CHILDREN

CAUTION

7/2/13/11/19/15

(INNER PANELS FOR 1X INSERT)

[Full brand name]

For use ONLY on CATS & KITTENS 8 weeks or older and Weighing Over 1.5 lbs:
Fast-acting, long-lasting, waterproof treatment and control of fleas, flea eggs & larvae, ticks, [and] chewing lice [and mosquitoes].

ACTIVE INGREDIENTS

Fipronil 9.8%
(S)-methoprene..... 11.8%
OTHER INGREDIENTS..... 78.4%
TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

[Full or partial brand name]:

Fleas

- Kills fleas, flea eggs and flea larvae
- Prevents all flea stages (egg, larvae, pupae) from developing
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

Ticks

- Kills all life stages of ticks (larva, nymph and adult), including brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*), lone star ticks (*Amblyomma americanum*) and deer ticks (*Ixodes scapularis*)
- Kills ticks that may transmit Lyme disease, haemobartonellosis, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases

Lice

- Rapidly eliminates chewing lice infestations

[Mosquitoes]

- [Kills mosquitoes]

[Full or partial brand name] is approved for use on all cats, including:

- Breeding, pregnant, and lactating queens
- Kittens as young as 8 weeks and weighing at least 1.5 lbs.

One spot application is all that's needed:

[Full or partial brand name] spreads from the single point of application, rapidly covering the entire cat and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE Plus (alternate brand name) onto the skin and hair coat, so it keeps working even if the cat gets wet. Fleas, ticks, and chewing lice are killed quickly after coming into contact with a treated cat. Fleas and ticks do not need to bite the cat in order to die.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.

(INNER PANELS FOR 1X) (Cont'd)

To kill fleas, flea eggs & larvae, ticks, chewing lice and mosquitoes, apply [Full or partial brand name] as follows:

- *OPEN* Applicator.

Hold upright with foil side toward you and snap applicator tip.

- *APPLY* [Full or partial brand name].

Part the cat's hair above the shoulder blades, at the base of the neck. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the cat's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow the cat to ingest the product. Do not apply to cats weighing less than 1.5 lbs. or younger than 8 weeks of age. Do not use more than one application per cat per month.

[Full or partial brand name] is approved for use on all cats, including breeding, pregnant, and lactating queens and kittens as young as 8 weeks.

[Full or partial brand name] remains effective even after bathing, water immersion, or exposure to sunlight.

FREQUENCY OF APPLICATION

When used monthly, [Full or partial brand name] completely breaks the flea life cycle and controls tick and chewing lice infestations. Do not reapply [Full or partial brand name] for 30 days.

[Full or partial brand name] kills adult fleas, flea eggs, and flea larvae for up to six weeks. [Full or partial brand name] also prevents development of all flea stages for up to six weeks. [Full or partial brand name] can control fleas for up to six weeks, however, if there is a high risk of reinfestation or if the cat has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

[Full or partial brand name] kills ticks for at least one month. A once monthly application is recommended where tick control is needed. [Full or partial brand name] kills all life stages of ticks (larva, nymph and adult). [Full or partial brand name] kills ticks that may transmit Lyme disease, haemobartonellosis, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases.

[Full or partial brand name] kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

[[Full or partial brand name] kills mosquitoes within 24 hours for up to 14 days, and within 48 hours for up to 28 days, with a monthly application.]

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE. Store unused product in original container only, out of reach of children and animals.

PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL. If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to

(INNER PANELS FOR 1X) (Cont'd)

do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment or advice.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION.

Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

HAZARDS TO DOMESTIC ANIMALS.

For external use only. Do not use on kittens under 8 weeks of age or 1.5 lbs. Individual sensitivities, while rare, may occur after using any pesticide product

SIDE EFFECTS: Cats may experience some temporary irritation at the site of application. If signs persist or become more severe within a few days of application, consult a veterinarian immediately.

Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. Call 1-800-660-1842, Monday-Friday, 8am-8pm EST.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE: Do not use or store near heat or open flame.

WARRANTY

To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

Merial, Inc.

3239 Satellite Blvd.

Duluth, GA 30096-4640, USA

®FRONTLINE and TOP SPOT are registered trademarks of Merial.

©2015 Merial, Inc., Duluth, GA. All rights reserved.

(BACK PANEL OF 1X Insert)

How to Apply [Full or partial brand name]



Step 1.

***OPEN* Applicator**

Hold upright with foil side toward you and snap applicator tip.



Step 2.

***APPLY* [Full or partial brand name]**

Part the cat's hair above the shoulder blades, at the base of the neck. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the cat's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not apply to cats weighing less than 1.5 lbs. or younger than 8 weeks of age. Do not allow your cat to ingest this product. Do not use more than one application per cat per month.

Questions or Comments?

Call: 1-800-660-1842.

**Monday-Friday, 8am-8pm EST or
visit us at [www. FRONTLINE.com](http://www.FRONTLINE.com)**

Reason to issue: Addition of 4x and 8x packaging
EPA Reg. No. 65331-4

~~Amendment Notification~~

Date: ~~11/19/15~~ 3/16

Supersedes:

~~7/2/13~~ 11/19/15

(1X BLISTER)

