1/27/2003 Form Approved, OMB No. read instructions on reverse before completing form. OPP Identifier Number Registration United States **Environmental Protection Agency Amendment** Washington, DC 20460 Other Application for Pesticide - Section I 1. Company/Product Number 2. EPA Product Manager 3. Proposed Classification 65331-5 Mr. Marion Johnson None Restricted 4. Company/Product (Name) PM# Frontline Plus for Dogs 3 5. Name and Address of Applicant (Include ZIP Code) 6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling Merial Limited to: 3239 Satellite Blvd. EPA Reg. No. Duluth, GA 30096 Check if this is a new address **Product Name** Section - II Amendment - Explain below. Final printed labels in repsonse to Agency letter dated "Me Too" Application. Resubmission in response to Agency letter dated __ Notification - Explain below. Other - Explain below. Explanation: Use additional page(s) if necessary. (For section I and Section II.) NOTIFICATION Per PR-Notice 2001-6 (Disposal Statements) for changes to the Master Label. This notification is consistent with the guidance in PR Notice 2001-6 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46, and no other changes have been made to the labeling or the Confidential Statement of Formula (CSF) of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR-Notice 2001-6 and the requirements of 40 CFR 156.10 and 40 CFR 46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA. Section - III 1. Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging Water Soluble Packaging 2. Type of Container Matal Yes Yes Plastic Glass Paper If "Yes" No. per If "Yes" No. per Certification must Unit Packaging wgt. container Other (Specify) Package wgt container be submitted 3 and 6 3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions On Labeling accompanying product 0.023, 0.045, 0.091 and 0.136 fl. oz. 6. Manner in Which Label is Affixed to Product Printed Other Lithograph Paper glued Stenciled Section - IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Name Title Telephone No. (Include Area Code) Timothy A. Dotson **Technical Director** 678-638-3713 6. Date Application Certification Reselved I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowlingly false or misleading statement may be punishable by fine or imprisonment or (Stamped) both under applicable law. mature

Technical Director

1/13/03

5. Date

FPA Form R570-1 (Rev. 3-94) Previous editions are obsolete

4. Typed Name

Timothy A. Dotson



3239 Satellite Blvd. Duluth, GA 30096 Tel: 678 638 3000

Timothy A. Dotson Technical Director Regulatory Affairs North America Tel: 678-638-3713

Fax: 678-638-3715

January 13, 2003

Ms. Ann Sibold Team 3. Insecticide Branch Registration Division (H7505C) Document Processing Desk (NOTIF) Office of Pesticide Programs Room 266A, Crystal Mall #2 1921 Jefferson Davis Highway Arlington, VA 22202

SUBJECT:

Frontline® Top Spot® for Cats, EPA Reg. No. 65331-2 Frontline® Top Spot® for Dogs, EPA Reg. No. 65331-3 Frontline® Plus for Cats, EPA Reg. No. 65331-4 Frontline® Plus for Dogs, EPA Reg. No. 65331-5

NOTIFICATION of Label Revisions Per PR-Notice 2001-6

Dear Ms. Sibold:

Please find enclosed a NOTIFICATION per PR-Notice 2001-6 for revision of pesticide disposal statements for the aforementioned Frontline® products. Since Merial chose to adopt the exact wording set forth in this notice, the Master labels are being submitted by NOTIFICATION only. Enclosed are copies of EPA Form 8570-1 along with a highlighted copy of the revised Master labels for the 3X/6X pipette presentations for cats/dogs including all four weight range presentations (dogs only). Please note the printed facsimile labels may not be actual size.

Thank you for your assistance. Please call me at 678-638-3713 (email timothy.dotson@merial.com) if you have any questions regarding this submission.

Sincerely.

Timothy A. Dotson Technical Director Regulatory Affairs NA

1 2. 5



NOTIFICATION JAN 2 7 2003



(Prototype Graphics)







1. Remove Applicator from Child-Resistant Package Use scissors. Or lift and remove plastic tab to expose foil, then peel down.



2. Open Applicator

Hold upright and snap applicator tip away from face and body.



3. Apply FRONTLINE® PLUS FOR DOGS

Place applicator tip through animal's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the animal's skin.

Questions or Comments? Call: 1-800-660-1842



INSERT COVER TAB HERE



FRONTLINE PLUS FOR DOGS provides fast, effective and convenient treatment and control of fleas and ticks for (dogs and puppies 8 weeks or older and 11-22 lbs., dogs weighing 23-44 lbs., dogs weighing 45-88 lbs., dogs weighing 89-132 lbs.)

- Stops and prevents infestations
- Kills adult fleas, flea eggs & flea larvae
- Prevents all flea stages (eggs, larvae, pupae) from developing
- Kills fleas which may cause flea allergy dermatitis
- Kills all stages of deer ticks (which may carry Lyme disease), brown dog ticks, American dog ticks & lone star ticks
- **Prevents and controls reinfestations**
- Fast-acting
- Long-lasting
- **Waterproof**
- Convenient to use

FRONTLINE PLUS FOR DOGS contains fipronil and the insect growth regulator (IGR) (5)-methoprene. FRONTLINE PLUS effectively targets all stages of fleas. Fipronil collects in the oils of the skin and hair follicles, and continues to be released from hair follicles onto the skin and coat, resulting in long-lasting activity against fleas and ticks.





















For Dogs & Puppies 8 weeks: older und 11-22 lbs For Dogs 33-48 lbs For Dogs 89-132 lbs FRONTLINE"

(9)

FRONTLINE' for dogs

FRONTLINE PLUS FOR DOGS provides fost, effective and convenient treatment and control of fleas and ticks for (dags and pupples 8 weeks or older and 11-22 lbs., dags weighing 23-44 lbs., dags weighing 45-88 lbs., dags weighing 89-132 lbs.).

Directions For Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND ENCLOSED DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.

To kill fleas and all stages of brown dag ticks, American dag ticks, lone star ticks, and deer ticks (which may carry Lyme disease), apply to dags or puppies (8 weeks or older) as follows: Remove applicator from child-resistant package. Hold applicator upright and snop applicator tip away from face and body. Place applicator tip through animal's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the animal's skin. Avoid superficial application to the animal's hair. Only one applicator per treatment is needed.

Frequency Of Application

When used monthly, FRONTLINE PLUS FOR DOGS completely breaks the flea life cycle and controls tick infestations. Research demonstrates that FRONTLINE PLUS kills adult fleas, flea eggs, and flea larvae for up to three months. FRONTLINE PLUS also prevents development of all flea stages for up to three months. FRONTLINE PLUS kills ticks for at least one month. A once monthly application is recommended where tick control is needed. Although FRONTLINE PLUS can control fleas for up to three months, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE PLUS remains effective even after bathing, water immersion, or exposure to sunlight. Avoid contact with treated area until dry. Do not reapply FRONTLINE PLUS for 30 days.

Merial Limited 3239 Satellite Blvd

Duluth, GA 30096-4640, USA

MADE IN FRANCE

©FRONTLINE is a registered trademark of Merial. ©2001 Merial. All rights reserved.

EPA Reg. No. 65331-5 EPA Est. 65331-FR-2 (EPA Est. 74720-DEU-1) (EPA Est. 74528-CHE-1) (EPA Est. XXXXX-XXX-X)

If you are not satisfied with FRONTLINE PLUS for any reason, the product will be replaced or the purchase price refunded. If you have any questions or comments, please coll 1-800-660-1842.



For animal use only

.OT NO :

FOR DOGS & PUPPIES 8 weeks or older Convenient spot treatment for fast-acting, long-lasting control of fleas and ticks.

KEEP OUT OF REACH OF CHILDREN CAUTION

FRONTLINE® PLUS FOR DOGS provides fast, effective and convenient treatment and control of fleas and ticks for dogs and puppies.

- · Stops and prevents infestations
- · Kills adult fleas, flea eggs, and flea larvae
- Prevents all flea stages (eggs, larvae, pupae) from developing
- · Kills fleas which may cause flea allergy dermatitis
- Kills all stages of deer ticks (which may carry Lyme disease), brown dog ticks, American dog ticks, and lone star ticks
- · Prevents and controls reinfestations
- Fast-acting
- Long-lasting
- Waterproof
- Convenient to use

FRONTUNE® PLUS FOR DOGS contains fipronil and the insect growth regulator (IGR) (S)-methoprene. FRONTUNE® PLUS effectively targets all stages of fleas. Fipronil collects in the oils of the skin and hair follicles, and continues to be released from hair follicles onto the skin and coat, resulting in long-lasting activity against fleas and ticks.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY, USE ON DOGS ONLY, DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS. To kill fleas and all stages of brown dog ticks, American dog ticks, lone star ticks, and deer ticks (which may carry Lyme disease), apply to dogs or puppies (8 weeks or older) as follows: Remove applicator from child-resistant package. Hold applicator upright and snap applicator tip away from face and body. Place applicator tip through animal's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the animal's skin. Avoid superficial application to the animal's hair. Only one applicator per treatment is needed.



FREQUENCY OF APPLICATION

When used monthly, FRONTLINE® PLUS FOR DOGS completely breaks the flea life cycle and controls tick infestations. Research demonstrates that FRONTLINE® PLUS kills adult fleas, flea eggs, and flea larvae for up to three months. FRONTLINE® PLUS also prevents development of all flea stages for up to three months. FRONTLINE® PLUS kills ticks for at least one month. A once monthly application is recommended where tick control is needed. Although FRONTLINE® PLUS can control fleas for up to three months, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dematitis, a once monthly application may be needed. FRONTLINE® PLUS FOR DOGS remains effective even after bathing, water immersion, or exposure to sunlight. Avoid contact with treated area until dry. Do not reapply FRONTLINE® PLUS for 30 days.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE. Store unused product in original container only, out of reach of children and animals.

PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL. If empty: Do not reuse this container. Place in trash or offer for recycling if available

FIRST AIR

·Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomitting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Flush eyes with plenty of water. Call a doctor if irritation persists.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS. CAUTION.

Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

HAZARDS TO DOMESTIC ANIMALS.

For external use only. Do not use on puppies under 8 weeks of age. Individual sensitivities, while rare, may occur after using any pesticide product. Pets may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian immediately. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated, aged, pregnant, or nursing animals. Call 1-800-660-1842 for 24-hour assistance.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE: Do not use or store near heat or open flame.

HOW SUPPLIED

For easy and convenient treatment, FRONTUNE® PLUS FOR DOGS is available in sizes for small dogs and puppies 8 weeks or older and 11-22 lbs., medium dogs 23-44 lbs., large dogs 45-88 lbs., and extra large dogs 89-132 lbs.

WARRANTY

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

EPA Reg. No. 65331-5

Merial Limited 3239 Satellite Blvd.

Duluth, GA 30096-4640, USA

®FRONTLINE is a registered trademark of Merial. ©2003 Merial. All rights reserved.





Remove the adhesive backing and attach to your refrigerator door

Fleas and ticks can be a year-round problem!

Fleas and ticks breed more

Summer

The period of highest risk, mer temperatures and hun ton quickly lead to flee and tick infestations.

Winter

nize the risk of any reinfestation.

Flea and Tick Protection Card instructions for Use

- Instructions for Use
 The colender stickers on
 the front of this card will
 help you remember to apply
 REANTLINE PLLS FOR DOGS.

 1 Write the date of your
 pet's first treatment in the
 box shown.

 2 After treating your pet, peel
 off the sticker convexponding
 to the current month.


 3 Place the remarking stickers
 on your catender as a reminder
 to apply FRONTLINE PLLS
 FOR DOGS monthly or as
 needed.



Autumn

The risk continues. Flore and ticks (brown dog ticks, imerican dog ticks, lene star ticks, and deer ticks which may carry Lyme disease) remain a threat.





Remove the adhesive backing and attach to your refrigerator door

Fleas and ticks can be a year-round problem!

Spring

Fleas and ticks breed more

Summer

The period of highest ris

Winter

Flea and Tick Protection Card Instructions for Use

The collectors for Ose
The collectors on
the frent of this cord will
help you remember to apply
PRONTINE PILLS FOR DGS.

1 - Write the date of your
pet's first treatment in the
box shown.

2 - After treatment and and



Autumn

The risk continues. Pleas and ticks (brown dog ticks, American dog ticks, fone star ticks, and deer ticks which may carry Lyme disease) remain a threat.

