

65331-5

4/30/2003

1/11

ACCEPTED

APR 30 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 65331-5

FRONTLINE®
Plus
 for dogs
 For Dogs & Puppies 8 weeks or older and up to 22 lbs.
 For Dogs 23-44 lbs.
 For Dogs 45-88 lbs.
 For Dogs 89-132 lbs.
3(6)
 Applicators

FRONTLINE®

3(6)
Applicators

Kills fleas, flea eggs, ticks & chewing lice

- Fast-acting
- Kills ticks including those that may transmit Lyme disease
- Waterproof

For Dogs & Puppies 8 weeks or older and up to 22 lbs.

For Dogs 23-44 lbs.

For Dogs 45-88 lbs.

For Dogs 89-132 lbs.

| | |
|------------------------|--------|
| ACTIVE INGREDIENTS | |
| fipronil..... | 9.8% |
| (S)-methoprene..... | 8.8% |
| INERT INGREDIENTS..... | 81.4% |
| TOTAL..... | 100.0% |

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

- Contains 3(6)-0.023 fl oz (0.67 ml) applicators
- Contains 3(6)-0.045 fl oz (1.34 ml) applicators
- Contains 3(6)-0.091 fl oz (2.68 ml) applicators
- Contains 3(6)-0.136 fl oz (4.02 ml) applicators

Plus
for dogs



Lift Here To Open

MERIAL

(Prototype Graphics)

How to Apply **FRONTLINE®** *Plus* for dogs



1. Remove Applicator from Child-Resistant Package
Use scissors. Or lift and remove plastic tab to expose foil, then peel down.



2. Open Applicator
Hold upright and snap applicator tip away from face and body.



3. Apply FRONTLINE® PLUS FOR DOGS
Place applicator tip through animal's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the animal's skin.

INSERT COVER TAB HERE

Questions or Comments?
Call: 1-800-660-1842



FRONTLINE® Plus for dogs

FRONTLINE PLUS FOR DOGS provides fast, effective and convenient treatment and control of fleas, ticks and chewing lice for (dogs and puppies 8 weeks or older and up to 22 lbs., dogs weighing 23-44 lbs., dogs weighing 45-88 lbs., dogs weighing 89-132 lbs.)

- ***Stops and prevents infestations***
- ***Kills adult fleas, flea eggs & flea larvae***
- ***Prevents all flea stages (eggs, larvae, pupae) from developing***
- ***Kills fleas which may cause flea allergy dermatitis***
- ***Kills all stages of deer ticks (which may carry Lyme disease), brown dog ticks, American dog ticks & lone star ticks***
- ***Prevents and controls reinfestations***
- ***Rapidly eliminates infestations with chewing lice***
- ***Aids in control of sarcoptic mange infestations***
- ***Can also be used on breeding, pregnant and lactating bitches***
- ***Fast-acting***
- ***Long-lasting***
- ***Waterproof***
- ***Convenient to use***

FRONTLINE PLUS FOR DOGS contains fipronil and the insect growth regulator (IGR) (S)-methoprene. FRONTLINE PLUS effectively targets all stages of fleas. Fipronil collects in the oils of the skin and hair follicles, and continues to be released from hair follicles onto the skin and coat, resulting in long-lasting activity against fleas, ticks and chewing lice.



Adult Flea



Flea Eggs



Flea Larvae



Flea Pupae



Brown Dog Tick



Lone Star Tick



Deer Tick



American Dog Tick



Chewing Lice

036 XXXXX



3(6) Applicators
For Dogs 89-132 lbs.
For Dogs 45-88 lbs.
For Dogs 23-44 lbs.
older and up to 22 lbs.
For Dogs & Puppies 8 weeks or

FRONTLINE Plus for dogs

3(6) Applicators

FRONTLINE[®] Plus for dogs



FRONTLINE PLUS FOR DOGS provides fast, effective and convenient treatment and control of fleas, ticks and chewing lice for (dogs and puppies 8 weeks or older and up to 22 lbs., dogs weighing 23-44 lbs., dogs weighing 45-88 lbs., dogs weighing 89-132 lbs.).

Directions For Use:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. **TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND ENCLOSED DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.**

Please call our experts at 1-800-660-1842 if you have any questions or comments about flea, tick and lice control or FRONTLINE PLUS

To kill fleas, all stages of brown dog ticks, American dog ticks, lone star ticks, and deer ticks (which may carry Lyme disease) and chewing lice, apply to dogs or puppies (8 weeks or older) as follows:

If you have purchased this product from a veterinary clinic and are not satisfied with its performance as per the label, Merial may provide replacement product or refund of the purchase price. Please call Merial for details

Remove applicator from child-resistant package. Hold applicator upright and snap applicator tip away from face and body. Place applicator tip through animal's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the animal's skin. Avoid superficial application to the animal's hair. Only one applicator per treatment is needed.

FRONTLINE PLUS aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for the elimination of mites

FRONTLINE PLUS FOR DOGS can also be used for the treatment and control of flea, tick and chewing lice infestations on breeding, pregnant and lactating bitches.

Frequency Of Application



When used monthly, FRONTLINE PLUS FOR DOGS completely breaks the flea life cycle and controls tick and chewing lice infestations

Research demonstrates that FRONTLINE PLUS kills adult fleas, flea eggs, and flea larvae for up to three months. FRONTLINE PLUS also prevents development of all flea stages for up to three months. Although FRONTLINE PLUS can control fleas for up to three months, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE PLUS kills ticks for at least one month. A once monthly application is recommended where tick control is needed.

FRONTLINE PLUS kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

LOT NO :

Merial Limited
3239 Satellite Blvd.
Duluth, GA 30096-4640, USA
©FRONTLINE is a registered trademark of Merial.
©2003 Merial. All rights reserved.

EPA Reg. No. 65331-5
EPA Est. 65331-FR-2
(EPA Est. 65331-DEU-1)
(EPA Est. 65331-GA-1)
(EPA Est. XXXXX-XXX-X)



For animal use only

FRONTLINE® Plus for dogs

FOR DOGS & PUPPIES 8 weeks or older
Convenient spot treatment for fast-acting,
long-lasting control of fleas, ticks and chewing lice.

ACTIVE INGREDIENTS

| | |
|-------------------|--------|
| fipronil | 9.8% |
| (S)-methoprene | 8.8% |
| INERT INGREDIENTS | 81.4% |
| TOTAL | 100.0% |

KEEP OUT OF REACH OF CHILDREN CAUTION

FRONTLINE® PLUS FOR DOGS provides fast, effective and convenient treatment and control of fleas, ticks and chewing lice for dogs and puppies.

- Stops and prevents infestations
- Kills adult fleas, flea eggs, and flea larvae
- Prevents all flea stages (eggs, larvae, pupae) from developing
- Kills fleas which may cause flea allergy dermatitis
- Kills all stages of deer ticks (which may carry Lyme disease), brown dog ticks, American dog ticks, and lone star ticks
- Prevents and controls reinfestations
- Rapidly eliminates infestations with chewing lice
- Aids in control of sarcoptic mange infestations
- Can also be used on breeding, pregnant and lactating bitches
- Fast-acting
- Long-lasting
- Waterproof
- Convenient to use

FRONTLINE® PLUS FOR DOGS contains fipronil and the insect growth regulator (IGR) (S)-methoprene. FRONTLINE® PLUS effectively targets all stages of fleas. Fipronil collects in the oils of the skin and hair follicles, and continues to be released from hair follicles onto the skin and coat, resulting in long-lasting activity against fleas, ticks and chewing lice.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS. To kill fleas, all stages of brown dog ticks, American dog ticks, lone star ticks, deer ticks (which may carry Lyme disease) and chewing lice, apply to dogs or puppies (8 weeks or older) as follows:

Remove applicator from child-resistant package. Hold applicator upright and snap applicator tip away from face and body. Place applicator tip through animal's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the animal's skin. Avoid superficial application to the animal's hair. Only one applicator per treatment is needed.

FRONTLINE® PLUS aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for the elimination of mites.

FRONTLINE® PLUS FOR DOGS can also be used for the treatment and control of flea, tick and chewing lice infestations on breeding, pregnant and lactating bitches.



* 7 X X X X X X *

037 XXXXXX

FREQUENCY OF APPLICATION

When used monthly, FRONTLINE® PLUS FOR DOGS completely breaks the flea life cycle and controls tick and chewing lice infestations. Research demonstrates that FRONTLINE® PLUS kills adult fleas, flea eggs, and flea larvae for up to three months. FRONTLINE® PLUS also prevents development of all flea stages for up to three months. Although FRONTLINE® PLUS can control fleas for up to three months, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed. FRONTLINE® PLUS kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE® PLUS kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed. FRONTLINE® PLUS FOR DOGS remains effective even after bathing, water immersion, or exposure to sunlight. Avoid contact with treated area until dry. Do not reapply FRONTLINE® PLUS for 30 days.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE. Store unused product in original container only, out of reach of children and animals.

PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL. If empty: Do not reuse this container. Place in trash or offer for recycling if available.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Flush eyes with plenty of water. Call a doctor if irritation persists.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION.

Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

HAZARDS TO DOMESTIC ANIMALS.

For external use only. Do not use on puppies under 8 weeks of age. Individual sensitivities, while rare, may occur after using any pesticide product. Pets may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian immediately. If your pet has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. Call 1-800-660-1842 for 24-hour assistance.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE: Do not use or store near heat or open flame.

HOW SUPPLIED

For easy and convenient treatment, FRONTLINE® PLUS FOR DOGS is available in sizes for small dogs and puppies 8 weeks or older and up to 22 lbs., medium dogs 23-44 lbs., large dogs 45-88 lbs., and extra large dogs 89-132 lbs.

WARRANTY

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

EPA Reg. No. 65331-5

Merial Limited

3239 Satellite Blvd.
Duluth, GA 30096-4640, USA

@FRONTLINE is a registered trademark of Merial.

©2003 Merial. All rights reserved.



6/11

DOGS compliance card x3 - Front

FRONTLINE[®]
 "Flea, Tick and Chewing Lice
 Protection Card"
Plus for dogs
 Apply FRONTLINE PLUS FOR DOGS monthly, or as needed,
 for continuous protection against fleas, ticks and chewing lice.

Pet's Name:

Date of first treatment:

FRONTLINE is a registered trademark of Merial. ©2002 Merial. All rights reserved.



Month 1

Month 2

Month 3



Place stickers on calendar as a reminder to apply FRONTLINE PLUS FOR DOGS.

037 XXXXXX

(Prototype Graphics)

DOGS compliance card x3 - Back

Remove the adhesive backing and attach to your refrigerator door


Fleas, ticks and chewing lice can be a year-round problem!

Spring

Fleas and ticks breed more frequently as spring progresses.

Summer

The period of highest risk. Summer temperatures and humidity can quickly lead to flea and tick infestations.



Winter

Minimize the risk of any reinfestation.

Autumn

The risk continues. Fleas and ticks (brown dog ticks, American dog ticks, lone star ticks, and deer ticks which may carry Lyme disease) remain a threat.

Flea, Tick and Chewing Lice Protection Card **Instructions for Use**

The calendar stickers on the front of this card will help you remember to apply FRONTLINE[®] PLUS FOR DOGS.

- 1 - Write the date of your pet's first treatment in the box shown.
- 2 - After treating your pet, peel off the sticker corresponding to the current month.
- 3 - Place the remaining stickers on your calendar as a reminder to apply FRONTLINE[®] PLUS FOR DOGS monthly or as needed.



(Prototype Graphics)


8/11

DOGS compliance card x6 - Front

FRONTLINE®
 "Flea, Tick and Chewing Lice
 Protection Card" *Plus* for dogs

Apply FRONTLINE PLUS FOR DOGS monthly, or as needed,
 for continuous protection against fleas, ticks, and chewing lice.

Pet's Name: _____ Date of first treatment: _____



FRONTLINE is a registered trademark of Merial. ©2002 Merial. All rights reserved.

Place stickers on calendar as a reminder to apply FRONTLINE® PLUS FOR DOGS.

017 XXXXX

(Prototype Graphics)

DOGS compliance card x6 - Back

Remove the adhesive backing and attach to your refrigerator door


Fleas, ticks and chewing lice can be a year-round problem!

Spring

Fleas and ticks breed more frequently as spring progresses.

Summer

The period of highest risk. Summer temperatures and humidity can quickly lead to flea and tick infestations.



Winter

Minimize the risk of any reinfestation.

Autumn

The risk continues. Fleas and ticks (brown dog ticks, American dog ticks, lone star ticks, and deer ticks which may carry Lyme disease) remain a threat.

Flea, Tick and Chewing Lice Protection Card Instructions for Use

The calendar stickers on the front of this card will help you remember to apply FRONTLINE[®] PLUS FOR DOGS.

- 1 - Write the date of your pet's first treatment in the box shown.
- 2 - After treating your pet, peel off the sticker corresponding to the current month.
- 3 - Place the remaining stickers on your calendar as a reminder to apply FRONTLINE[®] PLUS FOR DOGS monthly or as needed.



(Prototype Graphics)

FRONTLINE^{Plus} FRONTLINE^{Plus} FRONTLINE^{Plus} FRONTLINE^{Plus}

TO REMOVE APPLICATOR:
Use scissors. Or lift and remove plastic tab to expose foil, then peel down.

Dog 22
0.023 fl oz
Lot #

TO REMOVE APPLICATOR:
Use scissors. Or lift and remove plastic tab to expose foil, then peel down.

Dog 22
0.023 fl oz
Lot #

TO REMOVE APPLICATOR:
Use scissors. Or lift and remove plastic tab to expose foil, then peel down.

Dog 22
0.023 fl oz
Lot #

FRONTLINE^{Plus} FRONTLINE^{Plus} FRONTLINE^{Plus} FRONTLINE^{Plus}

TO REMOVE APPLICATOR:
Use scissors. Or lift and remove plastic tab to expose foil, then peel down.

Dog 44
0.045 fl oz
Lot #

TO REMOVE APPLICATOR:
Use scissors. Or lift and remove plastic tab to expose foil, then peel down.

Dog 44
0.045 fl oz
Lot #

TO REMOVE APPLICATOR:
Use scissors. Or lift and remove plastic tab to expose foil, then peel down.

Dog 44
0.045 fl oz
Lot #

FRONTLINE^{Plus} FRONTLINE^{Plus} FRONTLINE^{Plus} FRONTLINE^{Plus}

TO REMOVE APPLICATOR:
Use scissors. Or lift and remove plastic tab to expose foil, then peel down.

Dog 88
0.091 fl oz
Lot #

TO REMOVE APPLICATOR:
Use scissors. Or lift and remove plastic tab to expose foil, then peel down.

Dog 88
0.091 fl oz
Lot #

TO REMOVE APPLICATOR:
Use scissors. Or lift and remove plastic tab to expose foil, then peel down.

Dog 88
0.091 fl oz
Lot #

FRONTLINE^{Plus} FRONTLINE^{Plus} FRONTLINE^{Plus} FRONTLINE^{Plus}

TO REMOVE APPLICATOR:
Use scissors. Or lift and remove plastic tab to expose foil, then peel down.

Dog 132
0.136 fl oz
Lot #

TO REMOVE APPLICATOR:
Use scissors. Or lift and remove plastic tab to expose foil, then peel down.

Dog 132
0.136 fl oz
Lot #

TO REMOVE APPLICATOR:
Use scissors. Or lift and remove plastic tab to expose foil, then peel down.

Dog 132
0.136 fl oz
Lot #

19/11

Blister Package

