10-24-2003

1/13



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OCT 2 4 2003

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Timothy A. Dotson Merial 3239 Satellite Blvd. Duluth, GA 30096

Dear Mr. Dotson:

Subject:

Frontline Top Spot for Dogs

EPA Reg. No. 65331-35
Submission dated 7/23/03

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below.

Delete the reference to mosquito "infestations" on dogs. Mosquitoes do not infest dogs as do fleas, ticks, and chewing lice.

One copy of the finished labeling must be submitted prior to releasing the product for shipment.If you have questions, please call Ann Sibold at 703 305-6502.

Sincerely,

Linda Arrington

Acting Product Manager 10

Insecticide Branch

Registration Division (7505C)



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OCT 29 2003

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Timothy A. Dotson Merial 3239 Satellite Blvd. Duluth, GA 30096

Dear Mr. Dotson:

Subject:

Revised acceptance letter

Frontline Plus for Dogs EPA Reg. No. 65331-5 Submission dated 7/23/03

The subject line of the letter dated Oct 24, 2003 should be corrected to read as follows:

Frontline Plus for Dogs EPA Reg. No. 65331-5


If you have questions, please call Ann Sibold at 703 305-6502.

Linda Arrington
Acting Product Manager 10

Insecticide Branch

Registration Division (7505C)

ACCEPTED
with COMMENTS
In EPA Letter Dated:
OCT 2 4 2003







1. Remove Applicator from Child-Resistant Package Use scissors. Or lift and remove plastic tab to expose foil, then peel down.



+

2. Open Applicator

Hold upright and snap applicator tip away from face and body.



3. Apply FRONTLINE® PLUS FOR DOGS

Place applicator tip through animal's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the animal's skin.

Questions or Comments? Call: 1-800-660-1842





FRONTLINE PLUS FOR DOGS provides fast, effective and convenient treatment and control of fleas, ticks, chewing lice and mosquitoes for (dogs and puppies 8 weeks or older and up to 22 lbs., dogs weighing 23-44 lbs., dogs weighing 45-88 lbs., dogs weighing 89-132 lbs.)

- Stops and prevents infestations
 Kills adult fleas, flea eggs & flea larvae
 Prevents all flea stages (eggs, larvae, pupae) from developing
 Kills fleas which may cause flea allergy dermatitis
 Kills all stages of deer ticks (which may carry Lyme disease),
 brown dog ticks, American dog ticks & lone star ticks
 Kills mosquitoes
 Prevents and controls reinfestations
 Rapidly eliminates infestations with chewing lice
 Aids in control of sarcoptic mange infestations
 Can also be used on breeding, pregnant and lactating bitches
 Fast-acting
 Long-lasting

- Long-lasting
- Waterproof
- Convenient to use

FRONTLINE PLUS FOR DOGS contains fipronil and the insect growth regulator (IGR) (S)-methoprene. FRONTLINE PLUS effectively targets all stages of fleas. Fipronil collects in the oils of the skin and hair follicles, A and continues to be released from hair follicles anto the skin and coat, resulting in long-lasting activity against fleas, ticks and chewing lice.



























(9) &

For Dogs & Puppies 8 weeks or older and up to 22 lbs For Dogs 45-88 lbs. For Dogs 48-132 lbs.

FRONTLINE

FRONTLINE' Pur dogs

FRONTLINE PLUS FOR DOGS provides fast, effective and convenient treatment and control of fleas, tidus, chewing lice and mosquitoes for (dogs and puppies 8 weeks or older and up to 22 lbs., dogs weighing 23-44 lbs., dogs weighing 45-88 lbs., dogs weighing 89-132 lbs.).

Directions For Use

this a violation of Federal Low to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND ENCLOSED DIRECTIONS BEFORE EACH USE, FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY, USE ON DOGS ONLY, DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS. OTHER ANIMALS.

To kill fleas, all stages of brown dog ticks, American dog ticks, Ione star ticks, and deer ticks (which may carry Lyme disease), chewing lice and mosquitoes, apply to dogs or pupples (8 weeks or older) as follows: Remove applicator from child-resistant package. Hold applicator upright and snap applicator tip away from face and body. Place applicator tip through animal's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the animal's skin. Avoid superficial application to the animal's hair. Only one applicator per treatment is needed.

FRONTLINE PLUS aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for the elimination of mites.

FRONTLINE PLUS FOR DOGS can also be used for the treatment and control of flea, tick, chewing lice and mosquitoes infestations on breeding, pregnant and lactating bitches.

Frequency Of Application
When used monthly, FRONTLINE PLUS FOR DOGS completely breaks the flea life cycle and controls tick and chewing lice infestations.

Research demonstrates that FRONTLINE PLUS kills adult fleas, flea eggs, and flea larvae for up to three months. FRONTLINE PLUS also prevents development of all flea stages for up to three months. Although FRONTLINE PLUS can control fleas for up to three months, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE PLUS kills ticks for at least one month. A once monthly application is recommended where tick control is needed.

Write a monthly application is reeded. With a monthly application is recommended where chewing lice control is needed. With a monthly application, FRONTLINE PLUS kills mosquitoes within 24 hours for up to 7 days, and within 48 hours for up to 28 days.

EPA Reg. No. 65331-5 EPA Reg. No. 65331-5

Merial Limited

3239 Satellite Blvd. Duluth, GA 30096-4640, USA

©FRONTLINE is a registered trademark of Merial. ©2003 Merial. All rights reserved.

MADE IN FRANCE

(EPA Est. 65331-DEU-1) (EPA Est. 65331-GA-1) (EPA Est. XXXXX-XXX-X)

EPA Est. 65331-FR-2



Please call our experts at 1-800-660-1842 if you have any questions or comments about flea, tick, lice and mosquite control or FRONTLINE PLUS.

If you have purchased this tryou have purchased this product from a vesterinary dinic and are not satisfied with its performance as per the label, Merial may provide replacement product or refund of the product or refund or refu purchase price. Please call Merial for details.





TAY balance use only

....



ON TO



FOR DOGS & PUPPIES 8 weeks or older Convenient spot treatment for fast-acting, long-lasting control of fleas, ticks and chewing lice. FRONTLINE® PLUS also kills mosquitoes.

ACTIVE INGREDIENTS

KEEP OUT OF REACH OF CHILDREN CAUTION

FRONTLINE² PLUS FOR DOGS provides fast, effective and convenient treatment and control of fleas, ticks, chewing lice and mosquitoes for dogs and puppies.

- Stops and prevents infestations Kills adult fleas, flea eggs, and flea larvae Prevents all flea stages (eggs, larvae, pupae) from developing
- Kills fleas which may cause flea allergy dermatitis
 Kills all stages of deer ticks (which may carry Lyme disease),
 brown dog ticks, American dog ticks, and lone star ticks
- Kills mosquitoes
- Prevents and controls reinfestations

- Rapidly eliminates Infestations with chewing lice Aids in control of sarcoptic mange infestations Can also be used on breeding, pregnant and lactating bitches
- Fast-acting
- Long-lasting
- Waterproof
- Convenient to use

FRONTLINE* PLUS FOR DOGS contains fipronil and the insect growth regulator (IGR) (S)-methoprene. FRONTLINE* PLUS effectively targets all stages of fleas. Fipronil collects in the ails of the skin and hair follicles, and continues to be released from hair follicles onto the skin and coat, resulting in long-lasting activity against fleas, ticks and chewing lice.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HÄRM TO YOU AND YOUR PET, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS. To kill fleas, all stages of brown dog ticks, American dog ticks, lone star ticks, deer ticks (which may carry Lyme disease), chewing lice and mosquitoes, apply to dogs or puppies (8 weeks or older) as follows:

Remove applicator from child-resistant package. Hold applicator upright and snap applicator tip away from face and body. Place applicator tip through animal's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the animal's skin. Avoid superficial application to the animal's hair. Only one applicator per treatment is needed.

FRONTLINE® PLUS aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for the elimination of mites

FRONTLINE® PLUS FOR DOGS can also be used for the treatment and control of flea, tick, chewing lice and mosquito infestations on breeding, pregnant and lactating bitches.



FREQUENCY OF APPLICATION
When used monthly, FRONTLINE® PLUS FOR DOGS
completely breaks the flea life cycle and controls tick and
chewing lice infestations. Research demonstrates that
FRONTLINE® PLUS kills adult fleas, flea eggs, and flea larvae for up to three months. FRONTLINE® PLUS also prevents development of all flea stages for up to three months. Although FRONTLINE® PLUS can control fleas for up to three months, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed. FRONTLINE® PLUS kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE PLUS kills chewing lice for at least one month. A once monthly application is tor at least one month. A once monthly application is recommended where chewing lice control is needed. With a monthly application, FRONTLINE® PLUS kills mosquitoes within 24 hours for up to 7 days, and within 48 hours for up to 28 days. FRONTLINE® PLUS FOR DOGS remains effective even after bathing, water immersion, or exposure to sunlight. Avoid contact with treated area until dry. Do not reapply FRONTLINE® PLUS for 30 days.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal. STORAGE. Store unused product in original container only, out of reach of children and animals.

PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency or 1–800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL If empty: Do not reuse this container. Place in trash or offer for recycling if available.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF SWALLOWED: Call a poison control center or doctor

immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Flush eyes with plenty of water. Call a doctor if

irritation persists.

IF ON SKIN: Wash with plenty of soap and water. Get

medical attention if irritation persists.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS, CAUTION,

Harmful If swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.
HAZARDS TO DOMESTIC ANIMALS.

For external use only. Do not use on puppies under 8 weeks of age. Individual sensitivities, while rare, may occur after using any pesticide product. Pets may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian immediately. days of application, consult a veterinarian immediately if your pet has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pestides. Consult a veterinarian before using on medicated, debilitated or aged animals. Call 1-800-660-1842 for 24-hour assistance.

PHYSICAL OR CHEMICAL HAZARDS COMBUSTIBLE: Do not use or store near heat or open flame.

HOW SUPPLIED

For easy and convenient treatment, FRONTLINE FLISS FOR DCGS is available in sizes for small dags and pupples 8 weeks or older and up to 22 lbs., medium dags 23-44 lbs., large dags 45-88 lbs., and extra large dags 89-132 lbs.

WARRANTY

Seller makes no warranty, expressell of intiplied, concerning the use of this product other than indicated on the label Buyer assumes all risk of use and handling of this proterial when such use and handling are containly to label instructions.

EPA Reg. No. 65331-5

Merial Limited 3239 Satellite Blvd.

Duluth, GA 30096-4640, USA

®FRONTLINE is a registered trademark of Merial. ©2003 Merial. All rights reserved.



DOGS compliance card x3 - Front



DOGS compliance card x3 - Back


Fires, Ticks, Chrowing Lace and Mostpotoes, can be a sear to one parable of Meanure Protection Card Spring Flees and ticks breed more frequently as spring progresses. Summer temperatures and humidity can quickly lead to flee and tick infectotions. Summer to this card will be to card will be you remember to apply PRONTENE FLIS FOR DOCS. The treatment in the loce shown. 2 - After treating you pat, peel off the sticker corresponding to the current month. 3 - Rose the remaining stickers in your canded or a nemindre to apply PRONTENE FLIS FOR DOCS monthly or as meeded. Winter Minimize the risk of any reinfestation. The risk continues. Pleas and ticks, and deer ticks which may carry Lyme disease) remain a threat.


DOGS compliance card x6 - Front





DOGS compliance card x6 - Back

Floor. Tis by Chewary Use and Mosquitors can instruct regard results of Mesquite Protection Card Spring Floor and ticks breed more frequently as spring progresses. Summer temperatures and humidity can quickly load to fise and tick infrostetions. Summer temperatures and humidity can quickly load to fise and tick infrostetions. Summer temperatures and humidity can quickly load to fise and tick infrostetions. Floor Title Chewary Protection Card Mesquite Protection Card Mesquite









0.136 ff oz

Lot#

Let# .

Dog 132

0.136 fl oz

Lot #

