

65331-5

04/24/2012

1/11



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460-0001

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

April 24, 2012

Ms. Karen C. Cunningham, DVM, DABVP
Head, Regulatory Affairs North America
Merial Limited
3239 Satellite Boulevard, Building 500
Duluth, GA 30096-4640

**Subject: Amended Master Labeling; Removal of 2-Year Time-Limited Registration Restriction
FRONTLINE® Plus For Dogs, EPA Reg. No. 65331-5
Your Submission Dated April 13, 2012**

Dear Ms. Cunningham:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable.

In direct response to Merial Limited's submission (September 9, 2011) of enhanced reporting of adverse events for its FRONTLINE® products (EPA Reg. Nos. 65331-2, 65331-3, 65331-4, and 65331-5), the following changes are being made to the terms and conditions of the subject product registration as a result of EPA's recent review (copy enclosed) of this submission:

1. The 2-year time-limited registration restriction has been removed from the subject product registration.
2. Merial's reporting of enhanced incident data is now only required on an annual basis, rather than on a quarterly basis because 7 years of enhanced incident data reporting have been provided and these data did not demonstrate a concern.

Please note that this product is still subject to all other previously required conditions of registration, including the spot-on mitigation. A copy of your label stamped "Accepted" is enclosed for your records along with a hard copy of the HED review completed for the subject product. If you have any questions about this label review, please contact Mr. Carmen J. Rodia, Jr. at (703) 306-0327 or via e-mail at Rodia.Carmen@epa.gov.

Sincerely Yours,

For A handwritten signature in cursive script that reads "Carmen J. Rodia, Jr." with a checkmark to the left.

Richard J. Gebken
Product Manager (10)
Insecticide Branch
Registration Division (7504P)

Enclosures: Label stamped "Accepted"
HED Memo: "Fipronil Spot-On Products: Conditional Registration and Enhanced Reporting," dated February 27, 2012

065331-00105 D463902

2/11



How to Apply FRONTLINE Plus FOR DOGS

Step 1.

OPEN Applicator

Hold upright with foil side toward you and snap applicator tip.

Step 2.

APPLY FRONTLINE Plus

Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry.

Questions or Comments?

Call: 1-800-660-1842, Monday-Friday, 8am-8pm EST or visit us at www.FRONTLINE.com



* 3 0 0 0 0 0 0 *

Technical area : No print except prod. barcode

FRONTLINE Plus FOR DOGS

Kills fleas, flea eggs & larvae, ticks & chewing lice & mosquitoes

- Fast-acting
- Long-lasting
- Waterproof

ACTIVE INGREDIENTS:
 Fipronil: 9.8%
 (S)-methoprene: 8.8%
 INERT INGREDIENTS: 81.4%
 TOTAL: 100%
 [Contains 1-0.091 fl oz (2.68 mL) applicator] 1
 1 monthly dose

Plus FOR DOGS

EPA Reg. No. 65331-5
EPA Est. 65331-FR-2
MADE IN FRANCE

Kills ticks, including those that may transmit Lyme disease



For use ONLY on DOGS

45 to 88 lbs

2



See inside panels for FIRST AID and PRECAUTIONARY statements. Merial

KEEP OUT OF REACH OF CHILDREN CAUTION

FRONT

FRONTLINE Plus FOR DOGS

For use ONLY on DOGS & PUPPIES 8 weeks or older. Fast-acting, long-lasting, waterproof treatment and control of fleas, flea eggs & larvae, ticks, chewing lice, sarcoptic mites and mosquitoes.

ACTIVE INGREDIENTS
 fipronil: 9.8%
 (S)-methoprene 8.8%
 INERT INGREDIENTS 81.4%
 TOTAL 100.0%
KEEP OUT OF REACH OF CHILDREN CAUTION

FRONTLINE Plus for Dogs:

- Fleas:**
- Kills fleas, flea eggs and flea larvae
 - Prevents all flea stages (eggs, larvae, pupae) from developing
 - Stops existing infestations and prevents establishment of new infestations
 - Kills fleas which may cause flea allergy dermatitis
- Ticks:**
- Kills all life stages of ticks (larva, nymph and adult), including brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*), lone star ticks (*Amblyomma americanum*) and deer ticks (*Ixodes scapularis*)
 - Kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, haemobartonellosis, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases
- Lice:**
- Rapidly eliminates chewing lice infestations
- Mites:**
- Aids in control of sarcoptic mange infestations
- Mosquitoes:**
- Kills mosquitoes
- FRONTLINE Plus is approved for use on all dogs, including:**
- Breeding, pregnant, and lactating bitches
 - Puppies as young as 8 weeks

One spot application is all that's needed: FRONTLINE Plus spreads from the single point of application, rapidly covering the entire dog and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE Plus onto the skin and hair coat, so it keeps working even if the dog gets wet. Fleas, ticks and chewing lice are killed quickly after coming into contact with a treated dog. Fleas and ticks do not need to bite the dog in order to die.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS. To kill fleas, flea eggs & larva, ticks, chewing lice and mosquitoes apply FRONTLINE Plus for Dogs as follows:

- OPEN Applicator: Hold upright with foil side toward you and snap applicator tip.
 - APPLY FRONTLINE Plus: Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the animal's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry.
- FRONTLINE Plus is approved for use on all dogs, including breeding, pregnant, and lactating bitches and puppies as young as 8 weeks. FRONTLINE Plus remains effective even after bathing, water immersion, or exposure to sunlight.

FREQUENCY OF APPLICATION

When used monthly, FRONTLINE Plus completely breaks the flea life cycle and controls tick and chewing lice infestations. Do not reapply FRONTLINE Plus for 30 days. FRONTLINE Plus kills adult fleas, flea eggs, and flea larvae for up to three months. FRONTLINE Plus also prevents development of all flea stages for up to three months. FRONTLINE Plus can

control fleas for up to three months, however, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE Plus kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE Plus kills all life stages of ticks (larva, nymph and adult). FRONTLINE Plus kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases. FRONTLINE Plus kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

FRONTLINE Plus aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for the elimination of mites. FRONTLINE Plus kills mosquitoes within 24 hours for up to 7 days, and within 48 hours for up to 28 days with a monthly application.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal. STORAGE. Store unused product in original container, out of reach of children and animals. PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL. If empty:

Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes,

then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS. CAUTION.

Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

HAZARDS TO DOMESTIC ANIMALS.

For external use only. Do not use on puppies under 8 weeks of age. Individual sensitivities, while rare, may occur after using any pesticide product. Pets may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian immediately. If your pet has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. Call 1-800-660-1842, Monday-Friday, 8am-8pm EST.

PHYSICAL OR CHEMICAL HAZARDS COMBUSTIBLE:

Do not use or store near heat or open flame.

HOW SUPPLIED

For easy and convenient treatment, FRONTLINE Plus for Dogs is available in sizes for use ONLY on small dogs and puppies 8 weeks or older and up to 22 lbs., medium dogs 23-44 lbs., large dogs 45-88 lbs., and extra large dogs 89-132 lbs.

WARRANTY

To the extent consistent with applicable law, Merial makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

Merial Limited

3239 Satellite Blvd. Duluth, GA 30096-4640, USA
 ©FRONTLINE is a registered trademark of Merial. ©2011 Merial Limited, Duluth, GA. All rights reserved.

ACCEPTED

April 24, 2012

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under:

- 1 Contains 1-0.023 fl oz (0.67 mL) applicator
- 2 Contains 1-0.045 fl oz (1.34 mL) applicator
- 3 Contains 1-0.136 fl oz (4.02 mL) applicator

INSIDE PANELS

2 For use ONLY on DOGS & PUPPIES 8 Weeks or Older and up to

22 lbs


For use ONLY on DOGS

23 to 44 lbs

For use ONLY on DOGS

89 to 132 lbs

EPA. Reg. No. 65331-5



Lot #

4/11

FRONTLINE[®]
Plus
FOR
DOGS

FRONTLINE[®] Plus

3(6)
doses

Kills fleas, flea eggs & larvae,
ticks, chewing lice & mosquitoes

- Fast-acting
- Long-lasting
- Waterproof

Kills ticks, including
those that may
transmit Lyme disease



Lift Here

For use ONLY on
DOGS & PUPPIES
Weeks or Older

22
23 44
45 88
89 to 132 lbs

ACTIVE INGREDIENTS:	
Fipronil	9.8%
(S)-methoprene	8.8%
INERT INGREDIENTS:	81.4%
TOTAL:	100%

SEE INSERT FOR FIRST AID AND PRECAUTIONARY STATEMENTS

KEEP OUT OF REACH OF CHILDREN

CAUTION



PROTOTYPE GRAPHICS

FRONTLINE[®] Plus FOR DOGS

FRONTLINE[®] Plus for Dogs is:

- Fast-acting
- Long-lasting
- Waterproof

One spot application is all that's needed:

FRONTLINE Plus spreads from the single point of application, rapidly covering the entire dog and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE Plus onto the skin and hair coat, so it keeps working even if the dog gets wet.

Fleas, flea eggs & larvae, ticks and chewing lice are killed quickly after coming into contact with a treated dog. Fleas and ticks do not need to bite the dog in order to die.

FRONTLINE Plus for Dogs:

Fleas

- Kills fleas, flea eggs and flea larvae
- Prevents all flea stages (eggs, larvae, pupae) from developing
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

Ticks

- Kills all life stages of ticks (larva, nymph and adult), including deer ticks (*Ixodes scapularis*), brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*) and lone star ticks (*Amblyomma americanum*).
- Kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases

Lice

- Rapidly eliminates chewing lice infestations

Mosquitoes

- Kills mosquitoes

Mites

- Aids in control of sarcoptic mange infestations

FRONTLINE Plus is approved for use on all dogs, including:

- Breeding, pregnant, and lactating bitches
- Puppies as young as 8 weeks



Adult Fleas



Flea Eggs



Flea Larvae



Ticks



Chewing Lice



Mosquitoes

How to Apply **FRONTLINE®** *Plus* FOR DOGS



Step 1. To REMOVE Applicator:
Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.



Step 2. OPEN Applicator
Hold upright with foil side toward you and snap applicator tip.



Step 3. APPLY FRONTLINE Plus
Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry.



Questions or Comments?
Call: **1-800-660-1842**,
Monday-Friday, 8am-8pm EST or
visit us at www.FRONTLINE.com



XXXXXX 990

7/11

FRONTLINE[®] Plus FOR DOGS

FRONTLINE[®] Plus FOR DOGS

FRONTLINE Plus for Dogs provides fast-acting, long-lasting, waterproof treatment and control of fleas, ticks, chewing lice, sarcoptic mites and mosquitoes for use ONLY on (dogs and puppies 8 weeks or older and up to 22 lbs., dogs weighing 23-44 lbs., dogs weighing 45-88 lbs., dogs weighing 89-132 lbs.).

Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. **TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND ENCLOSED DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.**

To kill fleas, flea eggs & larvae, ticks, chewing lice and mosquitoes apply FRONTLINE Plus for Dogs as follows:

- To REMOVE Applicator: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.
- OPEN Applicator: Hold upright with foil side toward you and snap applicator tip.
- APPLY FRONTLINE Plus: Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the animal's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry.

FRONTLINE Plus is approved for use on all dogs, including breeding, pregnant, and lactating bitches and puppies as young as 8 weeks.

FRONTLINE Plus remains effective even after bathing, water immersion, or exposure to sunlight.

Frequency of Application

When used monthly, FRONTLINE Plus completely breaks the flea life cycle and controls tick and chewing lice infestations. Do not reapply FRONTLINE Plus for 30 days.

FRONTLINE Plus kills adult fleas, flea eggs, and flea larvae for up to three months. FRONTLINE Plus also prevents development of all flea stages for up to three months. FRONTLINE Plus can control fleas for up to three months, however, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE Plus kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE Plus kills all life stages of ticks (larva, nymph and adult). FRONTLINE Plus kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases.

FRONTLINE Plus kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

FRONTLINE Plus aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for the elimination of mites.

FRONTLINE Plus kills mosquitoes within 24 hours for up to 7 days, and within 48 hours for up to 28 days, with a monthly application.



Please call our experts at **1-800-660-1842**. Monday-Friday, 8am-8pm EST with any questions or comments about flea, tick, chewing lice, sarcoptic mite or mosquito control or FRONTLINE Plus.



Merial Limited
3239 Satellite Blvd.
Duluth, GA 30096-4640, USA
MADE IN FRANCE




©FRONTLINE is a registered trademark of Merial.
©2011 Merial Limited, Duluth, GA.
All rights reserved.




EPA Reg. No. 65331-5
EPA Est. 00000-XX-0*
LOT NO: x00000xx









For dog use only



* Toulouse: EPA Est. 65331-FR-2
Ivers Lee: EPA Est. 74528-CHE-1

 TO REMOVE APPLICATOR: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.	 TO REMOVE APPLICATOR: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.	 TO REMOVE APPLICATOR: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.
0.023 fl oz Lot #	0.023 fl oz Lot #	0.023 fl oz Lot #
DOG 22	DOG 22	DOG 22

 TO REMOVE APPLICATOR: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.	 TO REMOVE APPLICATOR: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.	 TO REMOVE APPLICATOR: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.
0.045 fl oz Lot #	0.045 fl oz Lot #	0.045 fl oz Lot #
DOG 44	DOG 44	DOG 44

 TO REMOVE APPLICATOR: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.	 TO REMOVE APPLICATOR: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.	 TO REMOVE APPLICATOR: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.
0.091 fl oz Lot #	0.091 fl oz Lot #	0.091 fl oz Lot #
DOG 88	DOG 88	DOG 88

 TO REMOVE APPLICATOR: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.	 TO REMOVE APPLICATOR: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.	 TO REMOVE APPLICATOR: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.
0.136 fl oz Lot #	0.136 fl oz Lot #	0.136 fl oz Lot #
DOG 132	DOG 132	DOG 132



FRONTLINE® Plus FOR DOGS

For use **ONLY** on **DOGS & PUPPIES** 8 weeks or older:
Fast-acting, long-lasting, waterproof treatment and control of fleas, flea eggs & larvae, ticks, chewing lice, sarcoptic mites and mosquitoes.

ACTIVE INGREDIENTS

fipronil	9.8%
(S)-methoprene	8.8%
INERT INGREDIENTS	81.4%
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

FRONTLINE® Plus for Dogs:

Fleas

- Kills fleas, flea eggs and flea larvae
- Prevents all flea stages (eggs, larvae, pupae) from developing
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

Ticks

- Kills all life stages of ticks (larva, nymph and adult), including brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*), lone star ticks (*Amblyomma americanum*) and deer ticks (*Ixodes scapularis*)
- Kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, haemobartonellosis, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases

Lice

- Rapidly eliminates chewing lice infestations

Mites

- Aids in control of sarcoptic mange infestations

Mosquitoes

- Kills mosquitoes

FRONTLINE Plus is approved for use on all dogs, including:

- Breeding, pregnant, and lactating bitches
- Puppies as young as 8 weeks

One spot application is all that's needed:

FRONTLINE Plus spreads from the single point of application, rapidly covering the entire dog and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE Plus onto the skin and hair coat, so it keeps working even if the dog gets wet. Fleas, ticks and chewing lice are killed quickly after coming into contact with a treated dog. Fleas and ticks do not need to bite the dog in order to die.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. **TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.**

To kill fleas, flea eggs & larva, ticks, chewing lice and mosquitoes apply FRONTLINE Plus for Dogs as follows:

- To **REMOVE** Applicator: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.
- **OPEN** Applicator

Hold upright with foil side toward you and snap applicator tip.

- **APPLY** FRONTLINE Plus

Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the animal's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. FRONTLINE Plus is approved for use on all dogs, including breeding, pregnant, and lactating bitches and puppies as young as 8 weeks.



037 000000

FRONT

FRONTLINE Plus remains effective even after bathing, water immersion, or exposure to sunlight.

FREQUENCY OF APPLICATION

When used monthly, FRONTLINE Plus completely breaks the flea life cycle and controls tick and chewing lice infestations. Do not reapply FRONTLINE Plus for 30 days.

FRONTLINE Plus kills adult fleas, flea eggs, and flea larvae for up to three months. FRONTLINE Plus also prevents development of all flea stages for up to three months. FRONTLINE Plus can control fleas for up to three months, however, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE Plus kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE Plus kills all life stages of ticks (larva, nymph and adult). FRONTLINE Plus kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases.

FRONTLINE Plus kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

FRONTLINE Plus aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for the elimination of mites.

FRONTLINE Plus kills mosquitoes within 24 hours for up to 7 days, and within 48 hours for up to 28 days with a monthly application.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE. Store unused product in original container, out of reach of children and animals.

PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL. If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment or advice.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION.

Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

HAZARDS TO DOMESTIC ANIMALS.

For external use only. Do not use on puppies under 8 weeks of age. Individual sensitivities, while rare, may occur after using any pesticide product. Pets may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian immediately. If your pet has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. Call 1-800-660-1842, Monday-Friday, 8am-8pm EST.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE: Do not use or store near heat or open flame.

HOW SUPPLIED

For easy and convenient treatment, FRONTLINE Plus for Dogs is available in sizes for use ONLY on small dogs and puppies 8 weeks or older and up to 22 lbs., medium dogs 23-44 lbs., large dogs 45-88 lbs., and extra large dogs 89-132 lbs.

WARRANTY

To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

EPA Reg. No. 65331-5

Merial Limited
3239 Satellite Blvd.
Duluth, GA 30096-4640, USA

©FRONTLINE is a registered trademark of Merial.
©2011 Merial Limited, Duluth, GA. All rights reserved.



BACK

11/11

Some tips and other information

FRONTLINE®




FLEAS: What you need to know



- ✓ To successfully control fleas and ticks, all dogs and cats must be treated with their own dose of FRONTLINE®.
- ✓ Apply according to label instructions, ensuring the product is applied to the skin, not on top of the fur and not near the collar. It may be helpful to remove the collar before application, so it doesn't absorb the product.
- ✓ Remember, your pet needs to be dry at the time FRONTLINE is applied and remain dry 24 hours after application.
- ✓ Verify pipette is empty after application (multiple squeezes may be necessary to apply the entire dose).
- ✓ Even indoor pets need flea and tick control because you or other pets in the household may bring fleas into the home. These fleas can lead to a flea infestation.

It can take up to 3 months to get rid of a serious flea infestation because of all of the flea life stages that existed BEFORE you started using FRONTLINE.

The adult fleas on your pet may just be the tip of the infestation iceberg.



The average flea life cycle in the home is about 21 days long.

Front

Calendar Reminder stickers

To ensure continued protection of your pets, use these stickers as a reminder to apply and re-purchase FRONTLINE.

After treating your pet for the first time, peel off the sticker and place on your calendar that day.

Don't forget to re-purchase!

Place the remaining stickers on your calendar as a reminder to apply FRONTLINE monthly.

6 Months use all 6 stickers



3 Months



QUESTIONS?

Contact your veterinarian or call our technical experts at 1-800-660-1842, Monday-Friday, 8am-8pm. For more information, visit www.FRONTLINE.com



©FRONTLINE is a registered trademark of Merial. ©2011 Merial Limited, Duluth, GA. All rights reserved.

037 000000



Back with stickers