

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C)

401 "M" St., S.W. Washington, D.C. 20460

NOTICE OF PESTICIDE:

<u>x</u> Registration __ Reregistration

(under FIFRA, as amended)

EPA Reg. Number:

Date of Issuance:

65402-4

MAY 20 1997

Term of Issuance:

CONDITIONAL

Name of Pesticide Product:

B-CAP™ 35

ANTIMICROBIAL AGENT

Name and Address of Registrant (include ZIP Code):

FMG Corporation Peroxygen Chemicals Division 1735 Market Street Philadelphia, PA 19103

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

The Agency has completed a review of the registration application submitted for B-CAPTM 35 ANTIMICROBIAL AGENT which included a proposed basic formulation and two alternate formulations. The Agency has determined that the application package is sufficient to support registration of the proposed basic product formulation only. The proposed alternate formulations contain stabilizers which the Agency considers as "new inerts" for which additional chemistry data must be submitted.

Hence, this product is conditionally registered, for the basic formulation only, in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

Signature of Approving Official:

Marshall Swindell

Acting Product Manager 31

Regulatory Management Branch I

Antimicrobial Division (7504C)

MAY 20 1997

Page 2 EPA Reg. No. 65402-4

- 1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
- 2. For the Active Ingredient (Hydrogen Peroxide) revise the lower certified limit (Item 14b.) on the Basic Formulation Confidential Statement of Formula (CSF), in compliance with PR Notice 91-2 so that it is lower than the nominal concentration and the stated label claim. A copy of PR Notice 91-2 is enclosed for reference.
- 3. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 65402-4".
 - b. In the front panel Ingredients Statement, revise the "Active Ingredients:" heading to read, "Active Ingredient:".
 - c. As agreed upon in previous discussions, In the Directions for Use section, under the heading "Biofouling Control in Pulp and Paper Mill Systems", delete the reference to food-contact paper and paperboard. Add the statement "NOT FOR USE IN THE MANUFACTURE OF PAPER AND PAPERBOARD INTENDED FOR FOOD CONTACT."
- 4. Submit one (1) copy of the final printed labeling prior to release of the product for shipment.
- If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.
- A stamped copy of the labeling is enclosed for your records.

In order for the Agency to make a determination on the acceptability of the two proposed alternate formulations for B-CAP $^{\text{M}}$ 35 ANTIMICROBIAL AGENT, please note the following:

Page 3 EPA Reg. No. 65402-4


In compliance with EPA PR Notice 87-6 data requirements for new inerts, submit all data required to support the use of two new inerts cited as stabilizers in the Confidential Statement of Formula (CSF) for Alternate Formulation #1, "Potassium Stannate", and Alternate Formulation #2, "Sodium Stannate". A copy of EPA PR Notice 87-6 is provided, as an enclosure, for your reference. For further clarification on data requirements for new inert ingredients, please contact Kerry Leifer at (703) 308-8811.

Sincerely,

Marshall Swindell

Acting Product Manager (31) Regulatory Management Branch I Antimicrobial Division (7504C)

Enclosures



ij \sim

员

B-Cap. 35 Antimicrobial Agent

EPA Registration No. 65402-X EPA Est. No.

B-Cap" 35 Antimicrobial Agent is for biofouling and slime control in:

- · Pulp and paper mill systems
- Recirculating and once through cooling water systems
- Pasteurizer cooling water systems
- Formulating FIFRA registered products
- Process Waters

For Industrial Use Only

Active ingredients: Inert Ingredients:

KEEP OUT OF REACH OF CHILDREN **DANGER**

See side panel for additional precautionary statements

#MC and B-Cap are trademarks of FMC Corporation.

ACCEPTED with COMMENTS in EPA Letter Dated:

RECO EPA/OPP/DPD1

MAY 20 1997

Under the Federal Insecticide, Fungicide, and Rodenticide Act as FMC Corporation registered under EPA Reg. No.

65402-4



Peroxygen Chemicals Division 1735 Market Street Philadelphia Pennsylvania 19103

Precautionary Statements Hazards to Humans and Domestic Animals

Corrosive, causes eye and skin damage. Harmful or fatal if swalkowed. Do not get in eyes, on skin, or on clothing. Wear googles or face shield and rubber gloves when handling. Wash hoxoughly with soap and water after handling. Do not breath vapor or spray mist. Do not enter an enclosed area without proper respiratory protection.

Physical or Chemical Hazards
Strong oxidizing agent. Mix only with water, 8-Cap 35 is not combustible; however, at temperatures exceeding 156°F, decomposition occurs releasing oxygen. The oxygen released could initiate or pro-

Environmental Hazards

This positicide is toxic to birds, mammals, it is and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a Mational Poliutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Any solution released from the system should be diffuled with water and tested for residuals to ensure that there is less than 3 ppm peroxygen remaining.

Statement of Practical Treatment

If swallowed: Mase mouth with water, Dillula by giving 1 or 2 glasses of water, Do not induce vomiling. See a physician,

If inhaled: Pernove to fresh air, if breathing discomfort occurs, call a physician. If breathing has stopped, apply artificial respiration and see a physician.

If In eyes: invnediately hush with water for at least 15 minutes, lifting the upper and lower eyellds informittently, See a physician.

If on skin: Immediately flush with plenty of water while removing contaminated clothing and/or shoes. Wash skin thoroughly with soap and water. See a physician. Yash contaminated shoes and dolhing before reuse.

Note to Physician: Probable mucosal damage may contraindicale the use of gastric

Storage and Disposal

NEVER RETURN OXYCIDE" TO THE ORIGINAL CONTAINER AFTER IT HAS BEEN REMOVED. Avoid all confaminants, especially dirt, caustic, reducing agents, and metals. Confamination and impurities will reduce shell life and can induce decomposition, in case of a decomposition, isolate container, douse container with cool water and dilute B. Can'

Avoid damage to containers. Keep container closed at all times when not in use. Keep container out of direct suntight. To main-tain product quality, store at temperatures before 66°F. Do not store on wooden pallets.

Procedure for Leak or Spill
Stop lest if this can be done without risk. Shut off ignition sources; no flames, smoking, flares, or spark producing tools, Keep combustible and organic materials away. Flush spilled material with large quantities of water. Undituted materials should not

Disposal

Pesticide Disposal

Il maletal has been settled, an acceptable method of disposal is to difute with at least 20 volumes of water believed by discharge into surfable treatment system in accordance with all local, state, and Federat environmental laws, rules, regulations, standards, and other requirements. Because acceptable methods of disposal may vary by location, regulatory agencies should be contacted

8-Cap 35, animitrobial agent which is to be discarded should be diluted with a large amount of water and discharged into a switable beakment system in accordance with local, State and Federal regulations.

Container Disposal

Empty drums are not returnable to FMC unless special arrangements have been made. Triple rinse drums with water. Discose of drums in accordance with local, state, and federal regulations. Do not return,

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its Jabeling.

B-Cap 35, antimicrobial agent

A microbiocide for use in controlling silms and sulfate forming bacteria in process waters, air washing systems, recirculating and once through water cooling lowers and systems, including pasterniar cooling water systems and industrial closed recirculating pasterniar cooling water systems and industrial closed recirculating

Air Washers and Recirculating and Once Through Cooling Water Systems, (cooling towers, - evaporative condensers)

- 1. Severely louted systems should be cleaned prior to treatment.
- 2. 8-Cap 35 may be used in all types of cooling water systems that have mist-eliminating components. 8-Cap 35 should be added at a point where uniform mixing can be achieved, lot example the basis area. Addition may be intermitted or continuous. Hydrogen peroxide should not be mixed with other chemicals or additives without first checking for compatibility. Contamination with other chemicals could cause product decomposition.

 Intermittent (Stop Doss) for severely found systems, add 3 to 163 Ft. oz. of 8-Cap 35 por 1000 gallons of water in the system, (10 to 500 ppm). Repeat unit control is achieved. When control is evident add 1 to 31 Ft. oz of 8-Cap 35 per 1000 gallons of water in system (3 to 100 ppm H₂O₂) as needed to maintain control.

 Continuous feed initial boss. If the system is noticeably founds use alog dose procedure for the initial treatment, Once control is achieved, continuous teed of 0.3 to 16 Ft. oz. 0-Cap 35 per 1000 gallons of water per day in the system, (1-50 ppm H₂O₂). Dosage rates should be increased or decreased depending on the extent of biolouting and control achieved.

Pasieurizer Cooling Water Systems

B-Cap 35 can be used at the same application rates and in the same manner as described above. The solution should be added to the closed recruditing system at a point where uniform mixing can be achieved, e.g., basin, sump or collection areas.

Biolouling Control in Pulp and Paper Mill Systems

For use in the manufacture of paper and paperboard intended for tendent non-food contact.

B-Cap 35 can be used to control bacterial, lungal and years growth in pulp, paper and paperboard mills.

- Severely louled systems should be cleaned prior to treatment with B-Cap 35. Add B-Cap 35 directly to the system, don't mix with other chemicals or additives without list testing for compatibility. Contamination with other chemicals could result in
- 2. Add the B-Cap 35 at a point in the system where it can be mixed uniformly with the pulp, e.g., the beater, hydropulper, fant pump, broke pump, etc.
- 3. Apply 1-40 FL oz. of 8-Cap 35 per ton of (dry basis) pulp or paper produced, (10-500 ppm H₂O₂). Addition may be continuous of intermident depending on the type of system and severity of the biologiting.

B-Cap 35 may be used to aid in minimizing slime formation in process waters intended for use in precleaning hard, non-porous surfaces, e.g., metals, glass or plastics prior to being painted, plated, or coated; cleaning pipes, equipment or other process

- 1. Add OxyCide 35 at a point in the system where it can be mixed uniformly. The quantity of product required will depend upon the savarity of the fouling.
- 2. Apply 0.3 to 163 FL or, per 1000 gallons of water in the system (1 to 500 PPM). Once control is achieved, reduce application rate accordingly.

Manufacturino Use

Use in Reformulation of Other Registered Products

B-Cap 35, antimicrobial agent may be used as a source of the active ingredient hydrogen peroxide in the formulation of sanitizer, distinkctant and antimicrobial/biocidal formulations/products registered under FIFRA. Formulators using this product for this purpose are responsible for FIFRA registration of their products and for compliance with other requirements of FIFRA. For technical support contact FIAC's Petrotygen Cleanicals Division.

In all applications always prepare a new solution daily to ensure effectiveness. Do not re-use solutions. Dispose of unused solution.

ACCEPTED COMMENTS EPA Letter Dated:

MAY 20 1997

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.


65402-4



Gallons

Pc .nds

Keep vent end up, do not roll



CORROSIVE

ACCEPTED
with COMMENTS
in EPA Letter Dated:

MAY 20 1997

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide Registered under EPA Reg. No.

EMERGENCY TELEPHONE NUMBERS (24 HOURS)
MEDICAL: COLLECT 303-595-9048
TRANSPORTATION: 800-424-9300
OTHER: 609-924-6677

For more information see Material Safety Data Sheet Label Effective Date: June 1996

Proper Shipping Name:
Hydrogen peroxide, aqueous
solution with not less than
20 percent but not more
than 40 percent hydrogen
peroxide.

UN 2014