PM 19 Reg. No. 65564-1 SEP 1 5 1992 Dr. John N. Simons JMS Flower Farms, Incorporated 1105 25th Avenue Vero Beach, Florida 32960 Subject: Revised Labeling--Addition of Crops and Pests JMS Stylet-Oil ١ EPA Registration Number 65564-1 Your Amendment Application Dated August 18, 1992 Dear Dr. Simons: The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), sec. 3(c)(7)(A), is acceptable provided that you: Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data. 2. Submit five (5) copies of your final printed labeling before you release the product for shipment.) If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions. A stamped copy of the labeling is enclosed for your records. Sincerely yours, DHZ Dennis H. Edwards, Jr. Product Manager (19) Insecticide-Rodenticide Branch Registration Division (H7505C) Enclosure

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. If swallowed, do not induce vomiting. Call a physician. Avoid breathing vapors and spray mists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on the label.

STORAGE AND DISPOSAL

STORAGE — Keep drum tightly closed in storage to prevent entry of water. Do not freeze. Store drum on side. Roll drum before use if stored over-season.

DISPOSAL — Prohibitions Do not contaminate water, food or feed by storage and disposal. Open dumping is prohibited.

Pesticide Disposal Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

General Consult Federal, State or Local disposal authorities for approved alternative procedures.

Method of Application

Spray at no less than 400 psi pressure using ceramic spray nozzies (ALBUZ^R ATR, filec color or their equivalent). Do not apply this product through any type of irrigation system (chemigation).

APPLICATION RATE

From 25-150 gallons of diluted spray enalision per acre depending on plant size. Thorough coverage is necessary. A tractor speed of 3.5-4 mph (6-7 kph) is recommended. Vary the quantity of spray applied by changing the number of nozzles used; not by changing either tractor speed or spray pressure.

Thaing of Applications

Sprays should be initrated as soon as plants emerge. Plants should be sprayed weekly or twice weekly depending on level of infestation. Continue sprays through harvest.

BEST AVAILABLE COPY

TMSFlower Farms, Inc.

JMS Stylet-Oil® AS AN INSECTICIDE

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED - Do not induce vomiting. Call a physician. IF INHALED - Avoid breathing of vapors and spray mist. IF ON SKIN - Wash immediately with soap and water. IF IN EYES - Wash immediately with copious amounts of water.

TERMS

Seller's guarantee shall be limited to the terms of the label and subject thereto the buyer/user accepts the product on these conditions. All applicable directions, restrictions, and precautions on the label are to be followed. This labeling must be in the possession of the user at the time of the application of this material.

Manufactured by - Asgrow Florida Co., Plant City, FL 33566 EPA Establishment No. - 14775-FL-01

> JMS FLOWER FARMS, INC., 1105-25th Avenue, Vero Beach, FL 32960 (407) 567-9241 EPA Registration No. - 65564-1

55 GALLONS NET • U.S. STANDARD

Do not enter treated dried.

No interval required.
ADDI

Do not spray on well

CHEMICAL COMI as the last ingredie acephate (Orthene (CCN), copper I

DO NOT USE the least two weeks chemical anilazi (Botran), Dikar, di Folpet), permethrin

mancozeb, manet and triadimelon (B.

DO NOT USE JM: nutrient spray ma materials can be compatible with (MgSO₄) (3 lb per

For chemicals not basis. Chemicals w phytotoxic when us

It is a violation manner inconsist Controls — v spider mites.

Crop

Les

Wh

Les

Wh

Wh

Wh

Wh

Wh

Me

Wh

Wh

Wh

Wh

Wh

Wh

| Whi

Asparagus
Beans
Beets
Cabbage
Cauliflower
Celery
Cucumber
Eggplant
Grapes
Lettuce
Melons
Peppers
Potatoes

Pumpkins

Squash

Tobacco Tomatoes

insects Controlled	RATE: JMS Stylet-Oil ^e per 1 gal Water
Leafminers.	1
Meslybugs,	1 1 1
Scale Insects,	102
Mites,	1 1
Whiteflies	1 + 1
	Leafminers, Meslybugs, Scale insects, Mites,

^{*}Loaction of added uses in final label: Field crops will be added to the existing use label block and a separate block denoting use on greenhouse ornamentals will be made.

