JAN 26 1994

Top Clor

FOR INDUSTRIAL USE ONLY

1.26 lbs. available chlorine per gallon

KEEP OUT OF REACH OF CHILDREN DANGER

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, may cause severe skin and eye irritation or chemical burns (to broken skin. Causes eye damage. Wear safety glasses or goggles and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until strong odors have dissipated.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System(NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Mix only with water according to label directions.

Mixing this product with chemicals(e.g. ammonia, acids, detergents, etc.) or organic matter(e.g. urine, feces, etc.) will release chlorine gas which is irritating to eyes, lungs and mucous membranes.

STATEMENT OF PRACTICAL TREATMENT (FIRST AID)

If in eyes, flush eyes with water for at least 15 minutes. Get prompt medical attention. If on skin, wash with plenty of soap and water. If swallowed, drink large quantities of water. DO NOT induce vomiting. Call a physician or poison control center immediately.

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SWIMMING POOLS: Add I gallon of this product to 20,000 gallons of water. Check residual chlorine next day. If below 1.0ppm, add another gallon of product per 20,000 gallons of water. Repeat until 1.0ppm is obtained. Every other day, test pool and repeat dose as needed to maintain 1.0 to 1.5ppm residual chlorine. Seventeen ounces of this product supplies 1.0ppm available chlorine per 20,000 gallons of water. Pool water should be maintained at pk 7.2 to 7.6 as determined by a test kit.

BEST AVAILABLE COPT

Page 2 Top Clor

MEAT, POULTRY AND DAIRY PLANTS AND GENERAL FOOD HANDLING EQUIPMENT Clean and rinse equipment. Sanitize with 200ppm available chlorine(1 fl. oz. Top Clor per 6 gallons water) for at least two minutes. Allow the equipment to drain thoroughly and air dry.

NOTE: Product degrades with age. Use a test kit and increase dosage as necessary to obtain required level of available chlorine.

STORAGE AND DISPOSAL

Store this product in a cool dry area, away from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

(PESTICIDE DISPOSAL

Pesticides wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. CONTAINER DISPOSAL,

Triple rinse or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

EMERGENCY INFORMATION: 1-800-424-9300 (Chemtrec)

NET CONTENTS: 1,5,15 and 55 gallon

T.C. Products
2001 Thorne Road
Tacoma, Washington 98421

EPA Reg. No. 65584-1 EPA Est. No. 65584-WA-1

