AND STATES

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 20460 EPA Reg. Number 65626-2

MAR 1 0 1995

Term of Issuance

Conditional

NOTICE OF PESTICIDE:

_x Registration
____ Reregistration

Name of Pesticide Product

Mycotrol

GH-OF for Crops

(under FIFRA, as amended)

Name and Address of Registrant:

Mycotech Corporation 630 Utah Avenue

P.O. Box 4109

Butte, MT 59701

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide. Longitude and Rodentieske Act

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
 - 2. Make the following label changes:

Revise the EPA Registration Number to read, "EPA Reg. No. " 65626-1.

- 3. A description of the procedure for analysis of beauvericin and bassianolide and analyses for these metabolites from five (5) production lots must be submitted within nine (9) months of the conditional registration date.
- 4. A honeybee hive test must be conducted as a condition of registration and submitted within one year of the conditional registration date.

Signature of Approving Official

Date

3/10/95

PA Form MOD6

page 2 EPA Reg. No. 65626-2

- 5. Further nontarget insect testing must be conducted. This testing should be preceded by consultation with appropriate scientific staff of the Agency. It may consist of monitoring for B. bassiana Strain GHA infections and mortality before and after one or preferably more applications for each crop, crop group or In order to keep monitoring fairly simple while use pattern. optimally providing some relevant nontarget insect risk assessment information, it may be useful to collect four or five common sentinel species from a treatment area, confine them with water ad libitum until they die and then place them in a petri dish with a moisture source to determine if B. bassiana Strain GHA emerges. This would be the minimal effort needed to determine the relevance of pathogenicity in laboratory studies to pathogenicity under actual field conditions.
- Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Just I anderson

Sincerely,

Manet L. Andersen, Acting Director

Biopesticides and Pollution Prevention Division

(7501W)

ACCEPTED

WILL COMMENTS

in EPA Letter Dated

3 / 5

MYCOTECH CORPORATION

A Fungal Technology Company

Under the Fodered Levertissia. Functioide, and Rule mail to the same as amended, for the garden registered under EPA Rep. No. 165.16.216-2.

i MAK i u jágo

MYCOTROL GH-OF

Oil Flowable

Biological Insecticide for Control of Grasshoppers, Mormon Crickets and Locusts in Crops

This product contains 1x1013 viable Beauveria bassiana spores per quart.

CAUTION

Keep Out of Reach of Children

PRECAUTIONARY STATEMENTS

Hazarda to Humans and Domestic Animals

Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

Statement of Practical Treatment

If Swallowed: Do not induce vomiting; call a physician immediately.

If Inhaled: If irritation persists, contact physician.

If On Skin: Wash with soap and water.

If In Eves: Flush with water.

Note To Physician

Product contains petroleum distillates. Do not induce vomiting due to aspiration hazards.

PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear: Long-sleeved shirt, long pants and chemical resistant gloves. Shoes plus socks. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Environmental Hazarda

This product is potentially pathogenic to honey bees. Avoid applying to areas where thoney bees are actively foraging or around bee hives. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by disposal of equipment wash waters.

14et Coufeurs	•
Lot Number:;	Expiration Date:

MYCOTECH Corporation 630 Utah Avenue P.O. Box 4109 Butte, MT 59701 EPA Registration Number 65626-EPA Establishment Number 65626-MT-01 Revision 950308

DEST CODY AVAIL ADIF

Directions for Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notificationk, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipement (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE reugired for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soll, or water is:

- Coverails
- Waterproof gloves
- Shoes plus socks

For use in controlling grasshoppers, Mormon crickets and locusts in alfalfa, com, cotton, potatoes, rapeseed, safflower, small grain crops, soybeans, sugarbeets, and surflower. May be aerially applied. Suitable for use with ultra low-volume application equipment.

Dosage Rate: Apply at a rate of one quart concentrate (1x10¹³ spores) per acre. Tank mix at the rate onf one quart ES concentrate, one pound emulsion stabilizer (clay) and water to a final spray volume of one up to five gallons per acre. Mix well by external mixing, in-tank mixing, or pump circulation to form emulsion.

Application: Apply from air or ground. Additional applications at one-week intervals may be made to control infestations, new hatching or in-migrating grasshoppers.

CHEMICATION

Do not apply this product through any type of irrigation system.

BEST COPY AVAILABLE

4

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STURAGE

 Store in a cool, dry place. Avoid storage below freezing temperatures. Tightly reclose the container of unused product. Do not contaminate unused product with water.

PESTICIDE DISPOSAL

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

 Do not reuse as a container. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

CONDITIONS OF SALE

Seller makes no warranty, express or implied, or merchantability, fitness or otherwise concerning the use of this product other than as indicated on the label. User assumes all risks of use, storage or handling not in strict accordance with the accompanying instructions.

BEST COPY AVAILABLE

4