

R & M SPACE and CONTACT SPRAY

FOR USE UNDILUTED OR DILUTED WITH OIL

**For Use in the Home and Food and Non-Food Areas of:
Food Processing Plants, Schools, Warehouses, Office Buildings,
Theaters, Garages, Hotels, Motels, Kennels, and Hospitals.**

ACTIVE INGREDIENTS:

*d-trans-chrysanthemum monocarboxylic acid ester of d-allyl-4-hydroxy-3-methyl-2-cyclopenten-1-one....	0.175%
**Piperonyl butoxide, Technical.....	0.350%
***N-Octyl bicycloheptene dicarboximide.....	0.585%
INERT INGREDIENTS:.....	98.890%
	100.000%

- *S-bioallethrin from ESBIOL® , Roussel-Uclaf; Paris, France
 - **Equivalent to 1.60% (butylcarbityl) (6-propylpiperonyl) ether and 0.40% related compounds.
 - ***MGK® 264, Insecticide Synergist
- Inert Ingredients contain petroleum distillate
ESBIOL® - Registered trademark of Roussel-Uclaf; Paris, France

KEEP OUT OF REACH OF CHILDREN

CAUTION


See back panel for Precautionary Statements

**MANUFACTURED BY:
R & M REGULATORY SERVICES, INC.
5145 FOREST RUN TRACE, ALPHARETTA, GA 30202**

EPA EST #65636-GA-1

EPA REG #65636-

NET CONTENTS 6Z



2 14 -

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

NOTE: When used in hospitals, patients should be removed prior to treatment. Ventilate for two hours after treatment. Do not return patients to room until after ventilation.

GENERAL: This product can be used undiluted in mechanical sprayers which produce particles of aerosol size or diluted 1 part to 2½ (2.5) parts petroleum distillate and applied as directed below.

SPACE SPRAY TO KILL GNATS, HOUSEFLIES, MOSQUITOES AND SMALL FLYING MOTHS: Close room and shut off all air conditioning and ventilating equipment. Apply with mechanical or compressed air sprayer or with fogger that gives small particle size. Direct spray upwards toward upper corners of room and ceiling. Apply at the rate of 0.5 to 1.0 fluid ounce per 1,000 cubic feet of space treated. Vacate room and leave closed for 10 to 15 minutes. Ventilate thoroughly prior to reentry. Sweep up and destroy fallen insects. Repeat as necessary.

CONTACT OR SURFACE SPRAY TO KILL ANTS, COCKROACHES, CRICKETS, EARWIGS, FIREBRATS, SILVERFISH, SOWBUGS AND SPIDERS: Apply with a sprayer that will give coarse wet droplets. Force spray into cracks and crevices in walls and floors, areas at base of machinery, behind cabinets, around pipes and openings, along baseboards and other insect harborages. Use one gallon of spray per 1,000 square feet of surface to be treated. For ants, spray trails and all points of entry into building. Spray ant nests directly with a soaking application. In all cases, contact as many insects as possible with spray. Repeat as necessary.

TO KILL BLACK CARPET BEETLES AND DERMESTIDS: Directly spray as many insects as possible. Spray both interior and exterior of upholstered furniture. Both top and bottom of rugs and carpets should be sprayed thoroughly. Also treat shelves, closets, areas under furniture and wherever these insects are seen or suspected. Repeat as necessary.

TO KILL BEDBUGS: Spray mattresses thoroughly, especially around seams and tufts. Spray bedstead, baseboards, floor boards and wall cracks and crevices. Allow spray to dry before contact. Repeat frequently.

TO KILL EXPOSED FORMS OF CONFUSED FLOUR BEETLES, INDIAN MEAL MOTH LARVAE, LESSER GRAIN BORERS, RICE WEEVILS AND SAW-TOOTHED GRAIN BEETLES: Find and destroy infested package goods. Remove all other items from pantry. Spray the shelves to kill any of the named insects present. Place clean paper on the shelves and return packages after shelves have dried. Repeat as necessary.

TO KILL FLEAS AND TICKS: Remove and destroy animal's old bedding and spray sleeping quarters freely. Direct spray into cracks and crevices. Allow spray to dry and replace with clean bedding. Do not spray animals directly. Animals should be treated with a registered flea and tick control product prior to reentering treated areas. Repeat as necessary.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry place. Keep container closed.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill or by other procedures approved by State and Local authorities.

CONTAINERS ONE GALLON OR LESS: Do not reuse empty container. Wrap and place in trash.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed or absorbed through skin. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Do not breath vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and warm water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs.

Do not apply while food processing is underway. Cover or remove all food processing surfaces. Thoroughly wash all food processing surfaces before reuse. After spraying in bakeries, meat packing plants, food processing plants, etc., all benches, shelving, equipment, etc., where exposed food will be handled must be washed with an effective cleaning compound followed by a potable water rinse to remove all traces of contamination.

Remove pets, birds, and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce vomiting because of aspiration pneumonia hazard.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before re-use. Wash skin with soap and warm water. Get medical attention if irritation persists.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.