5507761

THE PROTECTO

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505C) 401 "M" St., S.W. Washington, D.C. 20460

EPA Reg. Number:

Date of Issuance:

65636-128

April 8, 1997

Term of Issuance: Conditional

NOTICE OF PESTICIDE:

x Registration

___ Reregistration

Name of Pesticide Product:

CP Snail and Slug Killer **Pellets**

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Rob R. Adams, Jr. R & M Regulatory Services 1091 Cambridge Square - Suite C Alpharetta, GA 30201-1844

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
- 2. Make the following label changes:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 65636-128".

Signature of Approving Official:

April 8, 1997

4/0/97

Poedwards A:165636/128.REG

3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Dennis H. Edwards, Jr. Product Manager (19) Insecticide-Rodenticide Branch Registration Division (7505C)

Enclosure

ACCEPTAD with COMMENTS in EPA Lener Dated 8 1997

Under the Federal becomicide, Sungicile, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

CP SNAIL AND SLUG KILLER PELLETS

FOR COMMERCIAL AND PROFESSIONAL USE ONLY NOT FOR RESIDENTIAL/HOMEOWNER USE

FOR USE IN COMMERCIALLY GROWN ORNAMENTALS, GREENHOUSES - - AND CONTAINER NURSERIES

- Controls Snails and Slugs for up to 14 Days
 - One pound treats 1000 square feet

ACTIVE INGREDIENT: THIODICARB: Dimethyl N, N'[thiobis[(methylimino) carbonyloxy]] bis [ethanimidothioate] INERT INGREDIENTS: 98.25% TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN **CAUTION**

See Back Panel for Precautionary Statements

Manufactured by: Contract Packaging, Inc. P. O. Box 1608 Covington, GA 30210

EPA EST #67572-GA-1

EPA REG #65636-

NET CONTENTS

STATEMENT OF PRACTICAL TREATMENT

Thiodicarb is an N-methyl carbamate

IF SWALLOWED: Do not induce vomiting unless directed to do so by a physician or Poison Control Center. GET MEDICAL ATTENTION.

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes.

GET MEDICAL ATTENTION.

IF ON SKIN: immediately flush skin with plenty of water.

NOTE TO PHYSICIAN

All treatments should be based on observed signs and symptoms of distress in the patient. Overexposure to materials other than this product may have occurred.

This product contains an N-methyl carbamete insecticide, which is a cholinesterase inhibitor. Overexposure to this substance may cause toxic signs and symptoms due to stimulation of the cholinergic nervous system. These effects of overexposure are spontaneously and rapidly reversible. Gastric lavage may be used if this product has been swallowed. Poisoning by this product may occur rapidly after ingestion and prompt removal of stomach contents is Indicated.

Specific treatment consists of parenteral atropine sulfate. Caution should be maintained to prevent over atropinization. Mild cases may be given 1 to 2 mg. intramuscularly every 10 minutes until full atropinization has been achieved and repeated thereafter whenever symptoms reappear. Severe cases should be given 2 to 4 mg intravenously every 10 minutes until fully atropinized, then intramuscularly every 30 to 60 minutes as needed to maintain the effect for at least 12 hours. Dosages for children should be appropriately reduced. Complete recovery from overexposure is to be expected within 24 hours.

Narcotics and other sedatives should not be used. Further, drugs like 2-PAM (pyridine-2-aidoxime methiodide) are NOT recommended unless organophosphate intoxication is also suggested.

To aid in confirmation of a diagnosis, urine samples should be obtained within 24 hours of exposure and immediately frozen. Analysis will be arranged by Rhone-Poulenc Ag Company. Consultation on therapy can be obtained at all hours by calling the Rhone-Poulenc emergency number: 1-800-334-7677.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing dusts. Avoid contact with skin, eyes or clothing. In case of contact, immediately flush eyes with plenty of water. Get medical attention if irritation persists.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear long-sleeved shirt and long pants, waterproof gloves and shoes plus socks. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, invertebrates and other wildlife. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from area treated. This product is toxic to bees exposed to direct treatment. Do not apply when bees are actively visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE USING THIS PRODUCT

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

ID:ADAMS TECHNOLOGY SYSTEMS

AGRICULTURAL USE RECOMMENDATIONS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls, waterproof gloves and shoes plus socks.

STORAGE AND DISPOSAL

STORAGE: Do not store in or around the home. Store unused product in a cool, ventilated, dry locked area. Do not allow prolonged storage in areas where temperatures frequently exceed 115°F (46°C). NEVER TRANSFER THIS PRODUCT TO ANOTHER CONTAINER FOR STORAGE.

If container is damaged, before clean-up, put on long-sleeved shirt and long pants, waterproof gloves, and shoes plus socks.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Contamination with this product will render water, food or feed unfit for human or animal consumption. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: NEVER REUSE EMPTY CONTAINERS. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

COMMERCIALLY GROWN ORNAMENTALS, GREENHOUSES AND CONTAINER NURSERIES For control of snail and slug pests, such as but not limited to the

brown garden snall and the grey field slug.

Apply one pound per 1000 sq. ft.(43.56 pounds per acre) of product as a uniform broadcast treatment to containers or omamental beds. Apply during peak periods of snall or slug activity, such as early morning or late evening. Repeat applications every 10-14 days or as necessary. Do not exceed 12 applications per year.