

65705-1

2-15-2000

1/3

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:
65705-1

Date of Issuance:
FEB 15 2000

NOTICE OF PESTICIDE:
 Registration
 X Reregistration

Term of Issuance:
Conditional

Name of Pesticide Product:
Envirotech® WP

(Under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Envirotech Ventures Intl. Inc.,
P.O. Box 129
Everett, WA 98206

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistration under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Reregistration Eligibility Document, the EPA had reregistered the product listed above.

Reregistration under this section does not eliminate the need for continual reassessment pesticides. EPA may require submission of data at any time to maintain the registration of your product.

Signature of Approving Official:

Adam Heyward
Adam Heyward, Product Manager (34)
Regulatory Management Branch II
Antimicrobials Division (7510C)

Date:

Feb. 15, 2000

EPA Form 8570-6

CONCURRENCES

SYMBOL	SURNAME	DATE					


OFFICIAL FILE COPY

Printed on Recycled Paper

page 2
EPA Reg. No. 65705-1

A stamped copy of the label is enclosed for your records.

Sincerely,



Adam Heyward
Product Manager 34
Regulatory Management Branch II
Antimicrobials Division (7510C)

Enclosure

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

"CAUTION": Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. Avoid contamination of food and feed. Do not leave container where children or animals may gain access.

STATEMENT OF PRACTICAL TREATMENT: IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting. **OR If Swallowed:** Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger, or if available by administering syrup of ipecac. If person is unconscious, do not give anything by mouth and do not induce vomiting. **IF IN EYES,** flush with plenty of water. Call a physician if irritation persists. **IF ON SKIN,** remove contaminated clothing and wash skin with soap and water. **IF INHALED,** remove victim to fresh air.

ENVIRONMENTAL HAZARDS: "This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge System (NPDES) permit and permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA."

NOTICE: Because of many varying conditions affecting use and application, manufacturer warns buyer that these may impair or vary the results or effects of the use of this product. In any event, complete prevention of decay by fungi or other organisms is not guaranteed. Neither manufacturer or seller shall be liable in respect to any injury or damage suffered by reason of the use of this product for a purpose not indicated by the label or when used contrary to the directions or instructions hereon nor with respect to breach of any warranty not expressly specified herein. Buyer accepts this material subject to these terms, assumes all risk of usage and handling except when used or handled in accordance with this label. Neither manufacturer nor seller, makes, and their employees and agents are not permitted to make, any representations or warranties, express or implied by law, not specifically set forth herein.

DIRECTIONS FOR USE: IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELLING.

ENVIROTECH WP is a water soluble inorganic borate salt for the protection and treatment of lumber and wood-foam composite structural components against decay fungi and wood boring beetles including Powder Post Beetles (Lyctidae), Furniture Beetles and Old House Borers (Anobiidae), and Longhorn Beetles (Cerambycidae). This treatment is not effective against wood staining fungi and may require mixing with compatible products. ENVIROTECH WP also controls Subterranean Termites (Reticulitermes, Coptotermes, Heterotermes), Dampwood Termites (Zootermopsis), Drywood Termites (Kaloterms, Incisitermes), and Carpenter Ants, (Camponotus). ENVIROTECH WP is recommended for all interior and exterior wood and wood-foam composite structural components which will be protected from rain and not in direct contact with soil. The treatment of lumber is permanent even after cutting and finishing providing the wood is not exposed to moisture or in contact with the soil. This product is toxic to wood destroying insects but surface etching of treated wood and wood-foam composite structural components may occur.

ENVIROTECH® WP

A Preservative for Protection and Treatment of Wood and Wood-Foam Composite Structural Components Against Decay Fungi and Wood-Destroying Insects

ACTIVE INGREDIENTS

Disodium Octaborate Tetrahydrate - 98%
(Na₂B₈O₁₃·4H₂O).

INERT INGREDIENTS

2%

KEEP OUT OF REACH OF CHILDREN

CAUTION


See Side Panel for Additional Precautionary Statements and Practical Treatment

Manufactured by:

ENVIROTECH VENTURES
INTERNATIONAL, INC.
P.O. BOX 712
Sandpoint Idaho 83864

EMERGENCY PHONE: (208) 265-5911

EPA REG.NO.: 65705-1
Est. No. 65705-ARG-001



DIP-DIFFUSION METHOD OF APPLICATION: PREPARATION described below, water should be added to the tank. The temperature is then raised to the desired level. ENVIROTECH WP is gradually added with good agitation and the solution agitated for an additional 15 minutes until the product has dissolved. The temperature of the solution is then raised to the desired level for treatment. Upon cooling some borate may crystallize when the solution is heated for the next treatment. Heating or insulation should be provided to prevent this. The tank should be covered when not in use to prevent evaporation of water.

SUGGESTED CONDITIONS AND RATES FOR THE DIFFUSION METHOD

Lumber Thickness	Complete in	Pounds of ENVIROTECH WP per 100 Gallons of Solution
Up to 1 inch	(2.5cm)	140
1 to 1.75 inches	(2.5cm to 4.0cm)	180
1.75 to 2.5 inches	(4.0cm to 6.5cm)	250
2.5 to 3 inches*	(6.5cm to 7.5cm)	280

* Lumber over 3 inches (7.5cm) in thickness or thicker should be dipped twice 24 to 72 hours apart.

DIP-DIFFUSION METHOD OF APPLICATION: Dip wood in a hot aqueous solution of ENVIROTECH WP for 2 to 4 hours. Treated wood should be stacked and stored under cover to prevent drying process and prevent wash off by rainfall, the wood preservative into the interior of the wood will penetrate several weeks to thoroughly penetrate the lumber. The dip-diffusion method of treatment can be used throughout the whole cross-sectional area of treated wood.

PRESSURE TREATMENT: Pressure treatment must meet the specifications of ENVIROTECH WP and/or those of the American Wood Preservers' Association (AWPA).

PRE-TREATMENT: Wood-foam composite structural components should be prevented from infestation of attacking organisms. Apply ENVIROTECH WP (1 lb./gallon solution). Solution may be applied to thoroughly wetted (approximately 7-10 gallons per gallon of wood) and/or American Wood Preservers' Association specifications followed to ensure adequate chemical loadings in wood.

PRE-TREATMENT of Polystyrene beads prior to application of ENVIROTECH WP to manufacture Polystyrene insulation.

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed. Wastes resulting from the use of this product should be disposed of on the site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag in a sanitary landfill or by incineration at an approved waste disposal facility, by burning. If burned, stay out of smoke.

Jan. 29 2000 07:31AM PZ

PHONE NO. : 2085130784

FROM : EVI1