

65846-5
 UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 Until Reregistration

PL 13 65846-5 pg 185
 MAR 14 1994

VetMate Lawn Spray

Environmental Chemicals Group
 5145 Forest Fun Trace
 Alpharetta, GA 30202

~~160/5456365~~
 18/1

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA sec. 3(c)(5) or FIFRA sec. 4 when the Agency requires all registrants of similar products to submit such data.

2. Add the phrase "EPA Registration No. 65846-5" to your label before you release the product for shipment.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6 (e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

22aa Delete Vet" from the product name. Direct or implied claims associated with use by or through veterinarians is unacceptable
 George T. LaRocca
 Product Manager (13)
 Insecticide-Rodenticide Branch
 Registration Division (H7505C)

Enclosures

CONCURRENCES

SYMBOL							
SURNAME	MOATS						
DATE	2/2/94						

VetMate LAWN SPRAY

Kills Fleas and Ticks on Lawns

Emulsifiable concentrate for use on residential lawns and around residential premises only to kill fleas and ticks and other outdoor insects listed on this label. Also kills deer ticks and other ixodid species that carry and transmit lyme disease.

Also controls Cockroaches, Palmetto Bugs, Ants, Crickets, Sowbugs (Pillbugs), Centipedes, Ticks and Spiders

ACTIVE INGREDIENT:

(S)-cyano(3-phenoxyphenyl)methyl-(s)-4-chloro-alpha-(1-methylethyl)benzeneacetate..... 0.22%

*INERT INGREDIENTS:..... 99.78%
Total 100.00%

*Contains Petroleum Distillate

**KEEP OUT OF REACH OF CHILDREN
CAUTION
See Back Panel for Precautionary Statements**

Manufactured by:

**ENVIRONMENTAL CHEMICALS GROUP, INC.
Route 1, Box 146, Rockdale, TX 76569**

EPA EST #65846-TX-1

EPA REG #65846-

Net Contents ___ oz.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

LAWN FLEA CONTROL:

To kill fleas harboring in lawns use this concentrate in a hose-end sprayer. Place required amount of concentrate in sprayer jar (see chart below) & fill with water to the recommended level. Mix well. Attach to sprayer and spray as recommended. For best results, lawn should be mowed a day or two before spraying. Spray using a slow, even sweeping motion, being sure to cover the entire lawn surface where the pets will normally frequent. Spray under ornamentals and trees, but avoid soaking young or flowering plants. Repeat treatments may be necessary at 7 to 14 day intervals.

ACCEPTED
with COMMENTS
in EPA Letter Dated

MAR 14 1994

09/21/93 VM588

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 65846-S

Kills on contact the *Ixodes dammini* tick (deer tick), which transmits lyme disease.

Also kills foraging fire ants upon direct contact. A registered fire ant mound treatment should also be used in conjunction with this product. Keep pets and children out of the treated area until after the spray has dried. Do not spray animals. Dogs, cats, their kennel or bedding area should also be treated with a registered flea control product in conjunction with this application.

<u>AMOUNT OF PRODUCT TO USE IN FLUID OUNCES*</u>	<u>AMOUNT OF WATER TO USE</u>	<u>AREA TO BE TREATED</u>
2 2/3 FLUID OUNCES	3 GALLONS	500 SQ FT (50'X10')
5 1/3 FLUID OUNCES	6 GALLONS	1000 SQ FT (50'X20')
8 FLUID OUNCES	9 GALLONS	1500 SQ FT (50'X30')
10 2/3 FLUID OUNCES	12 GALLONS	2000 SQ FT (50'X40')
16 FLUID OUNCES	18 GALLONS	3000 SQ FT (50'X60')
32 FLUID OUNCES	36 GALLONS	6000 SQ FT (50'X120')

*NOTE: 1 FLUID OUNCE = 2 TABLESPOONSFUL = 6 TEASPOONSFUL

FOR OUTDOOR PESTS: Mix concentrate in a compressed air sprayer or watering can at the rate of four (4) fluid ounces per one (1) gallon of water to control on contact, cockroaches, palmetto bugs, ants, crickets, sowbugs, spiders, and ticks. Use at the rate of one (1) gallon (diluted spray) per 1000 square feet to outside surfaces of buildings, porches, patios, garages and other areas where these pests have been seen or are found. Do not spray in or near fish ponds or other bodies of water. Do not allow spray to contact ornamental plants or shrubs because of possible injury.

BUILDING PERIMETER TREATMENT: To help prevent infestations of buildings by ants, crickets, spiders, centipedes, and sowbugs (pillbugs): Treat a 12-18 inch band of soil or other substrate adjacent to buildings and the building foundation to a height of 2 to 3 feet where these pests are active and may find entrance. Use sixteen (16) fluid ounces of concentrate per gallon of water and apply as a coarse wet spray at the rate of one (1) gallon per 1,000 square feet.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal

STORAGE: Store in a cool, dry place. Keep container closed.

DISPOSAL: Do not reuse container. Wrap and discard in trash.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Harmful if absorbed through skin or inhaled. Causes moderate eye irritation. Harmful if swallowed. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Avoid breathing vapor or spray mist and contact with skin, eyes or clothing. In case of contact, flush with plenty of water. Obtain medical attention if irritation persists. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling. Avoid contamination of food or feedstuffs. Do not spray plants used for food or feed.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN OR CLOTHING: Remove contaminated clothing. Wash skin with soap and warm water. Get medical attention if irritation persists.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF SWALLOWED: Call a physician or Poison Control Center. Do not induce vomiting because of aspiration hazard.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Drift from treated areas may be hazardous to organisms in adjacent aquatic sites. Do not contaminate water when disposing of equipment washwaters.

FOR USE WITH HOSE-END SPRAYER CAP

The hose-end sprayer cap is calibrated to deliver the correct dilution rate.

NO MIXING - NO MEASURING - NO MESS.

Screw hose into back of sprayer cap. Remove bottle cap (save for storage after use). Secure sprayer cap by turning bottle counter-clockwise. Turn on water supply.

TO START FLOW OF INSECTICIDE: Place index finger over hole on right side of sprayer cap -or- use the water on/off valve on the back of the sprayer cap. Spray evenly and completely over infested areas. Hold about three feet above surface, moving at a steady pace to ensure consistent, thorough coverage.

TO STOP FLOW OF INSECTICIDE: When treatment is completed or you wish to stop the flow for any reason--simply remove finger from hole to break siphon action -or- turn the sprayer cap water valve off.

TO STORE REMAINING INSECTICIDE: Turn off water supply and remove bottle from sprayer unit and hose by turning bottle clockwise. Replace cap on bottle and tighten securely. Unscrew hose from sprayer unit and rinse unit in clear water. Store in a cool place.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with this label.