

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticice Programs Registration Division (N7505C) 40: "M" St., S.W. Washington, D.C. 20460

EPA Reg. Number: Date of Issuance:

65864-1

Term of Issuance:

Conditional

MAR 28 1994

NOTICE OF PESTICIDE:

<u>x</u> Registration Reregistration

Name of Pesticide Product:

SM-9

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

SMI

c/o Ms. Linda C. Watson
Pesticide Regulatory Services
3703 Sedgefield Drive
Valdosta, Georgia 31602

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that:

- 1. You will submit/cite all data required for registration/ reregistration of your product under FIFRA section 3(c)(5) or 4(a) when the Agency requires all registrants of similar products to submit such data.
- 2. You make the labeling changes listed below refore you release the product for shipment:

ulli.

- a. Add the phrase "EPA Registration No. 658' 1-1".
- b. Change the first two sentences under Environmental Hazards to "Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters."
- c. Add the statement "Do not apply to areas where birds may be contacted by spray or drift, including nesting and roosting sites."

Signature of Approving Official:

Date:

MAR 28 1024

EPA Form 8570-6

2015

- d. Change the dosage rates from "oz." to "fl. oz." since this product is a liquid.
- e. Add the statement "Do not apply this product through any type of irrigation system" or include directions for chemigation as stated in PR Notice 87-1.
- 4. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincefely yours,

Sidney C. Jackson

Acting Product Manager (21) Fungicide-Herbicide Branch

Registration Division (7505C)

enclosure

7505C:C.Grable:cg:3/22/94

CENTER PANEL

SM-9

For Use on Turf Grasses

ACTIVE INGREDIENTS:

Proprietary blend of linear secondary alcohols reacted	
with ethylene oxide	
Constitutants ineffective as adjuvant	0.03%

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Immediately flush eyes with plenty of water for 15 minutes and get medical attention at once.

IF SWALLOWED: Call a physician or Poison Control Center. Drink

1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce

vomiting or give anything by mouth to an unconsious person.

IF ON SKIN: Wash immediately with soap and water.

IF INHALED: Remove victim to fresh air. Apply respiration if

indicated.

SMI

Valdosta, Georgia

EPA REG. NO.

EPA EST. NO.

NET CONTENTS: 23 gallons

ACCEPTED with COMMENTS In EPA Letter Dated MAR 28 1994

Under the Federal Innecticide, Fundicide, and Rodenticide Act as amended, for the praticide registered under EPA Reg. No.

LEFT PANEL

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER

Do not get in eyes, on skin, or clothing. Wear goggles or face shield and rubber gloves when handling. If eye exposure occurs, get immediate medical attention. Harmful if swallowed. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate domestic or irrigation water. Do not apply when weather conditions favor drift from target areas.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

STORAGE AND DISPOSAL

Store in original container only, keep container tightly closed, do not allow water to be introduced into contents of this container. Do not contaminate water sources by run off from cleaning of equipment, disposal of equipment washwaters or waste from sprays composed of other toxicants. Do not store near heat or open flame. Container disposal - Triple rinse or puncture container and dispose of according to state or local authorities. In case of a chemical spill, leak, or fire call 1-800-424-9300.

BEST AVAILABLE COPY

5045

TURF

For use on golf courses, tees, and fairways on Bentgrasses, Bluegrasses, Bermudagrasses, Fescues, Ryegrasses, St. Augustine grasses or their mixtures.

Use spray mixture the same day it is prepared. Spray uniformly over the area to be treated. Apply recommended amounts in sufficient water to obtain thorough coverage, usually I gallon per 1,000 square feet of turf area. When treating golf greens, always treat aprons and approaches. Use the highest recommended rate under conditions of severe disease pressure.

LARGE BROWN PATCH (Rhizoctonia Solani) Apply SM-9 at 3/8 oz. to 3/4 oz. in 1 gallon of water per 1,000 square feet beginning when the disease first appears and continue at 7 day intervals through the season or as needed. Begin applications when the disease first appears. Do not apply when grass is stressed from heat, drought, etc.

PYTHIUM BLIGHT (Meriotylum) Apply SM-9 at 3/8 oz. to 3/4 oz. in 1 gallon of water per 1,000 square feet beginning when the disease first appears and continue at 7 day intervals through the season or as needed. Begin applications when the disease first appears. Do not apply when grass is stressed from heat, drought, etc.

WARRANTY STATEMENT

SMI warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use, subject to the risks referred to therein. SMI MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. IN NO CASE SHALL SMI OR SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT INCLUDING, BUT NOT LIMITED TO, LOSS OF PROFITS, BUSINESS REPUTATION, OR CUSTOMERS; LABOR COST; OR OTHER EXPENSES INCURRED IN PLANTING OR HARVESTING. SMI and seller offer this product and the buyer and user accept it subject to the foregoing conditions of sale and warranty which may be varied only by agreement in writing signed by a duly authorized representative of SMI.