DESCRIPTION: A synthetic detergent with broad spectrum kill of microorganisms both gram positive and regative. For cleaning and disinfecting. Non-flammable and non-volatile in use dilutions. For use on electrically conductive floors, Dilutes clear at (1:128) in hot, cold, soft or hard water. Contains biodegradable detergent. Dilute as directed using standard measuring cup or jug pump. Do not mix with other cleaners

Proven effective for hospital use by the following tests.

A.O.A.C. (Use Dilution)

The following tests run in conformance with A.O.A.C. Fifteenth Edition and all tests in presence of A.O.A.C., 1000 ppm harness and 5% organic soil.

TEST METHOD DILUTION É	DILUTION	TEST METHOD
Staphylococcus aureus #6538	1 128	Salmonella choleraesuis #10708 1:128
Pseudomonas aeruginosa #15442	1 128	HIV-1 (AIDS VIRUS) 1:128

The following tests dilute clear at (1:128) in hot, cold, soft or hard water of up to 500 ppm.

water hardness,			
TEST METHOD	DILUTION	TEST METHOD	DILUTION
Salmonella typhosa #6539	1:128	Trichophyton Interdigitale #640	1:154
Staphylococcus arues #14154	1:128	A O A.C. (Tuberculocidal Test)	
Streptococcus hemolyticus #9342	1:128	Mycobacterium Tuberculosis BCG	1:128
Diplococcus pneumonia #6303	1:128	Adapt (Virucidal Test)H Influenza	
Eschrichia coli #11229	1:128	Type A2, Taiwan Strain-Asian Flu	1:128
Proteus vulgaris #8427	1:128	Herpes Simplex WI-38	1:128
Streptococcus fecalis #8043	1:128		
DIRECTIONS FOR USE.			

DIRECTIONS FOR USE:

It is in violation of Federal Law to use this product in a manner inconsistent with its labeling. Recommended for disinfecting and deodorizing all pre-cleaned hard surfaces such as floors, walls, tile, stainless steel aluminum, chrome, vinyl and glass surfaces. Suitable for use in Operating Rooms, Intensive Care, Emergency Areas, Nurseries, Patients Rooms and Rest

HOSPITAL AND RESIDENTIAL USE DIRECTIONS:

- 1. Recommended for use on precleaned, hard, non-porous, inanimate surfaces.
- 2. To disinfect and deodorize floors, walls and other similar hard surfaces, use 1 ounce Product Disinfectant per gallon of water (dil 1:128). Apply with cloth, sponge, mop or mechanical spray device, making sure all surfaces are wetted thoroughly. Allow surfaces to remain wet for 10 minutes at 20°C.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

- 1. PERSONAL PROTECTION: Clean-up should always be done wearing protective latex gloves, gowns, masks and eye protection.
- 2. CLEANING PROCEDURE: Blood and other body fluids containing HIV must be thoroughly cleaned from surface and objects before application of ADVANTAGE-128.
- 3. CONTACT TIME: Leave surface wet for 10 minutes with 1 oz. per gallon use-solution,
- 4. DISPOSAL OF INFECTIOUS MATERIAL: Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to local regulations for infectious

Advantage 128 is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with bloodstream or normally sterile areas of the body, or (2) contact intact mucous membrances but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. Advantage 128 may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

GENERAL USE DIRECTIONS:

- 1. Recommended for use on precleaned hard, non-porous surfaces.
- 2.To disinfect and deodorize walls, floors, tables, drinking fountains, sinks, refrigerators, stoves, restroom fixtures, telephone booths, bird cages, kennels, and garbage cans. Apply a solution of 1 ounce Advantage 128 per gallon water (dil 1:128). Apply with cloth, sponge, mop or mechanical spray device, making sure all surfaces are wetted thoroughly. Allow surfaces to remain wet for 10 minutes. All surfaces must be rinsed with clean water and allowed to dry before reuse.
- 3. For combs, brushes, razors, scissors, instruments, and rubber goods. All articles must be precieaned to remove heavy soil and gross fifth. Clean and rinse the lumens of hollow instruments before filting with solution. Wipe articles clean and soak for 10 minutes by immersion in a solution containing 1 ounce Advantage 128 per gallon of water (dil 1:128). Rinse all articles with clean water.
- 4.To disinfect fabrics such as sheets, linens, aprons and uniforms, first preclean to remove gross fifth and heavy soil, then soak for 10 minutes in a solution containing 1 ounce of Advantage 128 per gallon of water (dil 1:128). Rinse in clean water and allow to dry,
- 5 Fresh solution should be prepared daily or when used solution becomes visibly dirty.



STAPHYLOCIDAL-PSEUDOMONACIDAL-BACTERICIDAL-FUNGICIDAL-TUBERCULOCIDAL-VIRUCIDAL* AT 1:128 DILUTION IN SOFT OR HARD WATER. FOR HOSPITAL, INSTITUTIONAL AND RESIDENTIAL USE.

ACTIVE INGREDIENTS:

ortho-Phenylphenol	5.5%
ortho-Benzyl-para-Chlorophenol	
para-Tertiary-Amylphenol	2.0%
INERT INGREDIENTS:	

KEEP OUT OF REACH OF CHILDREN DANGER

See additional precautions on side panel

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE:

Store in cool and dry place. Do not transfer to another container,

PESTICIDE DISPOSAL:

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance

CONTAINER DISPOSAL:

Plastic: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or punc ture and dispose of in a sanitary landfull, or incineration, or, it allowed by state and local authorities, by burning. If burned, stay out of smoke,

Gallons or smaller: Do not reuse empty container. Rinse empty container thorough ly and discard in trash.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow*. Do not induce vomiting unless told to do so by the poison control center or doctor.

IF INHALED: Move person to fresh air. If person is not breathing, dall 641 or an ambu-lance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

HOT LINE NUMBER: Have the product container or label with you when taking a poison control center or doctor, or going for treatment. You may also contact (7,000) 255-3924 for emergency medical treatment information. For information on this partial (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide.

Telecommunications Network at 1 (800) 858-7378.

NOTE TO PHYSICIAN: Probable mucosal damage may consummed and Confusion may lavage Measures against circulatory shock, respiratory depression and Confusion may be needed

SHOERATHS:

Shoebath containing one inch of freshty made disinfectant solution (1:256) should be placed at all entrances to buildings and hatcheries. Change the disinfectant solution in the bath daily or

For all spray applications: Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers must be in area during application. Following application as a low-pressure or high-pressure spray, do not enter or allow others to enter the treated area until sprays have dried.

For pour, pump, mop, and wipe applications: Do not apply this product in a way that will contact other persons. Only protected handlers may be in the area during application.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage or skin burns. Harmful if swollowed or absorbed through skin or inhaled. Do not get in eyes, on skin or on clothing. Avoid breathing spray mist. Wear googles or face shield. Wear protective clothing (long-sleeve shirt and long pants, socks plus shoes and chemical resistant gloves such as water proof gloves). Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public Waters unless in accordance with the requirements of a National Pollutant Discharge Elimination system (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear: Long-sleeved shirt and long pants, Socks and chemical resistant shoes, Goggles or face shield, and Chemical-resistant gloves (such as barrier taminate, butyl rubber, nitril rubber, neoprene rubber, polyvinyl chloride, or viton selection Category C). In addition, applicators and other handlersexposed to the fog during fogging applications, and until the fog has dissipated, and the enclosed area has been thoroughly ventilated activities must wear a full-face NIOSH-approved respirator that uses N. R. or P series airpurifying filter. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATION STATEMENTS

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using toi-let. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Wash outside of gloves before removing. As soon as possible wash thoroughly.

	•
Bajoh No.	Net Contents:
量A.R.G.NO: 66171-2	EPA EST NO: 66171-TN-001
왕 듣 그. 🐧	

NFPA HAZARD CLASSIFICATION

HEALTH	FIRE	REACTIVITY	SPECIFIC
2	1	0	ALK

Page 1 of 2

 ω

للفا

ADVANTAGE 128

DIRECTIONS FOR USE IN POULTRY HOUSE, FARM PREMISES, SWINE PRODUCTION FACILITIES, EQUINE FACILITIES, VEAL BARNS, RATITES FACILITIES AND CALF PENS:

- 1. Do not use in milking stalls, milking parlors, or milk houses.
- 2. Remove all animals and feed from the premises, vehicles, and enclosures.
- 3. Remove all litter and manure from floors, walls and surfaces of bams, pensistalls, chutes, and other facilities and fixtures occupied or traversed by animals.
- 4. Empty all troughs, racks, and other feeding and watering appliances.
- Thoroughly clean and saturate all surfaces with a solution of 1 oz. ADVANTAGE 128 per gallon of water (128), using conventional spraying methods. Allow to remain in contact for at least 10 minutes.
- Immerse all halters, ropes, and other types of equipment used in handling and restraining animals, as well as forks, shovels and scrapers used for removing litter and manure in a solution of 1 oz. ADVANTAGE 128 per gallon of water (1:128), Allow to remain in contact for 10 minutes.
- Thoroughly scrub all treated feed racks, troughs, automatic feeders, fountains, waterers, mangers, hatchers, setters, trays, racks, sexing tables and delivery trucks with a solution of ADVANTAGE 128 at 1 oz. per gallon of water (1:128). Rinse with potable water before reuse.
- Ventilate buildings, cars, boats, coops and other closed spaces. Do not house poultry or livestock or employ equipment until treatment has been absorbed, set or dried.

HATCHING EGG SANITIZER:

ADVANTAGE 128 is recommended for sanitizing hatching eggs at water temperatures of 78 degrees F to 110 degrees F and recommended dilution of 1 oz. per gallon of water (1:128) to be applied through immersion, automatic water system, foaming or fogging (wet misting) systems.

SANITIZING ROOMS USING A THERMAL FOGGER:


Fogging is to be used as an adjunct prior to acceptable manual cleaning and disinfecting of room surfaces. Close room off so fog is confined to room to be treated. Mix one (2) parts ADVANTAGE 128 to five (5) parts water. (1 gallon ADVANTAGE 128 to 2.5 gallons of water.) Insert the nozzle of the fogger through a suitable opening into the room. With the setting on maximum output, fog for one (1) minute to reach 4,000 cubic feet of space in the room with the thermal fogger.

ADVANTAGE 128 is recommended for use in fogging (wet mist) operations as an adjunct prior to acceptable manual cleaning and disinfecting of room surfaces. Use at a dilution of 1 ounce per gallon (1:128). Check with a Preserve International representative to determine an effective logging schedule. Leave the room when fogging. In well ventilated areas, such as hatcheries, only 10-15 minutes is necessary before re-entering. If used in a poorly ventilated area, allow at least 2 hours, or air thoroughly, before re-entry. Before fogging food processing areas, all food and food packaging items must be removed or carefully protected. Treated food contact surfaces must be thoroughly scrubbed with ADVANTAGE 128 at 1 ounce per gallon (1:128) and rinsed with potable water prior to reuse.

For fog applications: Thoroughly ventilate entire area following application. Do not enter, allow other persons to enter, house livestock, or use equipment in the treated area until ventilation is complete and any liquid has been absorbed, set, or dried. For entry into fogged areas before ventilation is complete and the fog has completely dissipated, all persons must wear the personal protective equipment, including a full-face respirator, required in the precautionary statements section of this labeling for applicators and other handlers.

EPA REG NO: 66171-2

EPA EST NO: 66171-TN-001





Manufactured by:

PRESERVE

Zepher Cove, NV 89448 • (800) 995-1607