



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

DEC 2 2009

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Gary Gaumer, President Preserve International PO Box 17003 Reno, NV 89511

Subject:

Notification per PR Notice 98-10

Advantage 128

EPA Registration Number: 66171-2 Application Date: November 5, 2009 Receipt Date: November 9, 2009

Dear Mr. Gaumer:

This acknowledges receipt of your notification, submitted under the provisions of PR Notice 98-10 and FIFRA section 3 (c) 9.

Proposed Notification:

Label revision per PR Notice 2007-4.

General Comments:

The notification is acceptable. A copy has been inserted in your file for future reference.

Should you have further questions concerning this letter, please contact me at 703-308-6427 or by email at carlisle.shaRon@epa.gov or Killian Swift by telephone at 703-308-6346 or by email at swift.killian@epa.gov. When submitting information or data in response to this letter, a copy of this letter should accompany the submission to facilitate processing.

Sincerely,

ShaRon Carlisle

(Acting) Product Manager 34
Regulatory Management Branch II
Antimicrobials Division (7510P)

	FUIII ADI	UTOVEG, UNID NO. 2070-UU	OU			
SEPA Environmental Protect	United States		OPP Identifier Number			
Application for Pesticide - Section I						
1. Company/Product Number 66171-2	2. EPA Product Me	nager 3.	Proposed Classification			
4. Company/Product (Name) Advantage 128	PM# 3 4		None Restricted			
5. Name and Address of Applicant (Include ZIP Code) Preserve International PO Box 17003 Reno, NV 89511 Check if this is a new address	(b)(i), my produc to:	t is similar or identical in	ith FIFRA Section 3(c)(3) composition and labeling			
	Section - II					
Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below.	Agency lo	ted labels in response to etter dated Application.				
Notification to comply with PR Notice 2007-4. (Container Handling) Section - III						
1. Material This Product Will Be Packaged In:						
Child-Resistant Packaging Yes* No No * Certification must be submitted Unit Packaging Yes No. per Unit Packaging wgt.	Water Soluble Packaging Yes No If "Yes" No. pe Package wgt contai		al tic s			
	Retail Container	5. Location of Label Dire	ections			
Label Container	On Lab		companying product			
6. Manner in Which Label is Affixed to Product Lithograph Paper glued Stenciled						
	Section - IV					
1. Contact Point (Complete items directly below for identific	etion of individual to be contacte	d, if necessary, to process	this application.)			
Name Title Gary Gaumer President		- I	hone No. (Include Area Code) 853-9776			
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment (6) (Stamped) (Stamped)						
2. Signature	3. Title President	;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;	د د			
4. Typed Name	5. Date	U2022	3333			

October 27, 2009

Gary Gaumer



Office of Gary E. Gaumer P.O. Box 17003, Reno, NV 89511 • Bus: (775) 853-9776 • Fax: (775) 853-9212 • email: gegaumer@preserveinc.com

October 27, 2009

Office of Pesticides Programs (7504C)
United States Environmental Protection Agency (NOTIFICATION)
Ariel Rios Building
1200 Pennsylvania Avenue, N.W.
Washington, DC 20460

RE:Notification per PR Notice 2007-4, For Advantage 128, EPA Registration Number 66171-2

To Whom it May Concern:

Preserve International hereby submits this notification per PR Notice 2007-8.

These directions have been submitted to, and approved by Nancy Fitz, EPA OPP. Please see attached copy of the email.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If I may be of further assistance, please feel free to contact me at 775-853-9776.

Thank you for your time and consideration.

Sincerely,

Preserve International

Gary E. Gaumer

President

DESCRIPTION: A synthetic detergent with broad spectrum kill of microorganisms both gram positive and negative. For cleaning and disinfecting. Non-flammable and non-volatile in use dilutions. For use on electrically conductive floors. Dilutes clear at (1:128) in hot, cold, soft or hard water. Contains biodegradable detergent. Dilute as directed using standard measuring cup or jug pump. Do not mix with other cleaners.

Proven effective for hospital use by the following tests: A.O.A.C. (Use Dilution)

The following tests run in conformance with A.O.A.C. Fifteenth Edition and all tests in presence of A.O.A.C., 1000 ppm harness and 5% organic soil.

Staphylococcus aureus Salmonella choleraesuis Pseudomonas aeruginosa HIV-1 (AIDS VIRUS)*

The following tests dilute clear at (1:128), unless otherwise specified, in hot, cold, soft or hard water of up to 500 ppm water hardness.

Salmonella typhosa Trichophyton Interdigitale Staphylococcus arues Proteus vulgaris Herpes Simplex WI-38 Eschrichia coli Type A2, Taiwan Strain-Asian Flu Streptococcus fecalis Streptococcus hemolyticus Mycobacterium Tuberculosis BCG Diplococcus pneumoniaAdapt (Virucidal Test)* Influenza

DIRECTIONS FOR USE:

It is in violation of Federal Law to use this product in a manner inconsistent with its labeling. inded for disinfecting and deodorizing all pre-cleaned hard surfaces such as floors, stainless steel aluminum, chrome, vinyl and glass surfaces. Suitable for use in Operancy Rooms, Intensive Care, Emergency Areas, Nurseries, Patients Rooms and Rest Rooms

HOSPITAL AND RESIDENTIAL USE DIRECTIONS:

1. Recommended for use on precleaned, hard, non-porous, inanimate surfaces.

2. To disinfect and deodorize floors, walls and other similar hard surfaces, use 1 ounce Product Disinfectant per gallon of water (dil 1:128). Apply with cloth, sponge, mop or mechanical spray device, making sure all surfaces are wetted thoroughly. Allow surfaces to remain wet for 10 minutes at 20°C.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

- 1. PERSONAL PROTECTION: Clean-up should always be done wearing protective latex gloves, gowns, masks and eye protection.
- 2. CLEANING PROCEDURE: Blood and other body fluids containing HIV must be thoroughly cleaned from surface and objects before application of ADVANTAGE-128.
- 3. CONTACT TIME: Leave surface wet for 10 minutes with 1 oz. per gallon use-solution.
- 4. DISPOSAL OF INFECTIOUS MATERIAL: Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to local regulations for infectious waste

Advantage 128 is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with bloodstream or normally sterile areas of the body, or (2) contact intact mucous membrances but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. Advantage 128 may be used to preclean or decontaminate critical or semicritical medical devices prior to sterilization or high level disinfection.

SUSE DIRECTIONS:

inded for use on precleaned hard, non-porous surfaces.

2.To disinfect and deodorize walls, floors, tables, drinking fountains, sinks, refrigerators, stoves, restroom fixtures, telephone booths, bird cages, kennels, and garbage cans. Apply a solution of 1 ounce Advantage 128 per gallon water (dil 1:128). Apply with cloth, sponge, mop or mechanical spray device, making sure all surfaces are wetted thoroughly. Allow surfaces to remain wet for 10 minutes. All surfaces must be rinsed with clean water and allowed to dry

3. For combs, brushes, razors, scissors, instruments, and rubber goods. All articles must be precleaned to remove heavy soil and gross filth. Clean and rinse the lumens of hollow instruments before filling with solution. Wipe articles clean and soak for 10 minutes by immersion in a solution containing 1 ounce Advantage 128 per gallon of water (dil 1:128). Rinse all articles with clean water.

4.To disinfect fabrics such as sheets, linens, aprons and uniforms, first preclean to remove gross filth and heavy soil, then soak for 10 minutes in a solution containing 1 ounce of Advantage 128 per gallon of water (dil 1:128). Rinse in clean water and allow to dry.

5. Fresh solution should be prepared daily or when used solution becomes visibly dirty.



STAPHYLOCIDAL-PSEUDOMONACIDAL-BACTERICIDAL-FUNGICIDAL-TUBERCULOCIDAL-VIRUCIDAL* AT 1:128 DILUTION IN SOFT OR HARD WATER.

FOR HOSPITAL, INSTITUTIONAL AND RESIDENTIAL USE.

ACTIVE INGREDIENTS:

ortho-Phenylphenol	5.5%
ortho-Benzyl-para-Chlorophenol	
para-Tertiary-Amylphenol	2.0%
INERT INGREDIENTS:	
THE THE THE TENER OF THE TENER	

KEEP OUT OF REACH OF CHILDREN DANGER

See additional precautions on side panel

STORAGE AND DISPOSAL

 Do not contaminate water, food or feed by storage or disposal. PESTICIDE STORAGE:

Store in cool and dry place. Do not transfer to another container.

PESTICIDE DISPOSAL:

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide. sprav mixture, or rinsate is a violation of Federal law, if these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmenta Control Agency or the Hazardous Waste representative at the nearest EPA Regiona Office for guidance.

Container Handling: Nonrefillable container. Do not reuse or refill this container. Offe for recycling if available, or offer for reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local

(For greater than 5 gallons) Triple rinse container (or equivalent) promptly after empty ing. Triple rinse as follows: Empty remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution for 30 seconds. Stand the container on its end and tip it back and forth several times Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal, Repeat this procedure two more times. (For 5 gallons or less) Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds: Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times

General: Consult Federal. State or local disposal authorities for approved alternative procedures

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear: Long-sleeved shirt and long pants, Socks and chemical resistant shoes, Goggles or face shield, and Chemical-resistant gloves (such as barrier laminate, butyl rubber, nitril rubber, neoprene rubber, polyvinyl chloride, or viton selection Category C). In addition, applicators and other handlersex posed to the fog during fogging applications, and until the fog has dissipated, and the enclosed area has been thoroughly ventilated activities must wear a full-face NIOSH approved respirator that uses N, R, or P series airpurifying filter. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables use detergent and hot water. Keep and wash PPE separately from other laundry.

SHOEBATHS:

Shoebath containing one inch of freshly made disinfectant solution (1:256) should be placed at all entrances to buildings and hatcheries. Change the disinfectant solution in the bath daily

For all spray applications: Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers must be in area during application. Following application as a low-pressure or high-pressure spray, do not enter or allow others to enter the treated area until sprays have dried.

For pour, pump, mop, and wipe applications: Do not apply this product in a way that will contact other persons. Only protected handlers may be in the area during application.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage or skin burns. Harmful if swollowed or absorbed through skin or inhaled. Do not get in eyes, on skin or on clothing. Avoid breathing spray mist. Wear googles or face shield. Wear protective clothing (long-sleeve shirt and long pants, socks plus shoes and chemical resistant gloves such as water proof gloves). Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination system (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow*. Do not induce vomiting unless told to do so by

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1 (800) 255-3924 for emergency medical treatment information. For information on this pesticide (including health concerns medical emergencies, or pesticide incidents), call the National Pesticide Telecommunications Network at 1 (800) 858-7378.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

USER SAFETY RECOMMENDATION STATEMENTS

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using tollet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Wash outside of gloves before removing. As soon as possible, wash thoroughly.

Batch No:	Net Contents:	

EPA REG NO: 66171-2

the poison control center or doctor.

EPA EST NO: 66171-TN-001

NFPA HAZARD CLASSIFICATION

HEALTH	FIRE	REACTIVITY	SPECIFIC
2	1	0	ALK



ADVANTAGE 128

DIRECTIONS FOR USE IN POULTRY HOUSE, FARM PREMISES, SWINE PRODUCTION FACILITIES, EQUINE FACILITIES, VEAL BARNS, RATITES FACILITIES AND CALF PENS:

- 1. Do not use in milking stalls, milking parlors, or milk houses.
- 2. Remove all animals and feed from the premises, vehicles, and enclosures.
- 3. Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, chutes, and other facilities and fixtures occupied or traversed by animals.
- 4. Empty all troughs, racks, and other feeding and watering appliances.
- Thoroughly clean and saturate all surfaces with a solution of 1 oz. ADVANTAGE 128 per gallon of water (128), using conventional spraying methods. Allow to remain in contact for at least 10 minutes.
- Immerse all halters, ropes, and other types of equipment used in handling and restraining animals, as well as forks, shovels and scrapers used for removing litter and manure in a solution of 1 oz. ADVANTAGE 128 per gallon of water (1:128). Allow to remain in contact for 10 minutes.
- Thoroughly scrub all treated feed racks, troughs, automatic feeders, fountains, waterers, mangers, hatchers, setters, trays, racks, sexing tables and delivery trucks with a solution of ADVANTAGE 128 at 1 oz. per gallon of water (1:128). Rinse with potable water before reuse.
- 8. Ventilate buildings, cars, boats, coops and other closed spaces. Do not house poultry or livestock or employ equipment until treatment has been absorbed, set or dried

HATCHING EGG SANITIZER:

ADVANTAGE 128 is recommended for sanitizing hatching eggs at water temperatures of 78 degrees F to 110 degrees F and recommended dilution of 1 oz. per gallon of water (1:128) to be applied through immersion, automatic water system, foaming or fogging (wet misting) systems.

SANITIZING ROOMS USING A THERMAL FOGGER:

Fogging is to be used as an adjunct prior to acceptable manual cleaning and disinfecting of room surfaces. Close room off so fog is confined to room to be treated. Mix one (2) parts ADVANTAGE 128 to five (5) parts water. (1 gallon ADVANTAGE 128 to 2.5 gallons of water.) Insert the nozzle of the fogger through a suitable opening into the room. With the setting on maximum output, fog for one (1) minute to reach 4,000 cubic feet of space in the room with the thermal fogger.

ADVANTAGE 128 is recommended for use in fogging (wet mist) operations as an adjunct prior to acceptable manual cleaning and disinfecting of room surfaces. Use at a dilution of 1 ounce per gallon (1:128). Check with a Preserve International representative to determine an effective fogging schedule. Leave the room when fogging. In well ventilated areas, such as hatcheries, only 10-15 minutes is necessary before re-entering. If used in a poorly ventilated area, allow at least 2 hours, or air thoroughly, before re-entry. Before fogging food processing areas, all'food and food packaging items must be removed or carefully protected. Treated food contact surfaces must be thoroughly scrubbed with ADVANTAGE 128 at 1 ounce per gallon (1:128) and rinsed with potable water prior to reuse.

For fog applications: Thoroughly ventilate entire area following application. Do not enter, allow other persons to enter, house livestock, or use equipment in the treated area until ventilation is complete and any liquid has been absorbed, set, or dried. For entry into fogged areas before ventilation is complete and the fog has completely dissipated, all persons must wear the personal protective equipment, including a full-face respirator, required in the precautionary statements section of this labeling for applicators and other handlers.



Manufactured by:

PRESERVE

Reno, NV 89511 • (800) 995-1607 • www.preserveinternational.com

2