

66171-7

9/12/2001

Page 1 of 3

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

SEP 12 2001

Preserve International  
315 Wall Street, Suite 1  
Chico, CA 95928

ATTENTION: Gary Gaumer  
SUBJECT: Synergize  
EPA Registration Number: 66171-7  
Your Amendment Dated: July 11, 2001  
EPA Received Date: July 24, 2000

The amendment referred to above, submitted in connection with registration under FIFRA as amended, is acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

The revised label language in PR Notice 2001-1 is to be used unless the statements are medically incorrect for your product. You have not provided a justification to indicate that the statements are medically incorrect. Thus revise the First Aid statements to agree with the PR Notice as follows:

A. Revise the "If In Eyes" statement to conclude with "...call a poison control center or doctor for treatment advice." deleting the word "further".

B. Revise the "If On Skin or Clothing" statement to conclude with "...call a poison control center or doctor for treatment advice." deleting the word "further".

C. Revise the "If Inhaled" statement to begin with the statement: "Move person to fresh air."

D. Revise the "If Swallowed" statement to begin with the statement: "Call a poison control center or doctor immediately for treatment advice..."

SYMBOL	7510C						
SURNAME	J. Lee						
DATE	9/10/01						

273

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

2. Submit two ( 2 ) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records. Should you have any questions concerning this letter, please contact Tracy Lantz at (703) 308-6415.

Sincerely,



Velma Noble  
Product Manager (31)  
Regulatory Management Branch I  
Antimicrobials Division (7510C)

Enclosure: Stamped Label  
7510C:T.Lantz:9/10/01:66171-7e

CONCURRENCES

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							

**DESCRIPTION**

SYNERGIZE is a multi purpose disinfectant-cleanser. SYNERGIZE provides a broad spectrum kill of gram negative and gram positive microorganisms. SYNERGIZE provides effective disinfecting and cleaning in one operation. SYNERGIZE is effective in warm, soft or hard water (as much as 1000 ppm CaCO<sub>3</sub>) and performs especially well in areas containing 5% serum.

SYNERGIZE is for use on glazed ceramic and tile surfaces, stainless steel, aluminum, chrome, galvanized metal, tin, brass, zinc, glass, hard non-porous treated wood, polyethylene, polypropylene, PVC (polyvinyl chloride), vinyl, fiberglass, viton, ethylene propylene, nitrile, acrylic and polyurethane.

**DIRECTIONS FOR USE:**

It is in violation of Federal Law to use this product in a manner inconsistent with its labeling. Registered for disinfecting and cleaning hard non-porous surfaces. Not for use on feed, food or litter.

SYNERGIZE cleaner-disinfectant is specifically formulated for industrial use in the following Animal and Poultry Housing facilities: Turkey, Breeder, Grow Out, Fryer, Layer, Hatcheries and Swine Producing Facilities as well as the following equipment in these facilities: Waterers, Feeders, Hauling Equipment, Dressing Plants, Loading Equipment, Farrowing Barns, Nurseries, Blocks, Creep Areas, and Chutes. This product is also for use in Farm Premise, Equine Facilities, Veal Barns, Ratite Facilities (Ostrich, Emu and Rhea Facilities), Calf Pens and associated Farm Vehicles.

**USE DIRECTIONS:**

To disinfect and clean hard non-porous surfaces of walls, floors, tables, sinks, refrigerator exteriors, telephone booths and garbage cans in non-animal areas associated with the sites noted above. Apply a solution of 1/2 ounce SYNERGIZE per gallon water (dilute 1:256) to pre-cleaned surfaces. Apply with cloth, sponge, mop or mechanical coarse spray device, making sure all surfaces are wetted thoroughly. Allow surfaces to remain wet for 10 minutes. All surfaces must be rinsed with clean water and allowed to dry before reuse.

**BOOT/SHOE WASH:** To prevent tracking harmful organisms into animal areas, shoe baths containing one inch of freshly made disinfecting solution should be placed at all entrances to building. Scrape waterproof shoes or boots and place in a 1/2 ounce SYNERGIZE per gallon water solution. Allow the solution to come in contact with the boot/shoe for 10 minutes. Change the disinfecting solution when solution becomes visibly dirty.

**VEHICLES:** To disinfect the non-porous, hard surfaces of vehicles use a solution of 1/2 ounce SYNERGIZE per gallon of water. Apply using a high pressure or course spray system. Leave all treated surfaces exposed to solution for 10 minutes, or more and allow to air dry. All treated surfaces that will contact feed or drinking water must be thoroughly scrubbed with soap or detergent then rinsed with potable water before reuse.

**DIRECTIONS FOR USE IN SWINE PRODUCING FACILITIES:**

- 1) Remove all animals and feed from the premises, vehicles and enclosures
- 2) Empty all troughs, racks, and other feeding and watering appliances
- 3) Remove all gross soil, bedding, manure, caked on dirt, spider webs, etc. from walls to ceilings of barns, pens, stalls, chutes, and other facilities occupied or traversed by hogs or other animals
- 4) Thoroughly clean all surfaces with soap or detergent and rinse with water
- 5) Thoroughly saturate all surfaces with a solution of 1/2 oz. SYNERGIZE per gallon of water (1:256), using conventional spraying methods
- 6) Allow all treated areas to remain in contact with this solution for at least 10 minutes
- 7) Immerse equipment used in handling and restraining animals, forks, shovels, and scrapers used for removing manure in SYNERGIZE at a dilution of 1:256. Allow to remain in contact for at least 10 minutes
- 8) Ventilate buildings, and other closed spaces. Do not house swine or other livestock until treatment has been absorbed, set, or dried
- 9) Thoroughly scrub treated feed racks, troughs, automatic feeders, fountains, waterers and equipment which may come in contact with food with soap or detergent, and rinse with potable water before reuse

# SYNERGIZE CLEANER-DISINFECTANT

*Synergize cleaner-disinfectant is specifically formulated for industrial use in the following Animal and Poultry Housing facilities: Turkey, Breeder, Grow Out, Fryer, Layer, Hatcheries and Swine Producing Facilities as well as the following equipment in these facilities: Waterers, Feeders, Hauling Equipment, Loading Equipment, Farrowing Barns, Nurseries, Blocks, Creep Areas, and Chutes. This product is also for use in Farm Premise, Equine Facilities, Veal Barns, Ratite Facilities (Ostrich, Emu and Rhea Facilities), Calf Pens and associated Farm Vehicles.*

Staphylococcus aureus A T C C 6538  
Salmonella choleraesuis A T C C 10708

Pseudomonas aeruginosa A T C C 15442  
Aspergillus fumigatus A T C C 36607

**ACTIVE INGREDIENTS**

Alkyl (C <sub>12</sub> 67%, C <sub>14</sub> 25%, C <sub>16</sub> 7%, C <sub>18</sub> 1%) dimethyl benzyl ammonium chloride	26.00%
Glutaraldehyde	7.00%
<b>INERT INGREDIENTS</b>	<b>67.00%</b>
<b>TOTAL</b>	<b>100.00%</b>

## KEEP OUT OF REACH OF CHILDREN DANGER

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

See First Aid statement and additional precautions on side panel

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed, by storage and disposal.

**PESTICIDE STORAGE:**

Store away from heat. Do not transfer to another container. Do not reuse empty container

**PESTICIDE DISPOSAL:**

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instruction, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:**

Plastic: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

EPA Registration No.: 66171-EPA Letter Dated:

EPA Establishment No.: 66171-TN-001

66171-CA-001 SEP 12 2001

Patent Number: 5,891,922

Under the Federal Insecticide, Fungicide, and Rodenticide Act as

NFPA HAZARD CLASSIFICATION			
HEALTH	FIRE	REACTIVITY	SPECIFIC HAZARD
3	1	1	None

pesticide, registered under EPA Reg. No. 66171-7

**DIRECTIONS FOR USE IN FARM PREMISES, EQUINE FACILITIES, VEAL BARN, RATITES FACILITIES, CALF PENS AND VEHICLES:**

- 1) Do not use in milking stalls, milking parlors, or milk houses
- 2) Remove all animals and feed from the premises, vehicles, and enclosures
- 3) Remove all gross soil, bedding, manure, caked on dirt, spider webs, etc. from floors, surfaces, and from walls to ceiling of barns, pens, stalls, chutes, and other facilities occupied or traversed by hogs or other animals
- 4) Empty all troughs, racks, and other feeding and watering appliances
- 5) Thoroughly clean all surfaces with soap or detergent and rinse with water
- 6) Thoroughly saturate all surfaces with a solution of 1/2 oz. SYNERGIZE per gallon of water (1:256), using conventional spraying methods. Allow to remain in contact with this solution for at least 10 minutes
- 7) Immerse all halters, ropes, and other types of equipment used in handling and restraining animals, as well as forks, shovels and scrapers used for removing manure in a solution of 1/2 oz. SYNERGIZE per gallon of water (1:256). Allow to remain in contact for 10 minutes
- 8) Ventilate buildings, cars, boats, coops and other closed spaces. Do not house poultry or livestock or employ equipment until treatment has been absorbed, set, or dried
- 9) Thoroughly scrub treated feed racks, troughs, automatic feeders, fountains, waterers and equipment which may come in contact with food with soap or detergent, and rinse with potable water before reuse

**DIRECTIONS FOR USE IN POULTRY HOUSE:**

- 1) Remove all poultry and feeds from premises, trucks, coops, and crates
- 2) Remove all litter and droppings from floors, walls and surfaces of facilities occupied or traversed by poultry
- 3) Empty all troughs, racks, and other feeding and watering appliances
- 4) Thoroughly clean all surfaces with soap or detergent and rinse with water
- 5) Saturate surfaces with 1/2 ounce SYNERGIZE per gallon water (dilute 1:256) for a period of 10 minutes
- 6) Ventilate building, coops, and other closed spaces. Do not house poultry or employ equipment until treatment has been absorbed, set, or dried
- 7) Thoroughly scrub treated feed racks, troughs, automatic feeders, fountains, waterers and equipment which may come in contact with food with soap or detergent, and rinse with potable water before reuse.

**PRECAUTIONARY STATEMENTS**

Hazards to humans and domestic animals

**DANGER**

**KEEP OUT OF REACH OF CHILDREN.** Corrosive. Causes irreversible eye damage and skin burns. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe spray mist. Wear goggles or face shield. Wear a dustmist/filtrating respirator (MSHA/NIOSH approval number prefix TC-21C) or a NIOSH approved respirator with any N, P, R, or HE prefilter. Wear protective clothing and rubber gloves. Prolonged or frequent repeated skin contact may cause allergic reaction in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash before reuse.

**STATEMENT OF PRACTICAL TREATMENT**

**FIRST AID**

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.

**IF INHALED:** If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**IF SWALLOWED:** Call a poison control center or doctor for further treatment advice. Have person sip a glass of water if able to swallow; do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**HOT LINE NUMBER:** Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1 (800) 255-3924 for emergency medical treatment information. For information on this pesticide (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Telecommunications Network at 1 (800) 858-7378.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other water, unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Net Contents: \_\_\_\_\_ U.S. Gallons      Batch No: \_\_\_\_\_

**PRESERVE**  
INTERNATIONAL  
Zephyr Cove, NV 89448

Manufactured by  
PRESERVE INTERNATIONAL ZEPHYR COVE, NV 89448, USA Telephone (209) 664-1607

W