### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

66171-8

6/23/2005

June 23, 2005

Gary E. Gaumer President Preserve International PO Box 3135 Turlock, CA 95381

Subject:

MYCOCIDE

EPA Registration No. 66171-8 Application Date: May 23, 2005 Receipt Date: May 27, 2005

### Dear Mr. Gaumer:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c)9.

# **Proposed Notification**

correct type error in Directions for Use

## **General Comments**

Based on a review of the material submitted, the following comments apply:

The notification application is acceptable. A copy has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, please contact me at (703) 308-6345.

Sincerely,

Wanda Y. Henson Product Reviewer (32) Regulatory Management Branch II Antimicrobials Division (7510C)

CONCURRENCES							
MBOL 7510C 757UC							
IRNAME & BEG HENSON							
ATE 16/23/05 (-23-05)							
:PA Form 1320-1A (1/90)	Printed on Demoied Paper	OFFICIAL FILE CORY					

									7	7	- 4
SEPA	Environmenta	United States		Form App	Proved	Regis	stratio ndme	n	- T		expired 2-28-5
-		<b>Applicati</b>	on for Pesti	cide - Sect	tion	I					
1. Company/Product Numbe 66171-8	or		2. EPA Product Manager 3. Proposed Clas BRENNIS None				<u></u>	fication Restricted			
4. Company/Product (Name MYCOCIDE	) 		PM# 32						_	<u> </u>	
5. Name and Address of Ap Preserve Internationa PO Box 3135 Turlock, CA 95381		ode)	(b)(i), to: EPA	my product i Reg. No	s sim	ilar or id	dentical	in c	ompos	ition an	
			Section -								
Amendment - Explain  Resubmission in resp  Notification - Explain  Explanation: Use addition  Notification to correct the typ	below.  helpege(s) if necessar	ry. (For section		Final printed Agency lett "Me Too" A Other - Expl	er det Applica	ed ation.	sonse to				
			Section -	111							
1. Material This Product Will Child-Resistant Packaging Yes No No wertification must be submitted	Be Packaged In:  Unit Packaging  Yes  No  If "Yes" Unit Packaging wgt.	No. per container	Water Soluble Yes No If "Yes" Package wgt	Packaging No. per container		2. Type	Pt.	etal estic ess per	r Specify	·)	
Label C	Information ontainer	4. Size(s) Re	tail Container		5. Loc	cation of	Label D	irecti	ons	-	
5. Manner in Which Label is	Affixed to Product	Lithog Paper Stence	graph glued iled	Other							-
			Section -	IV							·
. Contact Point (Complete	items directly below f	or identification	on of individual to	be contacted, i	f nece	essery, to	o proces	s this	s applic	stinn.)	
Name Gary E. Gaumer			Title President					Telephone No. (Irrolude Area Code) 775-853-9776			Area Code)
I certify that the stater I acknowledge that an both under approprie	y knowlinglly false or	Certifica this form and misleading sta	all attachments t	hereto are true, unisheble by fin	, accu	rate and mprison	ment or	,	Re	te Appli coived (Stam	
2. Signature			3. Title President						• •		
I. Typed Name Gary E. Gaumer			5. Date Ma	ay 23, 2005	5				] .	. •	



Office of Gary E. Gaumer P.O. Box 17003, Reno, NV 89511 • Bus: (775) 853-9776 • Fax: (775) 853-9212 • email: gegaumer@preserveinc.com

May 23, 2005

Mr. Bob Brennis
Office of Pesticides Programs (7504C)
United States Environmental Protection Agency (NOTIFICATION)
Ariel Rios Building
1200 Pennsylvania Avenue, N.W.
Washington, DC 20460

Dear Mr. Brennis:

{

Preserve International hereby submits this notification to correct the type error in the Back-flush for teat Cups on Dairy Farms directions for use.

One ounce per 26 gallons of product will provide 12.5 ppm titratable iodine not 25 ppm titratable iodine as the label states. Please see the Use Dilution Chart on the right side panel.

If I may be of further assistance, please feel free to contact me at 775-853-9776.

Thank you for your time and consideration.

Sincerely,

Preserve International

Gary E. Gaumer

President

#### FOOD AND BEVERAGE SANITIZATION PROCEDURES

Prior to sanitizing, remove gross filth by either flushing, scraping or soaking the desired area to be sanitized. Wash surfaces or objects with detergent or cleaner and rinse with potable water.

Soft Drink Plants: Thoroughly rinse bottling and pre-mix dispensers with water. Drain thoroughly and fill equipment with 25 ppm solution (refer to use solution chart). Just before resuming operation flush 25 ppm solution from equipment with potable water. When changing over between soft drink flavors, rinse system well with water, flush with 25 ppm solution. Drain thoroughly before use.

Sanitizing Bottles and Cans: Proportion Mycocide into the final rinse of the container washer or rinses in concentrations of 8-12 ppm titratable iodine (see solution chart).

Sanitizing Storage Tanks: After cleaning, use a 25 ppm solution for sanitizing beer fermentation and holding tanks. Use solution can be applied by using a coarse spray or can be used in conjunction with automated clean-in-place systems. No water rinse is required after sanitizing. Drain thoroughly before use.

Equipment in Poultry, Meat, Rabbit, Egg Processing Plants, Frozen and Fresh Pack Processing Plants: To clean equipment, scrub surfaces with a mop, brush, sponge or cloth using 50 ppm solution. Rinse with potable water. For sanitizing previously cleaned surfaces, apply 25 ppm solution by using a coarse spray, flushing, or with a clean sponge. Thoroughly wet surfaces and allow to thoroughly drain. No final water rinse is required.

Sanitizing Poultry Drinking Water: For sanitizing poultry drinking water, use one ounce Mycocide for every 52 gallons of water providing 6 ppm titratable iodine. Continuously proportioned in water line. Drain thoroughly before use.

Milk, Citrus and Ice Cream Processing Plants: Applied routinely as a sanitizing coarse spray (12 1/2 ppm to 25 ppm titratable iodine) on walls, conveyors, equipment and floors. Mycocide will reduce or eliminate odors in the processing area. Use on filling equipment to reduce or eliminate bacteria associated with condensation on equipment and pipes. Regular use as a sanitizer at 25 ppm helps prevent milk stone formation on equipment. Drain thoroughly before use.

Back-Flush for Teat Cups on Dairy Farms: To clean/sanitize milking machine test cups between cows, rinse with clean water, then inject 1 ounce Mycocide per 26 gallons of water (12.5 ppm) or 1 ounce Mycocide per 13 gallons of water (25 ppm), flush, and drain from the unit. Do not re-use solution.



# MYCOCIDE

# GERMICIDAL DETERGENT SANITIZER For Industrial Use Only

A low-foaming sanitizer for food, meat and beverage industries

### 

\*Provides 3.5% titratable iodine (w/w) or 4.2% titratable iodine (v/v). Specific Gravity 1.2.

# DANGER

SEE RIGHT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

#### FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes; remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye; call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing; rinse skin immediately with plenty of water for 15-20 minutes; call a poison control center or doctor for treatment advice.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible; call a poison control center or doctor for further treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice; have person sip a glass of water if able to swallow; do not induce vomiting unless told to do so by the poison control center or doctor; do not give anything by mouth to an unconscious person.

HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1 (800) 255-3924 for emergency medical treatment information. For information on this pesticide (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Telecommunications Network at 1 (800) 858-7378.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

EPA Registration No. 66171-8

EPA Establishment No. 66171-TN-001

Zephyr Cove, NV 89448 (209) 664-1607 Net Contents:

Batch No.:\_\_\_\_\_

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS DANGER

Corrosive. Causes eye damage and skin irritation. Harmful if swallowed. Do not get eyes, on skin or on clothes. Wear goggles or face shield and rubber gloves wn handling. Wash thoroughly with soap and water after handling. Avoid contamination food and foodstuffs. Avoid breathing spray mist. Remove contaminated clothing a wash before reuse.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and aquatic animals. Ke out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment disposal of wastes. Do not discharge effluent containing this product into lakes, stream ponds, estuaries, oceans or other water unless in accordance with the requirements a National Pollutant Discharge Elimination System (NPDES) permit and the permittin authority has been notified in writing prior to discharge. Do not discharge effluent co taining this product to sewer systems without previously notifying the local sewage treament plant authority. For guidance contact your State Water Board or Regional Office the EPA.

PHYSICAL AND CHEMICAL HAZARDS: Do not use, pour, spill or store near heat open flame.

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent wits labeling.

### **USE SOLUTION CHART**

Titratable lodine	<u>Mycocide</u>	<u>Water</u>
50 ppm solution	1 oz.	6 1/2 gals.
25 ppm solution	1 oz.	13 gais.
12 1/2 ppm solution	1 oz.	26 gals.
10 ppm solution	1 oz.	32 gals.
8 ppm solution	1 oz.	40 gais.

Refer to use solution chart when preparing dilutions recommended in the follow directions.

Always prepare fresh sanitizing solutions and use them the same day prepared. anitizing solutions should contact surfaces at least two minutes. When circulat sanitizer solutions thorough CIP systems, allow at least 5 minutes contact.

### STORAGE AND DISPOSAL

- Storage: Store only in tightly closed, original container in a secure area inaccessi
  to children. Do not contaminate water, food, or feed by storage or disposal.
- 2. Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wast cannot be disposed of by use according to label instructions, contact your Ste Pesticide or Environmental Control Agency, or the hazardous waste representative the nearest EPA Regional Office for guidance.
- 3. Container Disposal: Do not reuse empty container. Triple rinse empty container water. Return metal drums to reconditioner or puncture and dispose of in a sanit landfill or by other procedures approved by state and local authorities. Plat containers may be disposed of in a sanitary landfill, incinerated or, if allowed by locauthorities, by burning, if burning stay out of smoke.
- General: Consult Federal, State or local disposal authorities for approved alternat procedures.

### **DOT SHIPPING NAME**

DISINFECTANTS, CORROSIVE LIQUID, n.o.s. (PHOSPHORIC ACID), 8, UN1903, PG II

NFPA HAZARD CLASSIFICATION

HEALTH	FIRE	REACTIVITY	SPECIFIC
2	0	0	Acid

4