

PM 32

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

66171-10

10/18/99

1082

OCT 18 1999

Gary E. Gaumer
Preserve International
P.O. Box 3135
Turlock, CA 95381

Subject: Iodis
EPA Registration No. 66171-10
Submission Dated July 21, 1999

Dear Mr. Gaumer:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, to modify sanitizing egg's directions for use, will be acceptable provided that you make the labeling changes listed below before you release the product for shipment bearing the amended label.

Under the section for "Sanitizing Food Grade Egg Shells" use directions change:

1. "...spray with a solution of 1 ounces of product..." to read "...spray with a solution of 1 ounce of product..."
2. "Eggs that have been freshly washed may be saintized with this compund..." to read "Eggs that have been freshly washed may be sanitized with this compound..."

A stamped copy of your labeling is enclosed for your records. Submit one (1) copy of the final printed label prior to release of the product for shipment.

If you have any questions concerning this letter, please contact Wanda Mitchell at (703) 308-6345.

Sincerely,



Robert S. Brennis
Product Manager 32
Regulatory Management Branch II
Antimicrobials Division (7504C)

NOTE TO THE FILE: Consulted with Bruce Mann, Anna Skapars and 21 CFR §178.1010 to be assured that the registrants calculations were accurate. W.Mitchell 10-18-99

CONCURRENCES

SYMBOL	7510C						
SURNAME	Mitchell						
DATE	10-8-99						

ACCEPTED
with COMMENTS
in EPA Letter Dated:

OCT 18 1999

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 66171-10

DIRE

IODIS

Hand Sanitizing—in food handling and meat cutting operations. Rinse and immerse hands in a 1 oz. IODIS per 5 gals. of water solution (25 ppm titratable iodine).

Sanitizing Poultry Drinking Water - Add 1 ounce of IODIS per 10 gallons of drinking water.

Shoe Bath Sanitizer—To prevent tracking harmful organisms into animal areas, scrape shoes and place in a 3 oz. per gallon solution of IODIS for 30 seconds prior to entering area.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS DANGER

Corrosive. Causes eye damage and skin irritation. Harmful if swallowed. Do not get in eyes, on skin or on clothes. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly with soap and water after handling. Avoid contamination of food and foodstuffs. Avoid breathing spray mist. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. "Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA."

PHYSICAL AND CHEMICAL HAZARDS: Do not use, pour, spill or store near heat or open time.

STORAGE AND DISPOSAL

- Storage:** Store only in tightly closed, original container in a secure area inaccessible to children. Do not contaminate water, food, or feed by storage or disposal.
- Pesticide Disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA Regional Office for guidance.
- Container Disposal:** Do not reuse empty container. Triple rinse empty container with water. Return metal drums to reconditioner or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities. Plastic containers may be disposed of in a sanitary landfill, incinerated or, if allowed by local authorities, by burning. If burning stay out of smoke.
- General:** Consult Federal, State or local disposal authorities for approved alternative procedures.



Zephyr Cove, NV 89448

Manufactured by

PRESERVE INTERNATIONAL ZEPHYR COVE, NV 89448, USA Telephone (800) 995-1607

Active Ingredient

Iodine*.....1.75%

Inert Ingredients98.25%

* from Nonylphenoxy poly (ethyleneoxy) ethanol-iodine complex

KEEP OUT OF REACH OF CHILDREN DANGER

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 66171-10

EPA Est. No. 66171-TN-001

Net Contents

NFPA HAZARD CLASSIFICATION

HEALTH	FIRE	REACTIVITY	SPECIFIC
2	0	0	Acid

DOT SHIPPING NAME

CORROSIVE LIQUIDS, N.O.S.,
(Contains Phosphoric Acid),
8, UN1760, PGII

It is a violation of Federal Law to labeling.

For disinfection remove gross filth mechanical coarse spray device. device, surface must be sprayed remain wet for 10 minutes. Fresh solution becomes diluted or soiled.

IODIS is a proven "one-step" cleaner of moderate amounts of organic so

Disinfection—Hospitals, Veterin Institutions, Industry, Schools, F

Remove gross filth or heavy soil. other hard (inanimate) non-porous porcelain and bed frames. Allow heavily soiled areas, a preliminary

For farms and poultry use, prior feeds must be removed from the p and other feeding and water applica walls and other surfaces occupied

After 10 minutes disinfection, ventil house poultry, or other animals absorbed, set or dried.

Sanitizing—Meat and food proce soils by flushing, scraping, or mop good cleaner). Rinse with clean w gallons of water (25 ppm titratab solution for 1-2 minutes. Drain wel

Sanitizing Food Grade Egg Shell food products, spray with a solutio (providing 25 ppm active). The sol not to exceed 130°F. Wet eggs th freshly washed may be sanitizd prior to application of the compound. Eggs must be reasonably dry be reused for sanitizing eggs.