

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

For disinfection remove gross filth or heavy soil. Apply IODIS with a cloth, mop or mechanical coarse spray device. When applied with a mechanical coarse spray device, surface must be sprayed until thoroughly wetted. Treated surfaces must remain wet for 10 minutes. Fresh solution should be prepared daily or more often if the solution becomes diluted or soiled.

IODIS is a proven "one-step" cleaner-disinfectant-sanitizer-deodorizer in the presence of moderate amounts of organic soil and 400 ppm hard water.

Disinfection—Hospitals, Veterinary Clinics, Other Health Care Institutions, Institutions, Industry, Schools, Farm Premises and Poultry Houses:

Remove gross filth or heavy soil. Apply 1/2 oz. per gallon IODIS to walls, floors and other hard (inanimate) non-porous surfaces such as tables, chairs, countertops, tile, porcelain and bed frames. Allow surfaces to remain wet for at least 10 minutes. For heavily soiled areas, a preliminary cleaning is required.

For farms and poultry use, prior to disinfection, all poultry, other animals and their feeds must be removed from the premises. This includes emptying all troughs, racks and other feeding and water appliances. Remove all litter and droppings from floors, walls and other surfaces occupied or traversed by poultry or other animals.

After 10 minutes disinfection, ventilate buildings, coop and other closed spaces. Do not house poultry, or other animals or employ equipment until treatment has been absorbed, set or dried.

Sanitizing—Meat and food processing equipment and utensils: Remove heavy soils by flushing, scraping, or mopping. Wash with 1 oz. per gallon of IODIS (or other good cleaner). Rinse with clean water and sanitize surfaces with 1 oz. IODIS per 5 gallons of water (25 ppm titratable iodine). Surface should remain in contact with solution for 1-2 minutes. Drain well and air dry. No potable water rinse is required.

Sanitizing Food Grade Egg Shells: To sanitize clean shell eggs intended for food or food products, spray with a solution of 1 ounce of product in 5 gallons of water (providing 25 ppm active). The solution must be equal to or warmer than the eggs, but not to exceed 130°F. Wet eggs thoroughly and allow to drain. Eggs that have been freshly washed may be sanitized with this compound only if the eggs are rinsed prior to application of the compound. A subsequent potable water rinse is not required. Eggs must be reasonably dry before casing or breaking. The solution must not be reused for sanitizing eggs.

Hand Sanitizing – in food handling and meat cutting operations. Rinse and immerse hands in a 1 oz. IODIS per 5 gals. of water solution (25 ppm titratable iodine).

Sanitizing Poultry Drinking Water - Add 1 ounce of IODIS per 10 gallons of drinking water (12.5 ppm titratable iodine).

Shoe Bath Sanitizer—To prevent tracking harmful organisms into animal areas, scrape shoes and place in a 1 oz. per gallon solution of IODIS for 30 seconds prior to entering area.

IODIS

Disinfectant-Cleaner-Sanitizer-Deodorizer With Organic Soil and 400 ppm Hard Water Tolerance for Hospital, Institutional, Industrial, School, Dairy and Other Farm Use

Active Ingredient
Iodine*1.75%
Inert Ingredients98.25%
*from Nonylphenoxypoly (ethyleneoxy) ethanol-iodine complex

**KEEP OUT OF REACH OF CHILDREN
DANGER**

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

STATEMENT OF PRACTICAL TREATMENT

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes; remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye; call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing; rinse skin immediately with plenty of water for 15-20 minutes; call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible; call a poison control center or doctor for further treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice; have person sip a glass of water if able to swallow; do not induce vomiting unless told to do so by the poison control center or doctor; do not give anything by mouth to an unconscious person.

HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1 (800) 255-3924 for emergency medical treatment information. For information on this pesticide (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Telecommunications Network at 1 (800) 858-7378.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

ACCEPTED
WITH COMMENTS
in EPA Letter Dated:

MAR 15 2002

EPA Reg. No. 66171-10
EPA Est. No. 66171-TN-001, 66171-CA-001

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
DANGER**

Corrosive. Causes eye damage and skin irritation. Harmful if swallowed. Do not get in eyes, on skin or on clothes. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly with soap and water after handling. Avoid contamination of food and foodstuffs. Avoid breathing spray mist. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. "Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA."

PHYSICAL AND CHEMICAL HAZARDS: Do not use, pour, spill or store near heat or open flame.

STORAGE AND DISPOSAL

- 1. Storage:** Store only in tightly closed, original container in a secure area inaccessible to children. Do not contaminate water, food, or feed by storage or disposal.
- 2. Pesticide Disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA Regional Office for guidance.
- 3. Container Disposal:** Do not reuse empty container. Triple rinse empty container with water. Return metal drums to reconditioner or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities. Plastic containers may be disposed of in a sanitary landfill, incinerated or, if allowed by local authorities, by burning. If burning stay out of smoke.
- 4. General:** Consult Federal, State or local disposal authorities for approved alternative procedures.

CONSUMER COMMODITY

ORM-D

NFPA HAZARD CLASSIFICATION

HEALTH	FIRE	REACTIVITY	SPECIFIC
2	0	0	Acid

NET CONTENTS: _____

Batch No.: _____

66171-10

Manufactured by:

**PRESERVE
INTERNATIONAL**

Zepher Cove, NV 89448 • (800) 995-1607



2/2