

United States Environmental Protection Agency Office of Pesticide Programs

Gary Gaumer President Preserve International PO Box 17003 Reno, NV 89511 DEC - 4 2009

FILE COPY

Subject:

IODIS

EPA Registration No. 66171-10 Application Date: October 27, 2009 Receipt Date: November 10, 2009

Dear Mr. Gaumer:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c)9.

Proposed Notification:

Revision of container handling instructions per PR-Notice 2007-4

General Comments:

Based on a review of the material submitted, the following comment applies:

The notification application is acceptable and a copy has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, please contact me at (703) 308-6345.

Sincerely,

Wanda Y. Hensop

Acting Product Manager (32)

Regulatory Management Branch II

Antimicrobials Division (7510P)

\$EPA

Inited States

~ ;	Registration Amendment
X	Other

OPP Identifier Number

⇔EPA	Environmental Pr Washington	otection Ag n, DC 20460	ency	×	Amenda Other	nent	·
	Ap	olication for	Pestic	de - Section	1	-	
1. Company/Product Numb 66171-10	er		2. EPA	Product Manager		3. Pr	oposed Classification
4. Company/Product (Name) lodis			PM# 32				
5. Name and Address of Applicant (Include ZIP Code) Preserve International PO Box 17003 Reno, NV 89511 Check if this is a new address			6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name				
		Se	ction -		, , , , , , , , , , , , , , , , , , , ,		
X Notification - Explai	sponse to Agency letter date			Final printed labo Agency letter da "Me Too" Applio Other - Explain b	ated cation.	to	
		Se	ction -	111			
1. Material This Product V	/ill Be Packaged In:						
Child-Resistent Peckeging Yes* No * Certification must be submitted		o. per If "	Yes No Yes" (age wgt	Packaging No. per container	2. Type of	Metal Plastic Glass Paper	Specify)
3. Location of Net Content	s Information 4. S	Size(s) Retail Con	tainer	5. L	ocation of Lat On Labe On Labe	1	ons npanying product
6. Manner in Which Label	is Affixed to Product	Lithograph Paper glued Stenciled		Other _			
			ction -				
Name Gary Gaumer	te items directly below for ic	Title Presi		be contacted, if ne	ecessary, to pi	<u> </u>	e No. (Include Area Code)
1	tements I have made on this any knowingly felse or misle					•	8. Date Application Received (Stamped)
2. Signature		3. Title			()		ا در
4. Typed Marne Gary Gaumer		5. Date	ber 27, 2	009		E () () () () () () () () () ((



Office of Gary E. Gaumer P.O. Box 17003, Reno, NV 89511 • Bus: (775) 853-9776 • Fax: (775) 853-9212 • email: gegaumer@preserveinc.com

October 27, 2009

Office of Pesticides Programs (7504C)
United States Environmental Protection Agency (NOTIFICATION)
Ariel Rios Building
1200 Pennsylvania Avenue, N.W.
Washington, DC 20460

RE:Notification per PR Notice 2007-4, For Iodis, EPA Registration Number 66171-10

To Whom it May Concern:

Preserve International hereby submits this notification per PR Notice 2007-4.

These directions have been submitted to, and approved by Nancy Fitz, EPA OPP. Please see attached copy of the email.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If I may be of further assistance, please feel free to contact me at 775-853-9776.

Thank you for your time and consideration.

Sincerely,

Preserve International

Gary E. Gaumer

President

RECTIONS FOR USE:

s a violation of Federal Law to use this product in a manner inconsistent with its labeling.

r disinfection remove gross filth or heavy soil. Apply IODIS with a cloth, mop or mechanical arse spray device. When applied with a mechanical coarse spray device, surface must be ayed until thoroughly wetted. Treated surfaces must remain wet for 10 minutes. Fresh solution ould be prepared daily or more often if the solution becomes diluted or soiled.

DIS is a proven "one-step" cleaner-disinfectant-sanitizer-deodorizer in the presence of moderamounts of organic soil and 400ppm hard water.

sinfection-Hospitals, Veterinary Clinics, Fish Hatcheries, Other Health Care Institutions, titutions, Industry, Schools, Farm Premises and Poultry Houses:

move gross filth or heavy soil. Apply 1/2 oz. per gallon IODIS to walls, floors and other hard animate) non-porous surfaces such as tables, chairs, countertops, tile, porcelain and bed mes. Allow surfaces to remain wet for at least 10 minutes. For heavily soiled areas, a prelimity cleaning is required.

r farms and poultry use, prior to disinfection, all poultry, other animals and their feeds must be noved from the premises. This includes emptying all troughs, racks and other feeding and ter appliances. Remove all litter and droppings from floors, walls and other surfaces occupied traversed by poultry or other animals.

er 10 minutes disinfection, ventilate buildings, coop and other closed spaces. Do not house ultry, or other animals or employ equipment until treatment has been absorbed, set or dried.

I CLEAN AND DISINFECT TOILET BOWLS AND URINALS:

ish toilet. Add directly to the toilet bowl, 1 ounce lodis per gallon water present. Brush to cover bowl surfaces including under the rim. Allow disinfectant to remain for at least 10 minutes. ish toilet. The mental parts with water after disinfecting to prevent corrosion.

INITIZE EAT AND FOOD PROCESSING EQUIPMENT AND UTENSILS:

move heavy soils by flushing, scraping, or mopping. Wash with 1 oz. per gallon of IODIS (or ier good cleaner). Rinse with clean water and sanitize surfaces with 1 oz. IODIS per 5 gallons water (25ppm titratable iodine). Surface should remain in contact with solution for 1-2 minutes. ain well and air dry. No potable water rinse is required.

NITIZING FOOD GRADE EGG SHELLS:

sanitize clean shell eggs intended for food or food products, spray with a solution of 1 ounce product in 5 gallons of water (providing 25 ppm active). The solution must be equal to or mer than the eggs, but not to exceed 130°F. Wet eggs thoroughly and allow to drain. Eggs thave been freshly washed may be sanitized with this compound only if the eggs are rinsed or to application of the compound. A subsequent potable water rinse is not required. Eggs must reasonably dry before casing or breaking. The solution must not be reused for sanitizing 7s.

ND SANITIZING

food handling and meat cutting operations. Thoroughly wash hands and rinse before sanitiz-. Immerse hands in a 1 oz. IODIS per 5 gallons of water solution (25ppm titratable iodine).

INITIZING POULTRY AND LIVESTOCK DRINKING WATER:

d 1 ounce of IODIS per 10 gallons of drinking water.

IOE BATH SANITIZER:

prevent tracking harmful organisms into animal areas, scrape shoes and place in a 3 oz. per llon solution of IODIS for 30 seconds prior to entering area.

ODORIZING

lis destroys many odors as it sanitizes and disinfects. For general deodorant applications trbage pails, refuse containers, etc.), swab surface to be treated with a solution containing 1/2 nee lodis per gallon of water. Allow treated surfaces to drain and air dry.

NITU MILKING EQUIPMENT UTENSILS AND BULK TANKS:

fore the material forement for the forement of the forement of

MOVAL OF MILKSTONE AND HARD WATER DEPOSITS:

low color may appear on equipment after the first use of Iodis. This may indicate the presce of milkstone or hard water deposits. Remove these by applying a solution containing ual parts of Iodis and lukewarm water. Wait 2-3 minutes, brush and then rinse with potable ter. Daily use of Iodis will help prevent the formation of milkstone and hard water deposits.

Manufactured By:

PRESERVE
INTERNATIONAL

Reno, NV 89511 • (800) 995-1607 • www.preserveinternational.com

IODIS

Disinfectant-Cleaner-Sanitizer-Deodorizer
With Organic Soil and 400 ppm
Hard Water Tolerance
for Hospital, Institutional, Industrial,
School, and Dairy

Active Ingredient	
lodine*	1.75%
Inert Ingredients	
*from Nonylphenoxypoly (ethyleneoxy	ethanol-iodine complex

KEEP OUT OF REACH OF CHILDREN DANGER

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes; remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye; call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing; rinse skin immediately with plenty of water for 15-20 minutes; call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible, call a poison control center or doctor for further treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice; have person sip a glass of water if able to swallow; do not induce vomiting unless told to do so by the poison control center or doctor; do not give anything by mouth to an unconscious person.

HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1 (800) 255-3924 for emergency medical treatment information. For information on this pesticide (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Telecommunications Network at 1 (800) 858-7378.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

SANITIZING GLASSES, DISHWARE, POTS, PANS, AND UTENSILS IN FOOD SERVICE OPERATIONS:

- 1: Pre-flush or pre-scrape equipment and utensils. If needed, pre-soak to remove gross food particles and soil.
- 2: Wash equipment and utensils in lukewarm water that contains adequate amount of a good detergent or cleaner. Keep this water clean by changing it frequently.
- 3: Rinse equipment and utensils free of wash water prior to sanitization.
- 4: Sanitize equipment and utensils by immersing them in a solution of 1 ounce lodis per 5 gallons of water (providing 25ppm titratable iodine). Allow 1-2 minutes contact time (or longer if required by local sanitation codes). Fresh solution should be prepared if the solution becomes diluted or soiled. Use an approve iodine test kit to check for proper concentrations.
 5: After required contact time of 1-2 minutes or more, allow equipment and utensils to drain and then air dry. Do not rinse before use.

SANITIZING PREVIOUSLY CLEANED FOOD CONTACT SURFACES:

Sanitize previously cleaned and rinsed hard, non-porous surfaces such as glass, metal, plastic and porcelain with a solution of 1 ounce lodis per 5 gallons water. Immerse equipment with sanitizing solution and allow 1-2 minutes of contact time. Drain solution from equipment; do not rinse. lodis used at 1 ounce per 5 gallons of water provides 25ppm titratable iodine and does not require a final rinse with potable water in accordance with Federal Food Additive regulation 178.1010.

EPA Reg. No. 66171-10 EPA Est. No. 66171-TN-001, 66171-CA-001

NET CONTENTS: _

Batch (or Lot) No.:

NFPA HAZARD CLASSIFICATION

HEALTH	FIRE	REACTIVITY	SPECIFIC				
2	0	0	Acid				

FOR SANITIZING DAIRY EQUIPMENT AND UTENSILS:

- 1: Wash the equipment to be sanitized using a Preserve International manual cleaner. Be sure to follow label directions. Rinse and allow to drain.
- 2: Prepare a solution by mixing 1 ounce of lodis sanitizer for each 5 gallons of water, or add 1/2 ounce of sanitizer per 10 quarts of water. This will provide 25ppm titratable indica.
- 3: Immerse equipment: milking claws, liners, teat cups, into solution making sure that all surfaces are in contact with the solution. A contact time of 1-2 minutes is required.
- 4: For equipment that can't be immersed (bulle coolers, receiver groups, etc.) coarse spray a 25ppm iodine solution onto all pre-cleaned surfaces or a spartling, spot free
- 5: Allow solution to air dry.
- 6: Prepare a fresh solution if sanitizing solution fades noticeably or becomes dijured or soiled.
- 7: Iodis is its own indicator of germicidal activity. The amber or yellow color shows the presence of the active ingredient, iodine.

PRECAUTIONARY STATEMENTS. HAZARDS TO HUMANS & DOMESTIC ANIMALS DANGER

DANGER Corrosive. Causes eye damage and skin irritation. Harmful if swallowed. Do not get in eyes, on skin or on clothes. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly with soap and water after handling. Avoid contamination of food and foodstuffs. Avoid breathing spray mist. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and aquatic organisms. "Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA."

PHYSICAL AND CHEMICAL HAZARDS: Do not use, pour, spill or store near heat or open flame.

STORAGE AND DISPOSAL

Storage: Store only in tightly closed, original container in a secure area inaccessible to children. Do not contaminate water, food, or feed by storage or disposal.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA Regional Office for guidance.

Container Handling: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available, or offer for reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

(For greater than 5 gallons) Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. (For 5 gallons or less) Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

General: Consult Federal, State or local disposal authorities for approved alternative procedures.

CONSUMER COMMODITY

ORM-D

