



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

January 13, 2022

Grace Rapai  
Preserve International  
944 Nandino Blvd  
Lexington, KY 40511

Subject: PRIA Label Amendment – Add additional bacteria and virucidal claims and inert ingredient suppliers  
Product Name: Neogen® Viroxide Super™  
EPA Registration Number: 66171-106  
Application Date: 11/25/2020  
Action Case No.: 00217008

Dear Ms. Rapai:


The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Stacey Grigsby by phone at 703.305.6440, or via email at [grigsby.stacey@epa.gov](mailto:grigsby.stacey@epa.gov)


Sincerely,

A handwritten signature in cursive script that reads "Stacey Grigsby".

f/Terria Northern, Acting Product Manager 34  
Regulatory Management Branch 2  
Antimicrobials Division (7510P)

Enclosure: Accepted stamped label

Neogen® Viroxide Super™



**Active Ingredients:**

Potassium peroxymonosulfate..... 22.41%  
Sodium chloride..... 1.50%

**Other Ingredients**..... 76.09%

**Total** ..... 100.00%

EPA Reg. No. 66171-106

EPA Est. No. 66171-CA-001

EPA Est. No. 66171-TN-001

EPA Est. No. 98508-GBR-1

EPA Est. No. 92410

[(First letter of batch number indicates establishment)]

**KEEP OUT OF REACH OF CHILDREN**

**DANGER**

*[See] [inside], [side], [front], [back] [panel] [panels], [booklet],[ leaflet] for [First Aid] [and]  
[complete Directions for Use] [and] [additional Precautionary Statements]*

**Net Contents:**

[5.5 lbs (2.5 kg)], [11 lbs (5 kg)] [and] [22 lbs (210 kg)]

**Manufactured by:**

Preserve International®

944 Nandino Blvd

Lexington, KY 40511

{**Note to Reviewer:** Items in [brackets] represent optional language. Standard measurements may be abbreviated or written out. “[This product]” supports the addition of the product brand name, which must be formatted in a size consistent with the surrounding body text. For brand names used in body text, **bold**, *italic*, and/or ALL CAPITALS is also permitted. Additional/optional marketing statements are listed on the last page(s) of this label. Section headers may be centered or formatted for emphasis, consistent with general label layout.}

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER. KEEP OUT OF REACH OF CHILDREN.** Powder is corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield. Wear long-sleeved shirt, long pants, socks plus shoes, and waterproof gloves. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

Corrosive statement refers to powder only and not to in-use diluted solution.

### ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

**PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT:** Mix only with warm water according to label directions. Use clean utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals will start a chemical reaction and generate heat, gases, (and a possible fire and explosion). In case of contamination or decomposition, do not reseal container, if possible isolate container in open air or well-ventilated area, and flood area with large volumes of water if needed.

{**Note to Reviewer:** First Aid statement may be formatted without bullets or as paragraph(s)}

FIRST AID	
<b>If in Eyes:</b>	<ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li><li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li><li>• Call a poison control center or doctor for further treatment advice.</li></ul>
<b>If on Skin or on Clothing:</b>	<ul style="list-style-type: none"><li>• Take off contaminated clothing.</li><li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li><li>• Call a poison control center or doctor for further treatment advice.</li></ul>
<b>If Swallowed:</b>	<ul style="list-style-type: none"><li>• Call a poison control center or doctor immediately for treatment advice.</li><li>• Have the person sip a glass of water if able to swallow.</li><li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li><li>• Do not give anything by mouth to an unconscious person.</li></ul>
<b>Have product container or label with you when calling a poison control center, doctor, or going in for treatment.</b>	

**For 24-hour emergency information on this product, call  
1-800-498-5743 (US & Canada) or 1-651-523-0318 (all other areas)**

**Note to Physician:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions and precautions.

## **GENERAL INSTRUCTIONS**

1. Remove all animals and feeds from premises, trucks or other vehicles, crates, or other enclosures.
2. Remove all litter droppings and manure from floors, walls, and surfaces of barns, pens, stalls, chutes, and other facilities and fixtures occupied or traversed by animals.
3. Empty all troughs, racks, and other feeding and watering appliances.
4. Thoroughly clean all surfaces with soap or detergent and rinse with water. Visible solid must be removed from surfaces prior to disinfecting.
5. **To disinfect**, saturate visibly clean hard nonporous surfaces with a 1% use-dilution of this product [see dilution chart], surfaces should remain visibly wet for 10 minutes.
6. Immerse all halters, ropes, and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure.
7. Ventilate buildings, cars, boats, coops, and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set, or dried.
8. Thoroughly scrub treated feed racks, mangers, troughs, automatic feeders, fountains, and waterers with soap or detergent, and rinse with potable water before reuse.

## **[this product] DILUTION CHART**

To achieve the appropriate [this product] use-dilution concentration, fill the container with the volume of water and quantity of powder found in the following table:

<b>Quantity of Water</b>	<b>1% Dilution</b>
1 Quart	0.3 ounces
1 Gallon	1.3 ounces
10 Gallons	13.4 ounces
50 Gallons	66.8 ounces

One gallon of solution is sufficient to treat 135 sq. ft.

[This powder formulation is easily diluted for use in manual or machine operations.]

## **POULTRY PRODUCTION AND RATITE PRODUCTION**

**[For Use in] HATCHERIES:** [This product] as a 1.0% solution can be used for cleaning and disinfecting hatchers, setters, evaporative coolers, ceiling fans, chicken houses, transfer trucks, trays, and plastic chick boxes. Visible soil must be removed from surfaces prior to disinfecting. Saturate surfaces with a 1.0% solution of [this product] with a cloth, mop, sponge, or mechanical spray, and should remain visibly wet for 10 minutes. Allow surfaces to air dry. Rinse waterers and feeders with potable water before reuse.

**[For Use in] BROILER/BREEDER HOUSES:** Follow **General Instructions** to remove poultry and pre-clean area to be treated. Visible soil must be removed from surfaces prior to disinfecting. Spray floors and walls with [this product] as a 1% solution. Thoroughly wash waterers and feeders with a 1% solution of [this product]. Surfaces should remain visibly wet for 10 minutes. After contact for 10 minutes, rinse with potable water. Do not house poultry or use equipment until treatment has been absorbed, set, or dried.

**[For Use in] FOOD- or MEAT-PROCESSING PLANTS:** Visible soil must be removed from surfaces prior to disinfecting. Spray [this product] as a 1% solution to disinfect and clean walls, ceilings, and floors. Saturate surfaces for a period of 10 minutes. Allow surfaces to air dry.

## **SWINE PRODUCTION:**

Follow **General Instructions** to remove swine and pre-clean area to be treated. Visible soil must be removed from surfaces prior to disinfecting. Use a 1% solution of [this product] cleaning and disinfecting farrowing units, nurseries, finisher houses, processing plants, and agricultural production equipment such as trucks, waterproof footwear (such as rubber boots), and associated livestock equipment and instruments. Saturate surfaces with a 1% solution of [this product] with a cloth, mop, sponge, or mechanical spray, surfaces should remain visibly wet for 10 minutes.. Allow surfaces to air dry. Rinse waterers and feeders with potable water before reuse.

## **EQUINE PRODUCTION**

**[BROAD SPECTRUM EQUINE FACILITY DISINFECTANT/DETERGENT/WASH FOR CLEANING AND DISINFECTING STABLES AND EQUIPMENT]**

**GENERAL USE APPLICATIONS:** For cleaning and disinfecting all hard, non-porous surfaces, equipment, utensils, and instruments in veterinary practices, kennels, stables, catteries, etc. **USES:** stables, horse boxes, box stalls, tack, equipment, and feed rooms: Follow **General Instructions** to remove animals from area to be treated. Visible soil must be removed from surfaces prior to disinfecting. Thoroughly clean and dry [dry clean] surfaces, then wash the area manually or with pressure washer with a 1% [product] solution, saturating surfaces and should remain visibly wet for 10 minutes.. Allow surfaces to air dry. Rinse waterers and feeders with potable water before reuse.

**To Clean Blankets, Saddle Pads and Rugs:** Visible soil must be removed from surfaces prior to disinfecting. Using a 1% solution of [this product], shampoo by hand or spray lightly with a hand-sprayer remaining visibly wet for 10 minutes and leave to dry. Shake or vacuum to remove residue.

## **BOVINE PRODUCTION**

Follow **General Instructions** to remove livestock and pre-clean area to be treated. Visible soil must be removed from surfaces prior to disinfecting. Use a 1% solution of [this product] to clean and disinfect areas associated with bovine housing, stabling, hospital quarantine pens, feedlot facilities, and agricultural production equipment, such as trucks, waterproof footwear (such as rubber boots), and associated livestock equipment and instruments. Saturate hard, non-porous surfaces with a 1% solution of [this product] with a cloth, mop, sponge, or mechanical spray, surfaces should remain visibly wet for 10 minutes.. Allow surfaces to air dry. Rinse waterers and feeders with potable water before reuse.

## **[COMPANION ANIMAL FACILITIES]**

[APPLICATION INSTRUCTIONS: Use a 1% solution of [this product] as a “one step” cleaning and disinfecting procedure (Visible soil must be removed from surfaces prior to disinfecting) for all hard, non-porous surfaces, equipment, instruments, utensils, and cages [caging systems] within [or associated with] veterinary medical hospitals, animal infectious disease wards, quarantine areas, laboratory animal quarters, grooming and boarding facilities, kennels, catteries, and animal transportation vehicles. Saturate hard, non-porous surfaces with a 1% solution of [this product] with a cloth, mop, sponge, or mechanical spray, surfaces should remain visibly wet for 10 minutes. Allow surfaces to air dry. Rinse waterers and feeders with potable water before reuse.]

[Do not immerse metal objects in [this product] for long periods. Once the specified contact time is reached, remove metal objects from the solution.]

## **[FACILITIES USED FOR TEMPORARY CONFINEMENT OF ANIMALS]**

Use a 1% solution of [this product] to clean and disinfect inanimate hard, non-porous surfaces associated with facilities used for the temporary confinement of animals. Sites may include, but are not limited to, barns, sheds, stables, pens, cages, and associated access alleys or walkways. [This product] may also be used to clean and disinfect equipment related to the maintenance of animals housed at fairs, exhibitions, animal auction yards, animal show/boarding facilities, or other similar agricultural facilities designed for the temporary housing of animals.

To ensure that [this product] does not come into direct contact with animals, feed, or water, remove animals from treatment site and either remove or cover feed and water apparatus. Visible soil must be removed from surfaces prior to disinfecting. To ensure precise application on inanimate surfaces, [this product] may only be applied using hand-held sprayers, sponges, or other absorbent materials. Do not allow [this product] to pool on surfaces that may be within reach of animals. Do not allow [this product] to come into direct contact with people. Surfaces should remain visibly wet for 10 minutes. Allow [this product] to completely dry prior to housing animals, using equipment, or allowing people to contact treated sites.

## [AQUACULTURE]

[This product] is intended to disinfect hard, non-porous inanimate environmental surfaces associated with aquaculture including vehicles, nets, boots, waders, dive suits, hoses, brushes, and other similar equipment. [This product] may also be used in foot dips. [This product] must not be applied directly to water.

## [GREENHOUSES AND HORTICULTURE]

[[This product] is intended to disinfect hard, non-porous inanimate environmental surfaces such as: floors, walls, glasshouse structures, ventilation and other equipment, utensils, trays, and other containers, water systems, evaporative coolers, storage rooms, and vehicles in greenhouses and other horticultural settings prior to introduction or reintroduction of plants, seeds, or soil. It is not intended to directly affect agricultural production and must not be applied to plants, seeds, or soil. If necessary, remove or cover these items prior to use of the product.]

[For surfaces and equipment

1. Sweep and remove all plant debris. Use power sprayer to wash all surfaces to remove loose dirt. Visible soil must be removed from surfaces prior to disinfecting.
2. Use a dilution of 1.3 oz. [this product] per gallon of clean water.
3. Apply solution with mop, sponge, or cloth to thoroughly wet all surfaces. Surfaces should remain visibly wet for 10 minutes.
4. Visible growth of algae or fungi may have to be scrubbed off following application.
5. Reapply as often as needed for control.]

[Pots, flats, trays: use a dilution of 1.3 oz. per gallon of clean water. Soak tools to ensure complete coverage.]

[Work areas: sweep and remove all plant debris. Use power sprayer to wash all surfaces to remove loose dirt, visible soil must be removed from surfaces prior to disinfecting Use a dilution of 1.3 oz. of [this product] per gallon of clean water.]

Effective against the following [pathogens]:

[Animal and zoonotic pathogens]

### **BACTERIA**

[*Campylobacter jejuni*] [ATCC 29428]

[*Klebsiella pneumoniae*] [ATCC 4352]

### **VIRUSES**



[*Pseudomonas aeruginosa*] [ATCC 15442]

[*Salmonella enterica*] [ATCC 10708]

[*Staphylococcus aureus*] [ATCC 6538]

[*Streptococcus uberis*] [ATCC 19436]

[Avian Reovirus] [ATCC VR-2449]

[Calf Rotavirus] [ATCC VR-2102]

[Canine Parvovirus] [ATCC VR-2017]

[Equine Herpes Virus type 1] [Strain EHV1]

[Equine Herpes Virus type 3] [Strain Cortal  
Exanthema]

[Equine Influenza A2 (H3N8) Virus] [Strain  
Equine Influenza Type A2 Kentucky 81]

[Feline Calicivirus] [Norovirus] [ATCC VR-782]

[Infectious Bovine Rhinotracheitis] [ATCC VR-  
188]

[Marek's Disease Virus]

[Parainfluenza Virus type 3] [ATCC VR-93]

[Porcine Epidemic Diarrhea] [Colorado 2013  
Isolate strain]

[Porcine Parvovirus] [ATCC VR-742]

[Swine Influenza A (H1N1) Virus] [ATCC VR-  
333]

[Transmissible Gastroenteritis Virus]

[Vesicular Stomatitis Virus] [ATCC VR-158]

### **[BROAD SPECTRUM DISINFECTANT]**

[This product] is effective against numerous microorganisms affecting animals: viruses and gram positive and gram negative bacteria.

### **EMERGING VIRAL PATHOGENS**

*{Note to Reviewer: These statements for claims against small non-enveloped, large non-enveloped, and/or enveloped emerging viral pathogens shall not appear on marketed (final print) product labels. The statements shall be made only through the following communications outlets: technical literature distributed exclusively to veterinarians, health care facilities, physicians, nurses and public health officials, "1-800" consumer information services, social media sites and company websites (non-label related). }*

This product qualifies for emerging viral pathogen claims per the EPA's 'Guidance to Registrants: Process for Making Claims Against Emerging Viral Pathogens not on EPA-

Registered Disinfectant Labels' when used in accordance with the appropriate use directions indicated below.

This product meets the criteria to make claims against certain emerging viral pathogens from the following viral categories:

- Enveloped viruses
- Large non-enveloped viruses
- Small non-enveloped viruses

For an emerging viral pathogen that is a/an...	...follow the directions for use for the following organisms on the label
Enveloped virus	• Feline Calicivirus (ATCC VR-782)
Large, non-enveloped virus	• Feline Calicivirus (ATCC VR-782)
Small, non-enveloped virus	• Feline Calicivirus (ATCC VR-782)

The directions for use for the supporting viruses with the longest contact time should be used for small nonenveloped emerging viruses. In this case, 10 minutes for the indicated viruses.

*Neogen® Viroxide Super™* has demonstrated effectiveness against viruses similar to *[name of emerging virus]* on *hard, non-porous surfaces*. Therefore, *Neogen® Viroxide Super™* can be used against *[name of emerging virus]* when used in accordance with the directions for use against Feline Calicivirus (ATCC VR-782) on *hard, non-porous surfaces*. Refer to the *[CDC or OIE]* website at *[pathogen-specific website address]* for additional information.

*[Name of illness/outbreak]* is caused by *[name of emerging virus]*. *Neogen® Viroxide Super™* kills similar viruses and therefore can be used against *[name of emerging virus]* when used in accordance with the directions for use against Feline Calicivirus (ATCC VR-782) on *hard, non-porous surfaces*. Refer to the *[CDC or OIE]* website at *[website address]* for additional information.

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE:** Store in a cool, dry and secure area. Store in original sealed container away from food or feed. Do not use or store near heat or an open flame. Do not use with or store near oxidizing or reducing agents.

**PESTICIDE DISPOSAL:** Pesticide wastes may be hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to the label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER HANDLING:**

**Nonrefillable container.** Do not reuse or refill this container. Offer for recycling, if available, or offer for reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

*{For large containers greater than 10 lbs.}* Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal according to Pesticide Disposal instructions. Repeat this procedure two more times.

*{For small containers}* Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal according to Pesticide Disposal instructions. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

**GENERAL:** Consult Federal, state, or local disposal authorities for approved alternative procedures.

## BATCH CODE

**{Note to Reviewer:** One or more of the following optional statements may or may not be used}

---

### DISCLAIMER

---

**[DISCLAIMER:]** To the extent permitted by applicable law, Seller makes no representation or warranty, either express or implied, for results due to misuse, improper handling, or improper storage of this material. Nor does Seller assume any responsibility for injury to persons, crops, animals, soil, or property arising out of misuse, improper handling, or improper storage of this material.

**{OR}**

---

### LIMITED WARRANTY

---

To the extent permitted by applicable law, Neogen Corporation makes no warranty concerning uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label. To the extent by applicable law, Neogen Corporation shall not be liable for (1) any consequential, incidental, or special damages related in any way to this product or its uses, or (2) any damages related in any way to resistance to pesticides.

{OR}

---

**CONDITIONS OF SALE AND LIMITATIONS OF WARRANTY AND LIABILITY**

---

**NOTICE:** Read the entire Directions for Use and Conditions of Sale and Limitations of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

To the extent permitted by applicable law, Manufacturer and Seller warrant that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law, this warranty does not extend to the use of this product contrary to label instructions, under abnormal conditions, or under conditions not reasonably foreseeable to or beyond the control of Seller or Manufacturer, and Buyer and User assume the risk of any such use. To the extent permitted by applicable law, MANUFACTURER AND SELLER MAKE NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY, EXCEPT AS STATED ABOVE.

To the extent permitted by applicable law, in no event shall Manufacturer or Seller be liable for any incidental, consequential, or special damages resulting from the use or handling of this product. TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF MANUFACTURER AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES, OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY, OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF THE MANUFACTURER OR SELLER, THE REPLACEMENT OF THE PRODUCT.

Manufacturer and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitations of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Manufacturer.

For non-emergency (e.g., current product information),  
Call: **1-800-621-8829**

**{Optional Marketing Statements/Graphics:}**

[CLEANER-][DISINFECTANT]

[This product] [cleaner-disinfectant is specifically formulated for industrial use in the following Animal and Poultry Housing facilities: Turkey, Breeder, Grow Out, Fryer, Layer, Hatcheries and Swine-Producing Facilities as well as the following equipment in these facilities: Waterers, Feeders, Hauling Equipment, Loading Equipment, Farrowing Barns, Nurseries, Blocks, Creep

Areas, and Chutes.] [This product] [is also for use in Farm Premises, Equine Facilities, Veal Barns, Ratite Facilities (Ostrich, Emu and Rhea Facilities), Calf Pens and associated Farm Vehicles, Veterinary Practices, Animal Care Facilities, and Animal Laboratories.]

[Destroys bacteria and viruses\* on hard non-porous surfaces found in facilities for [swine], [poultry], [dairy], [and][equine]] [farms] and [animal holding facilities].

[Destroys bacteria and viruses\* on hard non-porous surfaces found in [swine] [poultry], [dairy], [equine] , [animal] holding facilities].

[Destroys bacteria and viruses\* on hard non-porous surfaces found in [shelters] and/or [vet] [clinics] [practices]]

[[Poultry facility] [Ratite facility] [Swine facility] [Companion Animal facility] disinfectant]

[For Barriers, End of production cycle and daily use]

[Suitable to use on floors, equipment, cages and kennels, when used as directed]

[Cleans [mineral deposits associated with] hard water scale]

[Cleans stains from algae]

[Cleans hard water stains]

[Cleans mineral deposits]

[Effective against pathogens which may cause food poisoning such as [Salmonella enterica] [and][Norovirus]]

[A unique synergistic blend]

[Proven effectiveness against bacteria and viruses]

[Effective in hard water conditions]

[Suitable to use on surfaces, equipment, vehicles, and water delivery systems]

[Suitable for manual and automated application systems]

<Neogen logo>

<Neogen Corporation logo>

<Neogen flask logo>

<Silhouette/graphics of [listed animals]>

<Silhouette/graphics of [listed use sites/buildings]>

Example Company Logos:



OR

