66222-25

11/13/2000

NOV 1 3 2000



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Anne Stout Makhteshim-Agan of North America, Inc. 551 Fifth Avenue, Suite 1100 New York, NY 10176

Subject: PRAMITOL 1.5% EPA Registration No. 66222-25 Amended labeling submitted August 28, 2000

Dear Ms. Stout:

The label amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable, provided that you adhere to the following requirement:

Submit one copy of your final printed labeling before you release the product for shipment.

If this condition is not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely, Ill Stine (5)

Jim Tompkins Product Manager (25) Herbicide Branch Registration Division (7505C)

PRAMITOL® 1.5%

Liquid Vegetation Killer For total vegetation control on areas around the home, the business, or workplace Prevents plant growth for up to one year One gallon covers up to 400 sq. ft.

ACTIVE INGREDIENT:	%	BY WT.
Prometon: 2,4-bis(isopropylamino)-6-methoxy-s-triazine		1.5%
INERT INGREDIENTS*:		98.5%
		100.0%

*Contains petroleum distillates

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

IF SWALLOWED:	Call a poison control center or doctor immediately for treatment advice.
	Have person sip a glass of water if able to swallow.
	Do not induce vomiting unless told to do so by a poison control center or doctor.
	 Do not give anything by mouth to an unconscious person.
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	Take off contaminated clothing.
	Rinse skin immediately with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for treatment advice.
IF INHALED:	Move person to fresh air.
	 If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
	Call a poison control center or doctor for further treatment advice.
Have the product co	ontainer or label with you when calling a poison control center or doctor, or going for

treatment. NOTE TO PHYSICIAN: Contains petroleum distillate; vomiting may cause aspiration pneumonia.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes moderate eye irritation. Harmful if swallowed, inhaled, or absorbed through skin. Avoid contact with eyes, skin, or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not use on slopes or in areas where runoff is likely to occur (apply only to level surfaces). Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill, or store near heat or open flame.

NET CONTENTS: ____ GALLON(S)

EPA Reg. No. 66222-25 EPA Est. No. 34704-MS-1 Makhteshim-Agarl of North America, Inc. 551. Fifth Avenue, Suite 1100 New York, NY 10176

GENERAL INFORMATION

For total weed control on areas around the home, the business, or workplace where no plant growth is desired, use as specified in the label directions.

Controls bindweed, common mullein, and other hard-to-kill weeds.

Pramitol 1.5% Liquid Vegetation Killer is a nonselective product intended for use without further dilution. For best results, apply to bare ground or when weed growth is just starting. Weeds taller than 4-6 inches should be hoed before treatment or it may be necessary to make a second application. A second application may be necessary to control deep-rooted perennial weeds. Use for bare ground vegetation control in driveways, brick walks, paths, patios, parking areas, play areas, along fences and curbs, around buildings, and under graveled pathways where plant growth has come through these surfaces.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

For control of annual and susceptible perrenial weeds such as downy bromegrass, oatgrass, goosegrass, quackgrass, puncturevine, goldenrod, and plaintain. To cover 100 sq. ft., apply 1 $2/3 - 2 \frac{1}{2}$ pts. undiluted product by use of a sprinkling can or other watering or spraying device. For control of hard-to-kill perennial broadleaf and grass weeds such as bindweed and johnsongrass as well as the biennials common mullein and wild carrot, use 6 $2/3 - 9 \frac{1}{5}$ pts. product per 100 sq. ft.

When using a sprinkling can, triple rinse and pour rinsate on area treated once application is complete. Mix only the quantity needed and use immediately. To minimize lateral movement, sprinkle lightly with a watering can or similar sprinkler device immediately after application.

ACCEPTED with COMMENTS In EPA Letter Dated

NOV 1 3 2000

Under the Fadoral Insecticide, Fungicide, and Rodosticide Act as amouded, for the pesticide angistered under EPA.Reg. No. 66322-25

PRECAUTIONS:

- Apply when air is calm to avoid the possibility of drift onto desirable plants or grass.
- 2. Keep away from the roots of desirable plants and trees.
- 3. Use only in areas where complete control of all vegetation is desired.
- 4. Pramitol 1.5% Liquid Vegetation Killer should not be used on cultivated areas, on ground that is to be cultivated, in greenhouses, or near the drip line of trees or shrubs.
- 5. Do not use on slopes or in areas where runoff is likely to occur (apply only to level surfaces).
- 6. Avoid using where adjacent desirable trees, shrubs, or plants may be injured from leaching of the chemical through the soil.
- Keep children and animals off treated areas until these areas are dry.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store undiluted pesticide in original container. Do not store diluted pesticide solution.

PESTICIDE AND CONTAINER DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

WARRANTY STATEMENT

Seller warrants that the product conforms to its chemical description and it reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of FITNESS MERCHANTABILITY **JO** FOR Α PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instruction or under abnormal conditions or under conditions not reasonably forseeable to seller, and buyer assumes the risk on any such use. Buyer assumes all risks of use, storage, or handling of this material not in strict accordance with directions given herewith.

Pramitol® is a registered trademark of Makhteshim-Agan of North America Inc.

@1999 Makhteshim-Agan of North America Inc., New York, NY

....

....

C:Wy Documents\MANAMANA labels\EPA Pending Text\Pramitol 1.5% (66222-25)(to EPA 8-24-00).doc, Page 2 of 2