≎EPA	United States Environmental Protection Agency Washington, DC 20460					V	Registration Amendment Other		OPP Identifier Number
		Application	on for	Pestic	ide - Sect	ion	i		
1. Company/Product Number 66222-35			2. EPA Product M					3. P	Proposed Classification
4. Company/Product (Name) Rimon 10EC				PM\$					None Restricted
551 Fifth Avenue, New York, NY 101	of North America, I Suite 1100	="		(b)(i), to: EPA		s sim			h FIFRA Section 3(c)(3) omposition and labeling
			Sec	tion -					
Amendment - Exp	lain below.	· · ·		[/	Final printed		s in repsonse	to A	IOTHICATION
Resubmission in response to Agency letter dated				— "Me Too" Application. NOV - € 2003 Other - Explain below.					
EPA. I further understand	al statement of formula for I that if this notification is n ect to enforcement action	ot consistent wi	th the ten nder Sect	ns of PR I ons 12 an	Notice 98-10 and 14 of FIFRA	nd 40			nake any false statement to uct may be in violation of
1. Material This Product	Will Be Deckered in:		280	tion -				· · · · · · · · · · · · · · · · · · ·	
Child-Resistant Packaging Yes No Sertification must	Unit Packeging Yes No If "Yes" Unit Packeging wgt. No. per Unit Packeging wgt.		Water Soluble Packaging Yes No If "Yes" No. pe Package wgt contain			Plas Glet Pap		Metal Plastic Glass Paper	eal etic
pe submitted									
3. Location of Net Contents Information 4. Size(s) Re Lebel Container			r ''1			on label	f Label Directions abel		
6. Manner in Which Labe	l is Affixed to Product	Lithog Paper Stenci	raph glued led		Other			····	
			Sec	tion - I	V				
1. Contact Point Comple	ete items directly below	for identification	n of indiv	idual to b	e contacted, i	if nece	essary, to pro	cess this	s application.)
Name Anne Stout			Title Registration Specialist				Telephone No. (Include Area Code) 901-861-4400		
	stements I have made or any knowlinglly false or ble law.		ail attaci						6. Date Application Received (Stamped)
2. Signature 3. Title					Regulatory Affairs				

5. Date

10-23-03

4. Typed Name

Andy Eimanis

Diamond™ 0.83EC

Novaluron Insecticide

10% Emulsifiable Concentrate Insect Growth Regulator
For Control of Insect Pests on Container Grown Ornamentals in
Greenhouses, Shadehouses, and Outdoor Nurseries

ACTIVE INGREDIENT: novaluron:

1-[3-chloro-4-(1,1,2-trifluoro-2-trifluoromethoxyethoxy)phenyl]
3-(2,6-difluorobenzoyl)urea*

INERT INGREDIENTS:

TOTAL 100%

*Contains 0.83 lbs. novaluron per gailon.

WARNING - AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

· ·	FIRST AID				
IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. 				
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.				
	Call a poison control center or doctor for treatment advice.				
IF ON SKIN OR	Take off contaminated clothing.				
CLOTHING:	Rinse skin immediately with plenty of water for 15-20 minutes.				
	Call a poison control center or doctor for treatment advice.				
IF SWALLOWED:	Call a poison control center or doctor immediately for treatment advice.				
	Have person sip a glass of water if able to swallow.				
	Do not induce vomiting unless told to do so by a poison control center or doctor.				
	Do not give anything by mouth to an unconscious person.				
IF INHALED:	Move person to fresh air.				
	 If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. 				
	Call a poison control center or doctor for further treatment advice.				

treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING. Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic invertebrates. For terrestrial uses, do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning equipment or disposal of wastes.

NET CONTENTS: 1 Liter

EPA Reg. No. 66222-35 EPA Est. No. 11678-IS-001



Makhteshim-Agan of North America, Inc. 551 Fifth Avenue, Suite 1100 New York, NY 10176

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category C on an EPA chemical resistance category selection chart.

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical resistant gloves such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, or Viton
- Shoes plus socks
- Protective eyewear

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- · Wash hands before eating, drinking, chewing gurn, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls over long-sleeved shirt and long pants
- Chemical resistant gloves such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, or Viton
- Shoes plus socks
- Protective eyewear

GENERAL INFORMATION

Diamond 0.83EC provides an effective means for controlling whiteflies, thrips, leafminers, armyworms, and certain other foliar feeding insects in greenhouses, shadehouses, and outdoor nurseries. Diamond 0.83EC can be applied as a foliar spray to control immature stages of the target pests. For best results, read all directions and recommendations thoroughly. Consult your local agricultural specialist for the spray schedule best suited to your conditions.

CHEMIGATION STATEMENT: Do not apply this product through any type of irrigation system.

NOTE: The compatibility of Diamond 0.83EC with concurrent releases of insects for biocontrol of plant pests has not been established. When used as directed, Diamond 0.83EC affects developing immature stages of insects by disrupting the molting process. Consequently, fully developed adult stages of pest and beneficial species are not affected.

MIXING INSTRUCTIONS: Prepare solution concentrations in a clean, empty spray tank. Use clean spray filters. Add water to 1/3 level of tank. Add the appropriate amount of Diamond 0.83EC to the tank and agitate to insure proper mixture. Continue filling tank with water until desired dilution is achieved. Shake or reagitate spray tank before use if application is interrupted. Make up only the amount of application volume as required. Dispose of any unused spray material at the end of each day according to the instructions found in the STORAGE AND DISPOSAL section of this label.

TANK MIXING: Diamond 0.83EC may also be used in tank mixtures. Test compatibility of the intended tank mixture before adding Diamond 0.83EC to the spray or tank mix. Add proportionate amounts of each ingredient to a pint or quart jar, cap, shake, and let set 15 minutes. Formation of precipitates that do not readily redisperse indicates an incompatible mixture that should not be used. Add other products in the following order: water-soluble bags, wettable powders, dry flowables, liquid flowables, emulsifiable concentrates, and soluble materials such as fertilizers. If tank mixing with other products, especially soluble fertilizers containing nitrogen or boron, allow products packed in water

soluble bags to dissolve first. Read and observe label directions of all products used in the tank mix before using. When tank mixing, always read all individual manufacturers' labels. In interpreting all labels for the tank mix, the most restrictive situations must apply. Tank mixtures are permitted only in those states where the tank mix partner is registered.

SPRAY COVERAGE: All parts of the crop must receive uniform spray coverage or else desired result may not occur. Consult your local agricultural specialist for specific information on the best rates, timings, and spray volumes for your region.

Diamond 0.83EC is an insecticide for control of certain foliar insect pests on container grown ornamentals in greenhouses, shadehouses, and outdoor nurseries. Diamond 0.83EC may be applied alone or in rotation with other insecticides. The primary mode of action is by disrupting cuticle formation and deposition occurring when insects change from one developmental stage to another resulting in death at molting. Due to this mode of action, Diamond 0.83EC has no effect on adult stages of insects that have completed all of the successive molts through larval or nymphal stages of development.

APPLICATION INSTRUCTIONS: Apply by compressed air, hydraulic, or handheld sprayers. Do not apply with boom sprayers, high volume airblast sprayers, or by aircraft. Minimize drift and movement to non-target areas by directing spray to foliage.

FOLIAR FEEDING AND SUCKING INSECTS CONTROLLED BY DIAMOND 0.83EC:

Whitefies, such as:

Greenhouse Whitefly

Silverleaf Whitefly

Sweetpotato Whitefly

Thrips, such as:

Citrus Thrips

Flower Thrips

Gladiolus Thrips

Leafminers, such as:

Western Flower Thrips Citrus Leafminer

Serpentine Leafminer

Armyworms, such as:

Beet Armyworm

Lawn Armyworm

Yellow Striped Armyworm

Fail Armyworm

Southern Armyworm

WHITEFLIES, THRIPS, LEAFMINERS, AND ARMYWORMS:

Mix 3 to 12 ozs. of Diamond 0.83EC in 100 gals. of water and apply as a spray to the foliage through conventional spray equipment. One gallon of finished spray will treat 200 sq. ft. of greenhouse bench area. When pest population pressure is high, use the higher label rates. Consult your local Diamond 0.83EC agricultural specialist for information about tank mixing Diamond 0.83EC with agrochemical products registered for use on the treated crop.

RESISTANCE MANAGEMENT: Diamond 0.83EC is effective in controlling insect pests and minimizing the development of resistance when used in rotation with other insecticides in an IPM program. To reduce selection pressure for resistant pests:

- Do not use Diamond 0.83EC in successive applications. Use only one application of Diamond 0.83EC before rotation with other classes of insecticides with different modes of action.
- Use at least two alternative products between applications of Diamond 0.83EC.
- For management of pests with short life cycles such as whiteflies and thrips, do not use Diamond 0.83EC more than once within each generation cycle.
- Always apply Diamond 0.83EC at the recommended rates and according to label directions. Do not use less than
 recommended label rates alone or in tank mixtures.
- Use Diamond 0.83EC as part of an insect management program that includes cultural and biological control where possible.
- Scout pest populations and begin Diamond 0.83EC applications before the pest becomes established. Focus treatments on early immature stages for best results. For optimum control, spray applications should thoroughly wet the undersides of leaves when whiteflies and thrips are present.

USE RESTRICTIONS:

- Do not apply Diamond 0.83EC more than once every 30 days.
- Do not make more than two (2) applications of Diamond 0.83EC per crop per year.
- Do not apply more than 52 fl. oz. of Diamond 0.83EC per acre per year per crop.
- Do not apply to poinsettias.

PLANT TOLERANCE: Neither the manufacturer nor the seller has determined whether Diamond 0.83EC can be used safely on all ornamental plants. Before any large-scale application, the user should determine the safety of Diamond 0.83EC by testing a small number of the type of plants to be treated at the recommended rates and under the desired growing conditions. Observe the treated plants for symptoms of phytotoxicity, which may occur as interveinal chlorosis and/or marginal necrosis on sensitive plants. The user assumes all risks arising out of application to untested plants.

STORAGE AND DISPOSAL

DO NOT contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Puncture and dispose of in a sanitary landfill, or by incineration if allowed by state and local authorities. If burned, stay clear of smoke.

For minor spills, leaks, etc., follow all precautions indicated on this label and clean up immediately. Take special care to avoid contamination of equipment and facilities during cleanup and disposal of wastes.

WARRANTY STATEMENT

MAKHTESHIM-AGAN OF NORTH AMERICA warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal use conditions. It is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of MAKHTESHIM-AGAN OF NORTH AMERICA. In no case shall MAKHTESHIM-AGAN OF NORTH AMERICA be liable for consequential, special, or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the Buyer. In addition to the foregoing, no purchaser of this product (other than an end user) shall be entitled to any reimbursement for any loss suffered as a result of any suspension or cancellation of the registration for this product by the U.S. Environmental Protection Agency. Except as expressly provided herein, MAKHTESHIM-AGAN OF NORTH AMERICA makes no warranties, guarantees, or representations of any kind, either expressed or implied, or by usage of trade, statutory or otherwise, with regard to the product sold, including, but not limited to merchantability, fitness for a particular purpose, use or eligibility of the product for any particular trade usage. The exclusive remedy of any buyer or user of this product for any and all losses, injuries, or damages resulting from or in any way arising from the use, handling, or application of this product, whether in contract, warranty, tort, negligence, strict liability, or otherwise, shall be damages not exceeding the purchase price paid for this product or, at MAKHTESHIM-AGAN OF NORTH AMERICA's election, the replacement of this product.

Copyright 2003

Diamond 0.83EC® is a registered trademark of Makhteshim Chemical Works Ltd.

Diamond 0.83EC (EPA app 6-18-02)(notif to EPA 10-23-03)