

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

NOV 2 0 2008

Christie Hitchcock Registration Specialist Makhteshim Agan of North America, Inc. 4515 Falls of Neuse Rd., Suite 300 Raleigh, NC 27609

Subject: Label Notification(s) for Pesticide Registration Notice 98-10 and 2007-4

Dear Ms. Hitchcock:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 and 2007-4 dated June 20, 2008 for:

EPA Registration 66222-39 Pramitol 4-RR

The Registration Division (RD) has conducted a review of this request for applicability under PRN 98-10 and 2007-4 and finds that the label change(s) requested falls within the scope of PRN 98-10 and 2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by nonnotification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-5551.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

Please reed instructions on r		,		Form Approved	Registrat		OPP Identifier Number		
United States Environmental Protecti Washington, DC 20			n Agency	-	Amendm	ion			
					Other				
		Applicatio	n for Pesticide	- Section	1				
1. Company/Product Number 66222-39			2. EPA Product Manager			3 Pro	3 Proposed Classification		
			Linda Arrington				None Restricted		
4. Compeny/Product (Name) Pramitol 4-RR			Registration Support Branch						
5. Name and Address of Applicant (Include ZIP Code)			6 Expedited Reveiw In accordance with FIFRA Section 3(c)(3)						
Makhteshim Agan of North America, Inc.			(b)(i), my product is similar or identical in composition and labeling to:						
4515 Falls of Neuse Rd., Suite 300 Raleigh, NC 27609			EPA Reg. No.						
Check if this	Product Name								
			Section - II						
Amendment - Explain	below.		1 1	nal printed lebe	els in repsonse	to		······································	
Resubmission in response to Agency letter deted			Agency letter dated						
			we roo Appication.						
Notification - Explain below.			°	ther - Explain b	elow.	:		_	
Explanation: Use addition	nal page(s) if necessar	y. (For section	n I and Section II.)	• 					
Notification per PRN 98-10 8 and no other changes have I	een made to the labeli	ng or the confid	ential statement of form	nula of this prod	uct lunderstan	d that it is	a violation	of 18	U.S.C
Sec 1001 to willfully make fa and 40 CFR 152 46, this pro-									
	•		•		•		•		
			Section - III	, , ,, ' · · · · · · · · · · · · · · · ·		- 			
1. Material This Product Wil	Be Packaged In:					,			
hild-Resistant Packaging Unit Packaging			Water Soluble Paci	2. Type of Container					
Yes	Yes		Yes	Metal Plastic					
✓ No	V No		V No			Giass			
* Certification must be submitted	If "Yes" Unit Packaging wgt	No. per container	lf "Yes" Package wgt	No. per container		Paper Other (5	Specify)		
	<u> </u>	4 2: 41 7		Тат		151			
		4. Size(s) Ret	etail Container 5. Location of Lebel Di gallon - 250 gallon tote on label				ons		
			<u></u>						
	Annage to Froduct	Uthog Peper Stenc	glued iled						
	·		Section - IV		•				
1. Contact Point (Complete	items directly below	for identification	n of individual to be o	on' ted, if ne	cessary, to pro	cess this	application	n.J	
Name Christie Hitchcock			Description Controller			-	ephone No. (Include Area Code) 9-256-9342		
		Certifica	ntion				6. Date		ation
I certify that the state I ecknowledge that ar both under applicable	ny knowli <mark>nglly false</mark> or		all attachments there etement may be punis				Recei (S	ved tamp	ped)
2 Signature			3 Title]		•
Christie Dalchood			Registration Specialist						
. Typed Name			5. Date						
Christie Hitchcock			06-20-08						



5,200 3/6

June 20, 2008

Document Processing Desk (NOTIF) Registration Division (7504P) OPP, USEPA Ariel Rios Building 1200 Pennsylvania Ave, NW Washington DC 20460

Re:

Pramitol 4-RR; EPA Reg. No. 66222-39 Notification per PRN 98-10 and 2007-4

To Whom It May Concern:

We are notifying the Agency of several label updates as allowed in PR Notices 98-10 and 2007-4. The changes are summarized below:

- Added "Manufactured for" in front of the company name (allowed per PRN 98-10 §II(N)(2))
- --• Added a voluntary marketing statement about use of an adjuvant (allowed per PRN 98-10, §II(N)(3))
- Updated the Warranty Statement that is now consistent with EPA's guidance document dated 10-17-06) (allowed per PRN 98-10 §II(J))
- Updated address on product-specific labeling (allowed per PRN 98-10 §IV(D))(note; official EPA records have already been updated; we're just correcting this label)
- Updated container disposal instructions per PRN 2007-4

In support of this submission, the following documents are attached:

- Application for Pesticide Registration (EPA Form 8570-1)
- · One copy of final printed labeling

Please contact me at 919-256-9342 or by email at chitchcock@manainc.com if you have any questions regarding this submission or would like a copy of the annotated label showing the changes for your files.

Sincerely,

Christie Hitchcock

Registration Specialist

Enclosures



HERBICIDE

For total vegetation control of weeds in RAILROADS AND UTILITY RIGHTS-OF-WAY 1 gallon treats up to 20,000 sq. ft.

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

IF SWALLOWED:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

IF ON SKIN OR

Take off contaminated clothing.

CLOTHING:

- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

IF INHALED:

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
- Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact PROSAR at 1-877-250-9291 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

Do not contaminate water used for irrigation or domestic purposes. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION

Pramitol 4-RR is a nonselective herbicide that can be applied in water before or after plant growth begins. Although Pramitol 4-RR has considerable activity through foliar contact, much of its activity is through roots; therefore, its effectiveness is dependent on rainfall to move it into the root zone. Very dry soil conditions and lack of sufficient rainfall may result in poor weed control.

NET CONTENTS: ONE GALLON

EPA Reg. No. 66222-39 EPA Est. No.



Page 1 of 3

GENERAL INFORMATION

Pramitol 4-RR is a nonselective herbicide that can be applied in water before or after plant growth begins. Although Pramitol 4-RR has considerable activity through foliar contact, much of its activity is through roots; therefore, its effectiveness is dependent on rainfall to move it into the root zone. Very dry soil conditions and lack of sufficient rainfall may result in poor weed control.

Important: Use only in areas where complete control of all vegetation is desired. When applied to the soil, this product usually inhibits plant growth for a year or more.

Following many years of continuous use of this product and chemically related products, biotypes of some of the weeds listed on this label have been reported which cannot be effectively controlled by this and related herbicides. Where this is known or suspected, we recommend the use of this product in combination with other registered herbicides which are not triazines. Consult with your State Agricultural Extension Service for specific recommendations.

Pramitol 4-RR is generally non-corrosive to equipment but may cause swelling or more rapid deterioration of hoses and fittings containing natural rubber.

When an adjuvant is to be used with this product, Makhteshim Agan of North America, Inc. suggests the use of a Chemical Producers and Distributors Association certified adjuvant.

RAILROADS AND UTILITY RIGHTS-OF-WAY

Pramitol 4-RR can be applied to railroads and utility rights-of-way before or up to 3 months after weed emergence. Application rates vary from 2.0 - 5 gals. of Pramitol 4-RR per acre depending on climatic conditions, soil type, the weeds present, and the stage of growth of the weeds. In the following rate recommendations, the higher rates are intended for use on heavier soils where weed growth is heavy and where rainfall is expected to be relatively high. The higher rates should also be used where longer residual control is desired in regions with a long growing season.

Although Pramitol 4-RR has considerable activity through foliar contact, much of its activity is through roots; therefore, its effectiveness is dependent on rainfall to move it into the root zone. Very dry soil conditions and lack of sufficient rainfall may result in poor weed control.

For best results, apply Pramitol 4-RR before weeds emerge or when weeds are young and actively growing.

For control of annual and susceptible perennial weeds and grasses (including but not limited to downy bromegrass, oatgrass, goosegrass, quackgrass, puncturevine, goldenrod, and plantain): broadcast 2.0 - 3.06 gals. Pramitol 4-RR in 50 - 100 gals. of water per acre.

For control of hard-to-kill perennial weeds and grasses (including but not limited to johnsongrass, bindweed, and wild carrot): broadcast 3.75 – 5 gals. of Pramitol 4-RR in 50 - 100 gals. of water per acre.

Using properly calibrated equipment, mix the recommended amount of Pramitol 4-RR in the spray tank in the appropriate amount of water with the agitator running. If desirable, a spray pattern indicator may be added at the recommended label rate. Apply uniformly to the area to be treated.

In arid areas where deep-rooted perennials are a problem, best results can be obtained by making the application from midsummer through late fall or prior to the rainy season.

PRECAUTIONS WHEN USED ON RAILROADS AND UTILITY RIGHTS-OF-WAY: (1) Feeder roots of desirable plants often extend far beyond the drip line of the branches. Do not apply this product or drain or flush application equipment in locations where the chemical may come into contact with root zones of desirable trees, shrubs, or plants or injury may occur. (2) Do not use on land to be cropped.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store at temperatures above 32°F.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of onesite or at an approved waste disposal facility.

CONTAINER DISPOSAL:

Nonrefillable Container (five gallons or less): Nonrefillable container. Do not reuse or regili this container. Offer for recycling, if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank

or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Nonrefillable Container (greater than five gallons): Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ½ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

Refillable Container: Refillable container. Refill this container with prometon only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. FOR 24-HOUR EMERGENCY ASSISTANCE (SPILL, LEAK OR FIRE), CALL INFOTRAC AT (800) 535-5053.

LIMITATION OF WARRANTY AND LIABILITY

Read the entire directions for use, conditions of warranties and limitations of liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following CONDITIONS, DISCLAIMER OF WARRANTIES and LIMITATIONS OF LIABILITY.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Makhteshim Agan of North America, Inc. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, Makhteshim Agan of North America, Inc. makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on this label. No agent of Makhteshim Agan of North America, Inc. is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Makhteshim Agan of North America, Inc. disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid or at Makhteshim Agan of North America, Inc.'s election, the replacement of product.

Pramitol® is a registered trademark

Pramitol 4-RR (66222-39)(EPA app 12-4-01)(notif to EPA 4-2-02)(notif to EPA 06-20-08)