66222-44	1/	30/2002			
UNITED STATES	U.S. ENVIRONMENTAL PROTEC Office of Pesticide Prog Registration Division (H7 401 "M" St., S.W. Washington, D.C. 204	rams 505C)	EPA Reg. Number: 66222-44	Date of Issuance: JAN 30 2002	
NOTICE OF PESTICIDE:			Term of Issuance: Conditional		
<u>x</u> Registration Reregistration (under FIFRA as amended)			Name of Pesticide Product: Pramitol 1.8 L		
551 Fifth Avenue New York, NY	cialist in of North America Inc b, Suite 1100 10176				
prior to use of the label in co	ffering in substance from that accepted in connecti mmerce. In any correspondence on this product a furnished by the registrant, the above named pestic	lways refer to the above EPA r	egistration number.		
Rodenticide Act. Registration is in no way to Administrator, on his motion with the registration of a pro others.	be construed as an endorsement or recommendation , may at any time suspend or cancel the registration duct under this Act is not to be construed as giving UCT is conditionally registered	n of this product by the Agency n of a pesticide in accordance w the registrant a right to exclusiv	7. In order to protect health with the Act. The acceptance we use of the name or to its	and the environment, the ce of any name in connection use if it has been covered by	
	mit and/or cite all data require ncy requires all registrants of s	•	-	· · ·	
2. Mal	te the following label changes: Revise the EPA Registration		PA Reg No 6	5222-44"	
а. b.	Change the subheading "Prec	•	-		
3. Sub	mit one (1) copy of the revised	i final printed label	for the record.		
	onditions are not complied wit FIFRA sec. 6(e). Your release ns.	· ·	•		
A stamped co	py of the label is enclosed for	your records.	· .		
)					
Signature of Approving Offi James Tompkins Herbicide Branc	, PM-25		Date: 1 - 30 - 0	2	
Registration Div	ision, (7505C)		<u>.                                    </u>		

ACCEPTED with COMMENTS In EPA Letter Dated

JAN 30 2002 Under the Federal Insecticide, Fundicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 46 222 - 44 CF

# PRAMITOL<sup>®</sup> 1.8 L

## FOR TOTAL VEGETATION CONTROL OF WEEDS IN NONCROP AREAS

ACTIVE INGREDIENT:	% BY WT.
Prometon: 2,4-bis(isopropylamino)-6-methoxy-s-triazine	
INERT INGREDIENTS:	<u>98.2%</u>
	<b>TOTAL</b> 100.0%

# KEEP OUT OF REACH OF CHILDREN CAUTION

# FIRST AID

IF SWALLOWED:	Call a poison control center or doctor immediately for treatment advice.		
	<ul> <li>Have person sip a glass of water if able to swallow.</li> </ul>		
	<ul> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> </ul>		
	<ul> <li>Do not give anything by mouth to an unconscious person.</li> </ul>		
IF IN EYES:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> </ul>		
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.		
1	Call a poison control center or doctor for treatment advice.		
IF ON SKIN OR	Take off contaminated clothing.		
CLOTHING:	Rinse skin immediately with plenty of water for 15-20 minutes.		
	Call a poison control center or doctor for treatment advice.		
IF INHALED:	Move person to fresh air.		
	<ul> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> </ul>		
	Call a poison control center or doctor for further treatment advice.		
Have the product c	ontainer or label with you when calling a poison control center or doctor or going for		

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling.

#### **ENVIRONMENTAL HAZARDS**

Do not contaminate water used for irrigation or domestic purposes. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### **GENERAL INFORMATION**

Pramitol 1.8 L will kill almost all vegetation down to the roots and prevent plant regrowth. When applied to the soil, this product can inhibit plant growth for up to one year. Residual control increases as rates are increased. Use around the home, the business, or workplace where no plant growth is desired. Pramitol 1.8 L is intended for bare ground vegetation control in driveways, sidewalks, brick walks, paths, patios, parking areas, play areas, along fences and curbs, around buildings, and under graveled pathways where plant growth has come through these surfaces. The product should be diluted with water before application.

Do not use on lawns, flower beds, or vegetable gardens. Pramitol 1.8 L should not be applied over the root zones of desirable trees or shrubs. Do not apply in sloped areas where runoff may adversely affect desirable plants

## NET CONTENTS: \_\_\_\_ GALLON(S)

EPA Reg. No. 66222-xx // // EPA Est. No. 11603-IS-1 Makhteshim-Agan of North America, Inc. 551 Fifth Avenue, Suite 1100 New York, NY 10176

C:Wy Documents/MANA/MANA labels/EPA Pending Text/Pramitol 1.8 (to EPA 3-01).doc, Page 1 of 2

Although Pramitol 1.8 L has considerable activity through foliar contact, much of its activity is through roots; therefore, its effectiveness is dependent on rainfall to move it into the root zone. Very dry soil conditions and lack of sufficient rainfall may result in poor weed control. For best results, if the soil is dry, water lightly before treatment. Apply Pramitol 1.8 L directly to weeds and grass. Thoroughly wet weeds but do not soak as runoff may occur. Two days following application, lightly water the treated area. This will aid in the killing and prevention of weeds through root absorption.

#### WHEN TO APPLY

For best results, apply to bare ground or when weed growth is just starting. Weeds taller than 4 inches should be hoed or cut to 1-inch in height before treatment or it may be necessary to make a second application. A second application may also be necessary to control deep-rooted perennial weeds. In areas of heavy rainfall, repeat applications may be required every six months.

#### HOW TO APPLY

For control of annual and susceptible perennial weeds, use the lower rates listed below. For control of hard-to-kill perennial broadleaf and grass weeds, use the higher rates listed below.

Area to be Treated	Lower Rate	Higher Rate	Suggested Amount of Water to Use
25 sq. ft.	5.5 oz. – 8.3 oz.	13/8 pts 1.9 pts.	1⁄2 gal.
50 sq. ft.	11 oz. – 16 2/3 oz.	2 3/4 pts 3.83 pts.	1 gal.
75 sq. ft.	16 2/3 oz. – 25oz.	4.3 pts 5 <sup>3</sup> / <sub>4</sub> pts.	1¼ gal.
100 sq. ft.	1 3/8 pts 2 1/16 pts.	5 1/2 - 7 2/3 pts.	11⁄2 gal.

Apply ONLY with a sprinkling can unless applying this product in remote locations where possible drifting is NOT a concern; then a plastic tank sprayer may be used in lieu of the sprinkling can. When using a sprinkling can, triple rinse and pour rinsate on area treated once application is complete. Mix only the quantity needed and use immediately. Do not use a hose-end sprayer.

For best results, apply Pramitol 1.8 L to contact and absorb into surface weeds. To prevent growth of weeds under asphalt driveways, parking areas or tennis courts, and play areas, apply Pramitol 1.8 L to excavated areas and saturate soil, BEFORE surface areas are finished.

**IMPORTANT:** To avoid damage to desirable plants, apply when it is not windy. Windy conditions may cause inadvertent drifting to desirable plants. DO NOT apply over the root zones of desirable trees and shrubs. DO NOT apply to decorative rock or bark groundcovers where the soil is covered with plastic fabric or runoff and/or leaching may result. In heavy clay soil locations, residual activity may exceed one year. DO NOT apply where plantings are planted. Do not apply closer than twice the distance from the trunk to the drip line. Do not apply next to a fence if desirable plants are growing on the other side or if future plantings are planned. Vertically cut through any roots adjacent to root zone of desirable plants. Also follow the precautions listed below.

#### **PRECAUTIONS:**

- 1. Apply when air is calm to avoid the possibility of drift onto desirable plants or grass.
- 2. Keep away from the roots of desirable plants and trees.
- 3. Use only in areas where complete control of all vegetation is desired.
- 4. Pramitol 1.8 L should not be used on cultivated areas, on ground that is to be cultivated, in greenhouses, or near the drip line of trees or shrubs.
- 5. Do not use on slopes or in areas where runoff is likely to occur (apply only to level surfaces).
- 6. Avoid using where adjacent desirable trees, shrubs, or plants may be injured from leaching of the chemical through the soil.
- 7. Keep children and animals off treated areas until these areas are dry.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **PESTICIDE STORAGE:** Store undiluted pesticide in original container. Do not store diluted pesticide solution. **PESTICIDE AND CONTAINER DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash.

#### WARRANTY STATEMENT

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instruction or under abnormal conditions or under conditions not reasonably forseeable to seller, and buyer assumes the risk on any such use. Buyer assumes all risks of use, storage, or handling of this material not in strict accordance with directions given herewith.

Pramitol® is a registered trademark of Makhteshim-Agan of North America, Inc.