6222 -	45	12/1	2/2001	•	Poge 1
	U.S. ENV	TRONMENTAL PROTECT Office of Pesticide Progra		EPA Reg. Number:	Date of Issuance:
UNITED STATES		Registration Division (H750			DEC 1 2 2001
		401 "M" St., S.W. Washington, D.C. 2046	0	66222-45	
THE SHOTEL				Term of Issuance: Co	onditional
C PHOLP	NOTICE OF	PESTICIDE			
		egistration		Name of Pesticide Prod	uct:
	- (under F	eregistration TFRA, as amended)		Pramitol 2.2L	
	gistrant (include ZIP Code)):			
Ms. Anne Stou Registration Sp					
U 1	gan of North An	nerica Inc			
551 Fifth Aven	-				
New York, NY					
		m that accepted in connection pondence on this product alw		st be submitted to and accepted A registration number.	by the Registration Division
On the basis of information Rodenticide Act.	n furnished by the registrat	nt, the above named pesticid	c.is hereby registered/rere	gistered under the Federal Inse	cticide, Fungicide and
Administrator, on his moti	on; may at any time susper	nd or cancel the registration of	of a pesticide in accordan	ency. In order to protect health ce with the Act. The acceptanc	e of any name in connection
others.			•	lusive use of the name or to its	
	duct is conditio	nally registered in	n accordance w	ith FIFRA sec. 3(c	c)(7)(A) provided
that you:					
		-	—	n/ reregistration of to submit such dat	· ·
2. Ma	ake the following	g label changes:			
a.	Revise the EP	A Registration N	umber to read,	"EPA Reg. No. 66	5222-45".
b.	Under the "Di "Use Precauti		section change	the subheading "Pr	recautions" to
3. Su	bmit one (1) coj	py of the revised	final printed lab	el for the record.	
accordance with	n FIFRA sec. 6(e	•	-	n will be subject to the product const	
of these condition	ons.				
A stamped c	opy of the label	is enclosed for yo	our records.		
Signature of Approving O	Gincial:			Date:	. <u>/</u>
1 /	XIIIA				
James Tompkir	· • //	_		12-12-01	/
Lorbiaido Dros	cn í			r •	
Herbicide Bran	vision, (7505C)				

•

•

/ 1

ACCEPTED with COMMENTS In EPA Letter Dated

DEC 1 2 2001

Under the Federal Insocticide, Fundicide, and Rodenticide Act as amended, for the posticide registered under EPA Reg. No.

% BY WT

PRAMITOL[®] 2.2 L

FOR TOTAL VEGETATION CONTROL OF WEEDS IN NONCROP AREAS

ACTIVE INGREDIENT:

ACTIVE INOREDIENT.			
Prometon: 2,4-bis(isopropylamino)-6-methoxy-s-triazine		2.2%	6
INERT INGREDIENTS:		97.8%	6
TOT			
	чL.	100.07	

KEEP OUT OF REACH OF CHILDREN CAUTION

	FIRST AID				
IF SWALLOWED:	 Call a poison control center or doctor immediately for treatment advice. 				
	 Have person sip a glass of water if able to swallow. 				
	 Do not induce vomiting unless told to do so by a poison control center or doctor. 				
	 Do not give anything by mouth to an unconscious person. 				
IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. 				
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.				
	Call a poison control center or doctor for treatment advice.				
IF ON SKIN OR	Take off contaminated clothing.				
CLOTHING:	Rinse skin immediately with plenty of water for 15-20 minutes.				
	Call a poison control center or doctor for treatment advice.				
IF INHALED:	Move person to fresh air.				
	 If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. 				
	 Call a poison control center or doctor for further treatment advice. 				
Have the product c treatment.	ontainer or label with you when calling a poison control center or doctor or going for				

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

Do not contaminate water used for irrigation or domestic purposes. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION

Pramitol 2.2 L is a nonselective product intended for use after dilution with water and will kill almost all vegetation down to the roots and prevent plant regrowth. When applied to the soil, this product can inhibit plant growth for up to one year. Residual control increases as rates are increased. Use around the home, the business, or workplace where no plant growth is desired. Pramitol 2.2 L is intended for bare ground vegetation control in driveways, sidewalks, brick walks, paths, patios, parking areas, play areas, along fences and curbs, around buildings, and under graveled pathways where plant growth has come through these surfaces.

Do not use on lawns, flower beds, or vegetable gardens. Pramitol 2.2 L should not be applied over the root zones of desirable trees or shrubs. Do not apply in sloped areas where runoff may adversely affect desirable plants.

NET CONTENTS: ____ GALLON(S)

EPA Reg. No. 66222-xx EPA Est. No. 11603-IS-1 Makhteshim-Agan of North America, Inc. 551 Fifth Avenue, Suite 1100 New York, NY 10176

C:Wy Documents\MANAMANA labels\EPA Pending Text\Pramitol 2.2 (to EPA 3-01).doc, Page 1 of 2

Although Pramitol 2.2 L has considerable activity through foliar contact, much of its activity is through roots; therefore, its effectiveness is dependent on rainfall to move it into the root zone. Very dry soil conditions and lack of sufficient rainfall may result in poor weed control. For best results, if the soil is dry, water lightly before treatment. Apply Pramitol 2.2 L directly to weeds and grass. Thoroughly wet weeds but do not soak as runoff may occur. Two days following application, lightly water the treated area. This will aid in the killing and prevention of weeds through root absorption.

WHEN TO APPLY

For best results, apply to bare ground or when weed growth is just starting. Weeds taller than 4 inches should be hoed or cut to 1-inch in height before treatment or it may be necessary to make a second application. A second application may also be necessary to control deep-rooted perennial weeds. In areas of heavy rainfall, repeat applications may be required every six months.

For control of annual and susceptible perrenial weeds, use the lower rates listed below. For control of hard-to-kill perennial broadleaf and grass weeds, use the higher rates listed below.

Area to be Treated	Lower Rate	Higher Rate	Suggested Amount of Water to Use
25 sq. ft.	4 oz. – 6 oz.	1 1/8 pts - 1 ½ pts	34 gal.
50 sq. ft.	8 oz. – 12 oz.	2 ¼ pts - 3 1/8 pts	1 gal.
75 sq. ft.	12 oz – 18 oz.	3 3/8 pts - 4 11/16 pts	1 ½ gal.
100 sq. ft.	1 pt. – 1 ½ pts.	4.5 pts - 6 ¼ pts	2 gal.

Apply using a sprinkling can or other watering or spraying device in sufficient water to get good coverage of the area (refer to suggested amount of water to use in above table). When using a sprinkling can, triple rinse and pour rinsate on area treated once application is complete. Mix only the quantity needed and use immediately. Do not store diluted solution once container is opened.

IMPORTANT: To avoid damage to desirable plants, apply when it is not windy. Windy conditions may cause inadvertent drifting to desirable plants. DO NOT apply over the root zones of desirable trees and shrubs. DO NOT apply to decorative rock or bark groundcovers where the soil is covered with plastic fabric or runoff and/or leaching may result. In heavy clay soil locations, residual activity may exceed one year. DO NOT apply where plantings are planted. Do not apply closer than twice the distance from the trunk to the drip line. Do not apply next to a fence if desirable plants are growing on the other side or if future plantings are planned. Vertically cut through any roots adjacent to root zone of desirable plants. Also follow the precautions listed below.

PRECAUTIONS:

- 1. Apply when air is calm to avoid the possibility of drift onto desirable plants or grass.
- 2. Keep away from the roots of desirable plants and trees.
- 3. Use only in areas where complete control of all vegetation is desired.
- 4. Pramitol 2.2 L should not be used on cultivated areas, on ground that is to be cultivated, in greenhouses, or near the drip line of trees or shrubs.
- 5. Do not use on slopes or in areas where runoff is likely to occur (apply only to level surfaces).
- 6. Avoid using where adjacent desirable trees, shrubs, or plants may be injured from leaching of the chemical through the soil.
- 7. Keep children and animals off treated areas until these areas are dry.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store undiluted pesticide in original container. Do not store diluted pesticide solution. **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY STATEMENT

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instruction or under abnormal conditions or under conditions not reasonably forseeable to seller, and buyer assumes the risk on any such use. Buyer assumes all risks of use, storage, or handling of this material not in strict accordance with directions given herewith.

Pramitol[®] is a registered trademark of Makhteshim-Agan of North America Inc.

C:Wy Documents/MANAMANA labels/EPA Pending Text/Pramitol 2.2 (to EPA 3-01).doc, Page 2 of 2