66222-52

1/11/2002

Page 135

8-1 		66222-52	JAN 11 2002		
	Washington, D.C. 20460 Washington, D.C. 20460 NOTICE OF PESTICIDE:	Term of Issuance: C	Conditional		
	<u>x</u> Registration Reregistration	Name of Pesticide Pro Pramitol 1.8%			
	Name and Address of Registrant (include ZIP Code):	l			
	Ms. Anne Stout				
e I	Registration Specialist				
	Makhteshim-Agan of North America Inc				
	551 Fifth Avenue, Suite 1100				
	New York, NY 10176				
	Note: Changes in labeling differing in substance from that accepted in connection with this registration prior to use of the label in commerce. In any correspondence on this product always refer to the above		ed by the Registration Division		
1	On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.				
	Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.				
	This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:				
	1. Submit and/or cite all data required for registration/ reregistration of your product the Agency requires all registrants of similar products to submit such data.				
	2. Make the following label changes:				
	a. Revise the EPA Registration Number to re	ead, "EPA Reg. No.	66222-52".		
	b. Change the subheading "Precautions" to "Use Precautions".				
	c. The label must specify the clothing and/or PPE to be worn by persons applying the product.				
	d. Add the following re-entry statement: "Do not allow entry into the treated area until sprays have dried".				
	3. The validation data of the proposed enforcement analytical method must be reviewed by EPA's RD's chemist. Contact Francis Griffin at 410/305-2905 or 410/305-3091 FAX for instruction on how to submit data for review.				
	<u> </u>				
	Signature of Approving Official:	Date:			
	James Tompkins, PM-25 Herbicide Branch Registration Division, (7505C)	- - ()2		

Page 2 EPA Reg. No. 66222-52

ĺ

4. Submit one (1) copy of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

PRAMITOL[®] 1.8RTU HERBICIDE

FOR TOTAL VEGETATION CONTROL OF WEEDS IN NONCROP AREAS

ACTIVE INGREDIENT:	% BY WT.
Prometon: 2,4-bis(isopropylamino)-6-methoxy-s-triazine	1.8%
INERT INGREDIENTS:	
	TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

	FIRST AID
IF SWALLOWED:	 Call a poison control center or doctor immediately for treatment advice.
	 Have person sip a glass of water if able to swallow.
	 Do not induce vomiting unless told to do so by a poison control center or doctor.
	 Do not give anything by mouth to an unconscious person.
IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	 Call a poison control center or doctor for treatment advice.
	Take off contaminated clothing.
CLOTHING:	 Rinse skin immediately with plenty of water for 15-20 minutes.
	 Call a poison control center or doctor for treatment advice.
IF INHALED:	Move person to fresh air.
	• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
	Call a poison control center or doctor for further treatment advice.
	entainer or label with you when calling a poison control center or doctor or going for any also contact PROSAR at 1-877-250-9291 for emergency medical treatment

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

Do not contaminate water used for imigation or domestic purposes. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NET CONTENTS: ____ GALLON(S)

EPA Reg. No. 66222-xx EPA Est. No. 11603-IS-1



Makhteshim-Agan of North America, Inc. 551 Fifth Avenue, Suite 1100 ACCEPTED New York, NY 10176 with COMMENTS In EPA Letter Dated

JAN | 2002 Under the Federal Insecticide, Fundicide, and Rodenticide Act as amended, for the posticide registered under EPA Reg. No.

C:\My Documents\MANA\MANA LABELS\EPA PENDING TEXT\PramitolL&RTU-66222xxfornewReg-toEPA10-25-01.doc

GENERAL INFORMATION

8

Pramitol RTU will kill almost all vegetation down to the roots and prevent plant regrowth. When applied to the soil, this product can inhibit plant growth for up to one year. Use around the home, the business, or workplace where no plant growth is desired. Pramitol RTU is intended for bare ground vegetation control in driveways, sidewalks, brick walks, paths, patios, parking areas, play areas, along fences and curbs, around buildings, and under graveled pathways where plant growth has come through these surfaces. This product is intended for use without dilution.

Do not use on lawns, flower beds, or vegetable gardens. Pramitol RTU should not be applied over the root zones of desirable trees or shrubs. Do not apply in sloped areas where runoff may adversely affect desirable plants.

Although Pramitol RTU has considerable activity through foliar contact, much of its activity is through roots; therefore, its effectiveness is dependent on rainfall to move it into the root zone. Very dry soil conditions and lack of sufficient rainfall may result in poor weed control. For best results, if the soil is dry, water lightly before treatment. Apply Pramitol RTU directly to weeds and grass. Thoroughly wet weeds but do not soak as runoff may occur. Two days following application, lightly water the treated area. This will aid in the killing and prevention of weeds through root absorption.

WHEN TO APPLY

For best results, apply to bare ground or when weed growth is just starting. Weeds taller than 4 inches should be hoed or cut to 1-inch in height before treatment or it may be necessary to make a second application. A second application may also be necessary to control deep-rooted perennial weeds. In areas of heavy rainfall, repeat applications may be required every six months.

HOW TO APPLY

Area to be Treated Amount to Use 25 sq. ft. 2 pts. 50 sq. ft. 4 pts. 75 sq. ft. 6 pts. 100 sq. ft. 8 pts.

For control of weeds, use the rates listed in the table below.

Apply ONLY with a sprinkling can unless applying this product in remote locations where possible drifting is NOT a concern; then a plastic tank sprayer may be used in lieu of the sprinkling can. When using a sprinkling can or plastic tank sprayer, triple rinse and pour rinsate on area treated once application is complete. Measure out only the quantity needed for the area to be treated and use immediately.

For best results, apply Pramitol RTU so it can contact and be absorbed into target weeds and surrounding soil. To prevent growth of weeds under asphalt driveways, parking areas or tennis courts, and play areas, apply Pramitol RTU to excavated areas and saturate soil BEFORE surface areas are finished.

IMPORTANT: To avoid damage to desirable plants, apply when it is not windy. Windy conditions may cause inadvertent drifting to desirable plants. DO NOT apply over the root zones of desirable trees and shrubs. DO NOT apply to decorative rock or bark groundcovers where the soil is covered with plastic fabric or runoff and/or leaching may result. In heavy clay soil locations, residual activity may exceed one year. DO NOT apply where plantings are planned. Do not apply closer than twice the distance from the trunk to the drip line. Do not apply next to a fence if desirable plants are growing on the other side or if future plantings are planned. Vertically cut through any roots adjacent to root zone of desirable plants. Also follow the precautions listed below.

PRECAUTIONS:

- 1. Apply when air is calm to avoid the possibility of drift onto desirable plants or grass.
- 2. Keep away from the roots of desirable plants and trees.
- 3. Use only in areas where complete control of all vegetation is desired.
- 4. Pramitol RTU should not be used on cultivated areas, on ground that is to be cultivated, in greenhouses, or near the drip line of trees or shrubs.
- 5. Do not use on slopes or in areas where runoff is likely to occur (apply only to level surfaces).
- 6. Avoid using where adjacent desirable trees, shrubs, or plants may be injured from leaching of the chemical through the soil.
- 7. Keep children and animals off treated areas until these areas are dry.

C:\My Documents\MANA\MANA LABELS\EPA PENDING TEXT\Pramitol1.8RTU-66222xxfornewReg-toEPA10-25-01.doc

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store pesticide in original container.

PESTICIDE AND CONTAINER DISPOSAL:

If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY STATEMENT

MAKHTESHIM-AGAN OF NORTH AMERICA warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal use conditions. It is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of MAKHTESHIM-AGAN OF NORTH AMERICA. In no case shall MAKHTESHIM-AGAN OF NORTH AMERICA be liable for consequential, special, or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the Buyer. In addition to the foregoing, no purchaser of this product (other than an end user) shall be entitled to any reimbursement for any loss suffered as a result of any suspension or cancellation of the registration for this product by the U.S. Environmental Protection Agency. Except as expressly provided herein, MAKHTESHIM-AGAN OF NORTH AMERICA makes no warranties, guarantees, or representations of any kind, either expressed or implied, or by usage of trade, statutory or otherwise, with regard to the product sold, including, but not limited to merchantability, fitness for a particular purpose, use or eligibility of the product for any particular trade usage. The exclusive remedy of any buyer or user of this product for any and all losses, injuries, or damages resulting from or in any way arising from the use. handling, or application of this product, whether in contract, warranty, tort, negligence, strict liability, or otherwise, shall be damages not exceeding the purchase price paid for this product or, at MAKHTESHIM-AGAN OF NORTH AMERICA's election, the replacement of this product.

Pramitol® is a registered trademark of Makhteshim-Agan of North America Inc.

Pramitol 4SC (66222-38)(EPA app 1-4-01)

5 35