66222-60



08/05/2009

Jacket 1/3

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Christie Hitchcock Makhteshim-Agan of North America Inc. 4515 Falls of Neuse Road, Suite 300 Raleigh, NC 27609

AUG 5 2009

Dear Ms. Hitchcock:

Subject:

Adding a New Use – Field Corn Supplemental Label

Clethodim 2EC

EPA Registration No. 66222-60 Your Submission Dated July 9, 2009

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended is acceptable provided that you:

- 1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
 - In footnote 2 delete "The use of ammonium sulfate does not take the place of the required adjuvant". There is no adjuvant recommendation on this supplemental label.
- 2. Submit one (1) copy of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records. If you have any questions concerning this letter please contact Mr. James Stone at 703-305-7391.

Sincerely yours,

Joanne I. Miller Product Manager (23) Herbicide Branch Registration Division (7505P)

Enclosure



Makhteshim Agan of North America 4515 Falls of Neuse Road, Suite 300 Raleigh, NC 27609

Supplemental Label Arrow[®] 2EC Herbicide

EPA Reg. No. 66222-60

ACCEPTED with COMMENTS In EPA Letter Dated:

Under the Federal Insecticide, Fungicide, and Rodenticide Aot as amended, for the pesticide registered under EPA Reg. No.

W6222-60

FOR USE IN FIELD CORN (Except in the states of California and New York)

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product inconsistent with its labeling.
- This supplemental labeling must be in the possession of the user at the time of pesticide application.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA-registered label.
- This supplemental is for use in field corn.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

Crops ¹	Minimum Time from Application to Harvest (PHI)	Annual Grass Use Rate per Acre ²	Perennial Grass Use Rate per Acre ²	Adjuvant Recommen- dation	Ammonium Sulfate Recommen- dation ³	Special Use Instructions and Restrictions
Field Corn⁴	90 Days	3 fl oz		Do not use Crop Oil Concentrate or MSO with MANA Arrow® 2EC in this use pattern.	2.5 to 4 lbs/A	Do not make more than one application per season. Do not apply more than 3 floz/A per season To control existing stand, replant no sooner than 6 days after application.

1. See annual and perennial grass control tables on the container label for specific use-rate recommendations.

2. Use spray grade ammonium sulfate. The use of ammonium sulfate does not take the place of the required adjuvant.

3: For burndown of existing stand of Roundup Ready field corn or volunteer Roundup Ready field corn prior to replanting field corn, see RECOMMENDATIONS FOR USE IN ROUNDUP READY FIELD CORN (BURNDOWN) TABLE.



recommended rate.

Makhteshim Agan of North America 4515 Falls of Neuse Road, Suite 300 Raleigh, NC 27609

		Application Rates	
Grass Species	Weed Size (inches)	Rate when applied alone or with glyphosate	
Field Corn ²	Up to 12	3 fl oz/A	

¹For control of existing stand of Roundup Ready field corn or volunteer Roundup Ready field corn prior to replanting field corn.

THIS LABELING MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF APPLICATION. PLEASE REFER TO THE CONTAINER LABEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS. FOLLOW ALL APPLICATION DIRECTIONS, RESTRICTIONS, AND PRECAUTIONS ON THE EPA REGISTERED LABEL.

MANA Arrow is a registered trademark of Makhteshim Agan of North America, Inc. RoundUp Ready is a registered trademark of Monsanto Company.

Arrow 2EC Supplemental (66222-60)(to EPA 06-04-09)rev1 066222-00060.20090604b.Arrow2EC_Suppl_field_corn.pdf

²CAUTION: Clethodim, the active ingredient in Arrow 2EC, has some soil persistence and may cause significant injury to corn when applied prior to planting. Cool soil temperatures or high soil moisture at the time of planting may delay crop emergence and result in injury following this application. Care must be taken to avoid in-field boom (spray) overlaps as excessive crop injury may occur.