

66222-130

6-12-2008

1/4



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

6-12-08

Ms. Jane Rothwell
Makhteshim Agan Of N.A., Inc.
4515 Falls of Neuse Rd, Suite 300
Raleigh, NC 27609

Subject: Parazone 3SL
EPA Registration Number 66222-130
Resubmission dated May 15, 2008
Response to Agency letter dated May 1, 2008

Dear Ms. Rothwell:

The supplemental labeling referred to above and submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. At your next label printing, or within eighteen months of the date of this letter, whichever comes first, you must incorporate this supplemental labeling into the main product labeling. A stamped copy of the label is enclosed for your records. Please submit one copy of your final printed label before you release the product for shipment.

If you have any questions, please contact Hope Johnson at 703-305-5410.

Sincerely,

A handwritten signature in black ink, appearing to read "James A. Tompkins".

James A. Tompkins
Product Manager 25
Herbicide Branch
Registration Division (7505P)

RESTRICTED USE PESTICIDE
DUE TO ACUTE TOXICITY
FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USERS COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

SUPPLEMENTAL LABELING

Parazone™ 3SL

Herbicide

A Weed, Grass, and Harvest Aid Desiccant/Defoliant Herbicide

Contains paraquat dichloride, the active ingredient used in Gramoxone Inteon™

Parazone 3SL is not manufactured or distributed by Syngenta Crop Protection, Inc.

| | |
|---|---------------------|
| ACTIVE INGREDIENT: | % BY WT. |
| Paraquat dichloride (1,1'-dimethyl-4,4'-bipyridinium dichloride)..... | 43.8% |
| OTHER INGREDIENTS: | 56.2% |
| | Total 100.0% |

Contains 3.0 pounds paraquat cation per gallon as 4.14 pounds salt per gallon.
Contains stenching (odor) and emetic.

EPA Reg. No. 66222-130



Manufactured for:
Makhteshim Agan of North America, Inc.
4515 Falls of Neuse Road, Suite 300
Raleigh, NC 27609

NET CONTENTS: 2.5 GALLONS

KEEP OUT OF REACH OF CHILDREN



DANGER/POISON PELIGRO



Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)


- NEVER PUT INTO FOOD, DRINK, OR OTHER CONTAINERS
- IF SWALLOWED, TAKE IMMEDIATE ACTION AS PRESCRIBED IN FIRST AID. SYMPTOMS ARE PROLONGED AND PAINFUL.
- DO NOT USE OR STORE IN OR AROUND THE HOME.
- DO NOT REMOVE CONTENTS EXCEPT FOR IMMEDIATE USE.
- THE ODOR OF THIS PRODUCT IS FROM THE STENCHING AGENT WHICH HAS BEEN ADDED, NOT FROM PARAQUAT.

ACCEPTED
with COMMENTS
in EPA Letter Dated

JUN 12 2008

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

66222-130



| FIRST AID Contains Paraquat, a Bipirydylum Herbicide | |
|---|---|
| IF SWALLOWED: | <ul style="list-style-type: none"> • SPEED IS ESSENTIAL. Immediate medical attention is required. If available, give an adsorbent such as activated charcoal, bentonite, or Fuller's Earth. • Call a poison control center or doctor immediately for treatment advice • Do not give anything by mouth to an unconscious person • Have person sip glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor. |
| IF INHALED: | <ul style="list-style-type: none"> • Move person to fresh air. • The odor of this product is from the stenching agent, which has been added, not from the paraquat. • If person is not breathing, call 911 or an ambulance. • Call a poison control center or doctor for further treatment advice. |
| IF IN EYES: | <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice |
| IF ON SKIN OR CLOTHING: | <ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes • Call a poison control center or doctor for further treatment advice |
| <p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. NOTE TO PHYSICIAN: Administer either activated charcoal (100 g for adults or 2 g/kg body weight in children) or Fuller's Earth (15% solution; 1 liter for adults or 15ml/kg body weight in children). NOTE: The use of gastric lavage without administration of an adsorbent has not shown any clinical benefit. Do not use supplemental oxygen. Eye splashes from concentrated material should be treated by an eye specialist after initial treatment. With the possibility of late onset corneal ulceration, it is advised that patients with paraquat eye injuries are reviewed by an eye specialist the day after first presentation. Use treatment that is appropriate for chemical burns. Intact skin is an effective barrier to paraquat, however contact with irritated or cut skin or repeated contact with intact skin may result in poisoning.</p> | |
| HOT LINE NUMBERS | |
| <p>For 24-Hour Medical Emergency Assistance (Human or Animal), call Prozar at 1-877-250-9291. For 24-Hour Chemical Emergency Assistance (Spill, Leak, Fire, or Accident), call Infotrac at 1-800-535-5053.</p> | |

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals
DANGER/ PELIGRO




Poison

May be fatal if swallowed. Fatal if inhaled. Do not breathe spray mist. Wear a dust/mist respirator as specified in the PPE section of this label. Causes irreversible eye damage. Wear protective eyewear. Harmful if absorbed through skin. Do not get in eyes or on clothing. Avoid contact with skin. **IMPORTANT:** Inhalation is an unlikely route of exposure due to low vapor pressure and large spray droplet size, but mucosal irritation or nose bleeds may occur. Prolonged contact with this concentrated product can irritate your skin.

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product inconsistent with its labeling.
- This supplemental labeling must be in the possession of the user at the time of pesticide application.
- This supplemental label contains new or supplemental instructions for use of this product which do not appear on the EPA-registered package label. Follow all instructions on this label and the label on the container carefully.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on this label and the EPA registered label attached to the container.



| CROP | DOSAGE (RATE PER ACRE) | COMMENTS |
|--|---------------------------|---|
| TREES AND VINES Grapes- dormant application (California Only) | 0.7-1.2 pts. | Apply specified dosage as a dormant application in a minimum of 10 gallons of spray per acre by air for the control of annual weeds in grapes. Make applications when weeds are succulent and growth is from 1 to 6 inches high. Add a nonionic surfactant containing 50% surface-active agent at 1-2 pts. per 100 gallons of the finished spray volume. <ul style="list-style-type: none"> • Do not apply more than once per season. • Do not enter treated field within 24 hours after application. • Do not apply if internal tissues of the buds are exposed as injury to the developing buds will result. |
| GRASSES (Kentucky Bluegrass grown for seed only) (Minnesota only) | 1.0-1.5 pts. | Apply specified dosage by ground in a minimum of 10 gallons of spray per acre and by air in a minimum of 5 gallons of spray per acre. For use on Kentucky bluegrass seed production fields in Minnesota as a post harvest application to facilitate burning. Add a nonionic surfactant at a rate of 1 pint per 100 gals. (75% or greater surface active ingredient) or 2 pints per 100 gallons (50-74% surface active ingredient). Make application 1-4 weeks after harvest and wait 3-7 days before burning fields. <ul style="list-style-type: none"> • Do not apply more than 2 applications per season. • Do not apply this product through any type of irrigation system. • Do not graze or feed hay from treated fields prior to burning. |

