

66222-211

08/09/2012

1/11



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON D C 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

AUG - 9 2012

Jennifer Yentel
Makhteshim Agan Of North America Inc
3120 Highwoods Blvd Suite 100
Raleigh NC 27604

Subject Label Notification Per PR Notice 98 10
Quali Pro Oxadiazon 2G
EPA Reg No 66222 211
Date Submitted April 4 2012

Dear Ms Yentel

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98 10 dated April 4 2012 for the product referenced above The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98 10 and finds that the action requested falls within the scope of PRN 98 10 The label submitted with the application has been stamped Notification and will be placed in our records

If you have any questions regarding this letter please contact Jasmine Branch at (703) 347 0351 or branch.jasmine@epa.gov

Sincerely

*Michael Wors**

Kathryn Montague *for*
Product Manager 23
Herbicide Branch
Registration Division (7505P)



United States
Environmental Protection Agency
Washington DC 20460

 Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1 Company/Product Number 66222 211	2 EPA Product Manager Kathryn Montague	3 Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4 Company/Product (Name) Quali Pro Oxadiazon 2G	PM# PM 23	
5 Name and Address of Applicant (Include ZIP Code) Makhteshim Agan of North America Inc 3120 Highwoods Blvd Suite 100 Raleigh NC 27604 <input type="checkbox"/> Check if this is a new address	6 Expedited Review In accordance with FIFRA Section 3(c)(3) (b)(i) my product is similar or identical in composition and labeling to EPA Reg No <u>AUG - 9 2012</u> Product Name _____	

Section II

<input type="checkbox"/> Amendment Explain below	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> Me Too Application
<input checked="" type="checkbox"/> Notification Explain below	<input type="checkbox"/> Other Explain below

Explanation Use additional page(s) if necessary (For section I and Section II)

Label notification of revised state specific language for Arizona Label has also been updated to reflect MANA's new mailing address This notification is consistent with the provisions of PR Notice 98 10 and EPA regulations at 40CFR 152.46 and no other changes have been made to the labeling or the confidential statement of formula for this product I understand that it is a violation of 18 USC Sec 1001 to willfully make any false statement to EPA I further understand that if this notification is not consistent with the terms of PR Notice 98 10 and 40 CFR 152.46 this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Sections 12 and 14 of FIFRA

Section - III

1 Material This Product Will Be Packaged In				2 Type of Container	
Child Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	If Yes Unit Packaging wgt		<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
No per container		No per container			
3 Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4 Size(s) Retail Container		5 Location of Label Directions	
6 Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other _____	

Section IV

1 Contact Point (Complete items directly below for identification of individual to be contacted if necessary to process this application)		
Name Jennifer Yentel	Title Regulatory Specialist	Telephone No (Include Area Code) 919 256 9314
Certification I certify that the statements I have made on this form and all attachments thereto are true accurate and complete I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law		6 Date Application Received (Stamped)
2 Signature 	3 Title Regulatory Specialist	
4 Typed Name Jennifer Yentel	5 Date 04 04 2012	

April 4 2012

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U S Environmental Protection Agency
Room S 4900 One Potomac Yard
2777 S Crystal Drive
Arlington VA 22202 4501

Attn Kathryn Montague PM 23 Herbicide Branch Registration Division
Phone 703 305 1243

Re Quali Pro Oxadiazon 2G (EPA Reg No 66222 211)
Notification of Label Revision as allowed by PRN 98 10

Dear Ms Montague

Makhteshim Agan of North America Inc is notifying the Agency of its intention to revise state specific language for Arizona on the product label for Quali Pro Oxadiazon 2G (EPA Reg No 66222 211) We have also updated the address on the label to reflect our new physical address

This notification is consistent with the provisions of PR Notice 98 10 and EPA regulations at 40 CFR 152 46 and no other changes have been made to the labeling or the confidential statement of formula of this product I understand that it is a violation of 18 U S C Sec 1001 to willfully make false statements to EPA I further understand that if this notification is not consistent with the terms of PR Notice 98 10 and 40 CFR 152 46 this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA

In support of this submission the following documents are attached

- Application for Pesticide Registration (EPA Form 8570 1)
- One annotated copy of the revised product labeling
- One copy of the finalized product labeling

Should you have any questions about this application please contact me at 919 256 9315 or e mail at jyentel@manainc.com

Sincerely


Jennifer Yentel
Jennifer Yentel
Regulatory Specialist

Enclosures

www.manainc.com

P (919) 256-9300
F (919) 256-9309

3120 Highwoods Blvd
Suite 100
Raleigh, NC 27604



Annotated label 4/11

Quali-Pro® Oxadiazon 2G

For sale to and use by professional applicators only Not for sale to or use by homeowners/consumers Not for use on home lawns (Note: See EPA label detail on the back of the container for more information.)

Quali Pro Oxadiazon 2G is a selective preemergence herbicide for control of annual grasses and broadleaf weeds in turf and woody ornamental shrubs vines and trees

ACTIVE INGREDIENT

Oxadiazon [2 tert butyl 4 (2 4 dichloro 5 isopropoxyphenyl) 2 1 3 4 oxadiazoline 5 one] 2 0%

OTHER INGREDIENTS 98 0%

TOTAL 100 0%

[Optional Text – Guaranteed Fertilizer Analysis]

EPA Reg No 66222 211

EPA Est No

Manufactured for
Makhteshim Agan of North America Inc
3120 Highwoods Blvd Suite 100
Raleigh NC 27604
~~4515 Falls of Neuse Road Suite 300
Raleigh NC 27609~~

NOTIFICATION

AUG - 9 2012

Net Weight ___ lbs

KEEP OUT OF REACH OF CHILDREN WARNING – AVISO

Si usted no entiende la etiqueta busque a alguien para que se la explique a usted en detalle
(If you do not understand the label find someone to explain it to you in detail)

FIRST AID	
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing • Rinse skin immediately with plenty of water for 15 20 minutes • Call a poison control center or doctor for treatment advice
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 20 minutes • Remove contact lenses if present after the first 5 minutes then continue rinsing eye • Call a poison control center or doctor for treatment advice
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor or going for treatment You may also contact PROSAR 1 877 205 9291 for emergency medical treatment information	

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

Causes substantial but temporary eye injury DO NOT get in eyes on skin or on clothing Wear protective eyewear such as goggles face shield or safety glasses

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Loaders applicators and other handlers must wear

- Long sleeved shirt and long pants
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users Should

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval, and notification to workers (as applicable). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the worker protection standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Shoes plus socks, and
- Chemical resistant gloves made of any waterproof material.

GENERAL INFORMATION

Quali Pro® Oxadiazon 2G is a selective pre-emergent herbicide for control of annual grasses and many broadleaf weeds in commercial turf and on a wide variety of woody ornamental shrubs, vines, and trees. Quali Pro Oxadiazon 2G controls weeds by killing the young weed seedlings as they come in contact with the herbicide during germination.

For best results, water in the product as soon as practical after application.

State Specific Restrictions

- The state of Arizona has not approved this product for use on agricultural commodities. If grown for commercial production, use on the following sites/crops is prohibited: container-grown, newly transplanted, and field-grown ornamental shrubs, vines, and trees.

~~The state of Arizona has not approved this product for use on agricultural sites. Do not use this product on uses considered by the Arizona statutes to be agricultural uses.~~

Do not apply more than 300 lbs Quali Pro Oxadiazon 2G per acre per year (equivalent to 6 lbs a.i./A/year) except in areas where there is heavy weed infestation. In areas of heavy weed infestation, the maximum application rate is 400 lbs Quali Pro Oxadiazon 2G per acre per year (equivalent to 8 lbs a.i./A/year).

Do not apply more than 200 lbs Quali Pro Oxadiazon 2G per acre (equivalent to 4 lbs a i /A) in a single application

COMMERCIAL TURF

For use in established perennial Bluegrass Bermudagrass perennial Ryegrass St Augustinegrass Tall Fescue and Zoysia turf such as fairways parks golf courses and lawns Quali Pro Oxadiazon 2G controls Crabgrass (*digitaria spp*) Annual Bluegrass (*Poa annua*) Goosegrass (*Eleusine indica*) and it also controls Florida Pusley (*Richardia scabra*) Oxalis (*Oxalis spp*) Stinging Nettle (*Urtica dioica*) Carpetgrass (*Axonopus officinis*) and Pigweed (*Amaranthus spp*)

Apply to dry foliage only with a properly calibrated granular applicator at recommended rate in early spring before weed seed germination If rain is not expected shortly after application irrigation to remove herbicide granules from foliage will increase effectiveness

For Crabgrass Goosegrass and Crowfoot control apply 100 200 pounds Quali Pro Oxadiazon 2G per acre (2 to 4 pounds active ingredient) or 2 ¼ to 4 ½ pounds per 1000 sq ft Late applications are not recommended and may not be fully effective

For Annual Bluegrass control apply 200 pounds/acre Quali Pro Oxadiazon 2G (4 pounds active ingredient) or 4 ½ pounds/1000 sq ft in early spring or late summer prior to seed germination

For Pigweed Florida Pusley Oxalis Stinging Nettle and Carpetgrass control apply 200 pounds/acre Quali Pro Oxadiazon 2G (4 pounds active ingredient) or 4 ½ pounds per 1000 sq ft in early spring prior to weed seed germination

For St Augustinegrass turf do not exceed the rate of 150 pounds/acre (3 pounds active ingredient) of Quali Pro Oxadiazon 2G

Discoloration of Bermudagrass and St Augustinegrass may result from use of this herbicide but this discoloration is temporary and normally outgrown within 2 to 3 weeks

Red Fescue and Bentgrass are susceptible to Quali Pro Oxadiazon 2G and may be severely damaged Avoid use of this product on turf containing Red Fescue or Bentgrass except where they are undesirable grasses Do not apply to newly seeded areas Seeding into treated areas should be delayed until 4 months after treatment Do not apply to Dichondra or Centipedegrass Quali Pro Oxadiazon 2G should not be used on putting greens or tees because of varying cultural practices used

WOODY ORNAMENTALS SHRUBS VINES AND TREES

APPLICATION

Apply Quali Pro Oxadiazon 2G anytime during the year prior to weed seed germination for weed control Quali Pro Oxadiazon 2G can be applied to both newly transplanted and established ornamentals Application can be made to actively growing or dormant ornamentals Rainfall or overhead irrigation after application of Quali Pro Oxadiazon 2G will improve weed control activity Quali Pro Oxadiazon 2G should not be mixed into the soil Cultivating or disturbing the soil may reduce the weed control activity of Quali Pro Oxadiazon 2G Do not apply to wet foliage or under conditions in which granules will collect on leaves

AMOUNT TO USE

Ground Application Apply Quali Pro Oxadiazon 2G broadcast to ornamentals at 100 to 200 pounds of product per acre (or 2 ¼ to 4 ½ pounds per 1000 sq ft) depending on the weeds to be controlled as listed below Remove existing weed growth before application

Quali Pro Oxadiazon 2G at 100 to 200 pounds (20 to 40 pounds of active ingredient) per acre is effective in controlling annual grasses and broad leaf weeds such as

Annual Broadleaf Weeds	
Bittercress	<i>Cardamine spp</i>
Carpetweed	<i>Mollugo verticillata</i>
Common Groundsel	<i>Senecio vulgaris</i>
Common Purslane	<i>Portulaca oleracea</i>
Eveningprimrose	<i>Oenothera spp</i>

Galinsoga	<i>Galinsoga</i> spp
Golden Ragwort	<i>Senecio aureus</i>
Lambsquarters	<i>Chenopodium album</i>
Pennsylvania Smartweed	<i>Polygonum pennsylvanicum</i>
Petty Spurge	<i>Euphorbia peplus</i>
Redroot Pigweed	<i>Amaranthus Retroflexus</i>
Speedwell	<i>Veronica</i> spp
Spotted Catsear	<i>Hypochaeris radicata</i>
Swinecress	<i>Coronopus didymus</i>
Yellow Woodsorrel	<i>Oxalis stricta</i>
Annual Grasses	
Annual Bluegrass	<i>Poa annua</i>
Barnyardgrass	<i>Echinochloa crus galli</i>
Crabgrass	<i>Digitaria</i> spp
Fall Panicum	<i>Panicum dichotomiflorum</i>
Green Foxtail	<i>Setaria viridis</i>

Use 150 to 200 pounds Quali Pro Oxadiazon 2G (3 0 to 4 0 pounds of active ingredient) per acre for less susceptible weeds

Note For the control of liverwort (*Marchantia* spp) in California Goosegrass (*Eleusine Indica*) and Prostrate Spurge (*Euphorbia supina*) use 200 pounds Quali Pro Oxadiazon 2G (4 0 pounds of active ingredient) per acre

CROP TOLERANCE

Quali Pro Oxadiazon 2G is recommended for use on a wide variety of container and field grown woody ornamental shrubs vines and trees Quali Pro Oxadiazon 2G may be used at the recommended rates on the following ornamental species

CONTAINER GROWN	
ESTABLISHED	
Species	Varieties
Agapanthus	Africanus
Andromeda	Japanese
Arborvitae	American Eastern Oriental Aureanana Globe Pyramidal Woodward
Arctostaphylos	Fred Oelher
Azalea	Hino Red Red Boudoir Snowball Karen Kaempp Stuartonian Mollishybrid Sweetheart Supreme Salmon Beauty Caroline Gable Louise Stewartsonian Rosebud
Barberry	Redleaf Marshall Red Darwinii Irwinii Purpleleaf
Boxwood	Common Japanese
Callistemon	Bottle brush
Camellia	Glen #40 Sasanqua Colonel Fiery
Ceanothus Cedar	Atlas Portoford (Allumii)
Cotoneaster	Paineyi Bearberry Coral Beauty Greyleaf Cranberry Silverleaf Peking Bright Bead Dammeri Skolgholm Microphylla Lowfast Glaucophylla
Cypress	Monterey
Dogwood	Red osier
Douglas Fir	Pseudotsugamenziesii
Eucalyptus	Sideroxylon Nicholli
Euonymus	Greenlane Microphylla Variegata Emeraldgaety Dwarf Gold spot Colden Green Silver King Wintercreeper Vegetus Emerald Cushion Spreading
Forsythia	Lynwood gold
Gardenia	Amy Yashioka August Beauty Mystery
Ginko	Biloba
Heath Heather	Mrs Maxwell

Hedera	English Ivy
Honeysuckle	Purpleleaf Purpurea
Holly	Dwarf Okinowan Convexa Rotundifolia Hetzi Helleri Burfordi English Hellus Dwarf Yaupon Nellie R Stevens Boxleafod Green Island Japanese
Jasmine	Yellow Star Star
Juniper	Barharbor Wiltoni Torulosa Pfizeriana Compacti Pfizeriana Aurea Torulosa Variegata Pfizeriana Glauca Gulf Stream Tam Armstrongi Shore Andora San Jose Blue Haven Stricta Jade River Broadmoor Meyeri Rocket Plumosa Royal Beauty Praecox Greek Apiculata Blackburn Plumosa Compacta Procumbens Blue Pfizer
Justica	Brandegeana
Leucothoe	Catesbaei Axillaris
Myrtle	Compacta Noellii
Magnolia	Dr Merrilli Samuel Somers Grandiflora
Mahonia	Oregon Grape Holly
Osmanthus	Fortunes
Periwinkle	Vinca Minor
Photinia	Frazerii
Pine	Slash Japanese Black Montana Scotch Digger Shore Thumbergii
Pittosporum	Variegated Japanese
Podocarpus	Macrophylla
Privet	Japanese Waxleaf Glossy Vicary Golden Vicary Curly Leaf
Pyracantha	Victory Scarlet Firethorn Wyatti Graberii
Quercus Raphiolepis	India Hawthorn
Rhododendron	Cunningham Blue Diamond Snow Christmas Chionoides PJM Dr Rutgers Coral Bells President Clay
Rose	Summer Snow Bigleaf Winter Creeper Charlotte Armstrong
Star Jasmine	Yellow Star Jasmine
Syzygium	Paniculatum
Viburnum	Sandankwa Laurestinus David
Xylosma	Congestum

NEWLY TRANSPLANTED

Species	Varieties
Andromeda	Japanese
Arborvitae	Glove Woodward
Azalea	Hindo Red Louise Rosebud Stewartstonian
Barberry	Marshall Red Darwinii Irwinii Purpleleaf
Cedar	Portoford (allumii)
Cotoneaster	Cranberry Peking Coral Beauty Bright Bead Paineyi Dammeri Skolgholm Microphylla Glaucohylla
Cypress	Monterey
Dogwood	Red Osier
Euonymus	Greenlane Emerald Cushion Spreading
Forsythia	Lynwood Gold
Holly	Rotundifolia Helleri English Japanese
Juniper	Plumosa Plumosa Compacta Old Gold Pfizeriana Aurea Torulosa Armstrongii Tam Wiltoni Procumbens
Leucothoe	Axillaris
Magnolia	Dr Merrilli
Mahonia	Oregon Grape Holly
Pine	Slash
Privet	Japanese Waxleaf Glossy
Pyracantha	Graberii

9/11

Rhododendron	Snow Blue Diamond Chionoides PJM Dr Rutgers
Rose	Summer Snow Bigleaf Winter Creeper Charlotte Armstrong

FIELD GROWN

ESTABLISHED	
Species	Varieties
Arborvitae	Pyramidal
Ash	Green
Azalea	Hinodi geri
Barberry	Red Mentor
Birch	Clump Paper
Camellia	Tiffany Marie Bracey Elizabeth Dowd Tom Knudsen Crimson Robe R D Wheeler
Cotoneaster	Lowfast Skolgholm
Crabapple	Flowing Torringo
Dogwood	Redstemmed Red Flowering
Euonymus	Burning Bush Dwarf Burning Bush Jewell
Forsythia	Showy Boarder Lynngold Lynwood Gold Goldenbell
Holly	Boxleafed Green Island Japanese
Honeysuckle	Zabeli
Juniper	Plumosa Mint Julip Arcardia Variegata Plumosa Compacta Andora Wiltoni Hetzi
Lilac	Persian Dwarf Korean
Maple	Amur
Oak	Red
Perwinkle	Vinca Minor
Pine	Austrian Scotch Norway Stone Japanese Black Loblolly Slash Eastern White
Pittosporum	Undulatum
Privet	California Japanese
Rhododendron	Rosebud
Rose	Texas Centennial Sutters Gold Show Girl
Russian Olive Spruce	Black Hills Norway Serbian
Taxus	Taunton Spreading Yew Hicks
Tsuga	Canadian Hemlock
Viburnum	European Cranberry Bush
Xylosma	
Ground Covers	
Carpobrotus	Edule
Osteo	
Spermum Sedum	Album
Algerian Ivy	
Vinca Major	
English Ivy	
Pachysandra	Terminalis
Ajuga	Reptans
Euonymus	Fortunei Radicans

NEWLY TRANSPLANTED

Species	Varieties
Camellia	Tiffany Marie Bracey Elizabeth Dowd R D Wheeler Tom Knudsen Crimson Robe
Dogwood	Redstemmed Red Flowering
Forsythia	Showy Border Lynwood Gold Goldenbell

Hedera	English Ivy
Holly	Green Island Japanese
Juniper	Plumosa Andora Wiltoni Hetzi
Oak	Red
Periwinkle	Vinca Minor
Pine	White Austrian Eastern White
Privet	California Japanese
Rhododendron	Rosebud
Russian Olive Spruce	Black Hills Norway Serbian
Taxus	Hicks
Tsuga	Canadian Hemlock

ADDITIONAL APPLICATIONS

Do not apply more than 300 lbs Quali Pro Oxadiazon 2G per acre per year (equivalent to 6 lbs a 1/A/year) except in areas where there is heavy weed infestation. In areas of heavy weed infestation the maximum application rate is 400 lbs Quali Pro Oxadiazon 2G per acre per year (equivalent to 8 lbs a 1/A/year)

Do not apply more than 200 lbs Quali Pro Oxadiazon 2G per acre (equivalent to 4 lbs a 1/A) in a single application

For continued weed control additional application of Quali Pro Oxadiazon 2G may be made 60 to 120 days after the previous application in the following situations

2 REPEAT TREATMENTS

Container Grown Established		Container Grown Newly Transplanted		Field Grown Established and Newly Transplanted	
Species	Varieties	Species	Varieties	Species	Varieties
Abelia	Grandiflora	Common Boxwood		Holly	Nellie R Stevens Dwarf Burford Burford
Common boxwood		English Ivy			
English Ivy		Juniper	Tam		
Holly	Helleri	Pine	Slash		
Juniper	Tam	Rhododendron	Obtusa Kurume Formosa		
Pine	Slash				
Rhododendron	Obtusa Kurume Formosa Kurume Snow				

3 REPEAT TREATMENTS

Container Grown Established	
Species	Varieties
Abelia	Grandiflora
Holly	Helleri Rotundifolia
Rhododendron	Kurume Formosa Kurume Snow
Greenhouse Grown Established	
Species	Varieties
Rose	Sonia Forever Yours Coed Golden Wave
Forest Nurseries Seedlings At least 4 weeks old	
Species	Varieties
Pine	Loblolly Slash Eastern White

STORAGE AND DISPOSAL

Do not contaminate water food or feed by storage or disposal

PESTICIDE STORAGE Store in dry area Do not store near other pesticides or seeds

PESTICIDE DISPOSAL Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility

CONTAINER DISPOSAL

11/11

Nonrefillable Container (flexible bag all weights) Nonrefillable container Do not reuse or refill this container Offer for recycling if available Then dispose of empty bag in a sanitary landfill or by incineration or if allowed by state and local authorities by burning If burned stay out of smoke

Nonrefillable Container (rigid fifty lbs or less) Nonrefillable container Do not reuse or refill this container Offer for recycling if available Clean container promptly after emptying Triple rinse as follows Empty the remaining contents into application equipment or a mix tank Fill the container ¼ full with water and recap Shake for 10 seconds Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal Drain for 10 seconds after the flow begins to drip Repeat this procedure two more times

Nonrefillable Container (rigid greater than fifty lbs) Nonrefillable container Do not reuse or refill this container Offer for recycling if available Clean container promptly after emptying Triple rinse as follows Empty the remaining contents into application equipment or a mix tank Fill the container ¼ full with water Replace and tighten closures Tip container on its side and roll it back and forth ensuring at least one complete revolution for 30 seconds Stand the container on its end and tip it back and forth several times Turn the container over onto its other end and tip it back and forth several times Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal Repeat this procedure two more times

Refillable Container Refillable container Refill this container with oxadiazon only Do not reuse this container for any other purpose Cleaning the container before final disposal is the responsibility of the person disposing of the container Cleaning before refilling is the responsibility of the refiller To clean the container before final disposal empty the remaining contents from this container into application equipment or mix tank Fill the container about 10 percent full with water Agitate vigorously or recirculate water with the pump for 2 minutes Pour or pump rinsate into application equipment or rinsate collection system Repeat this rinsing procedure two more times

LIMITATION OF WARRANTY AND LIABILITY

Read the entire directions for use conditions of warranties and limitations of liability before using this product If terms are not acceptable return the unopened product container at once

By using this product user or buyer accepts the following **CONDITIONS DISCLAIMER OF WARRANTIES and LIMITATIONS OF LIABILITY**

CONDITIONS The directions for use of this product are believed to be adequate and must be followed carefully However it is impossible to eliminate all risks associated with the use of this product Crop injury ineffectiveness or other unintended consequences may result because of such factors as weather conditions presence of other materials or the manner of use or application all of which are beyond the control of Makhteshim Agan of North America Inc All such risks shall be assumed by the user or buyer

DISCLAIMER OF WARRANTIES To the extent consistent with applicable law Makhteshim Agan of North America Inc makes no other warranties express or implied of merchantability or of fitness for a particular purpose or otherwise that extend beyond the statements made on this label No agent of Makhteshim Agan of North America Inc is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein To the extent consistent with applicable law Makhteshim Agan of North America Inc disclaims any liability whatsoever for special incidental or consequential damages resulting from the use or handling of this product

LIMITATIONS OF LIABILITY To the extent consistent with applicable law the exclusive remedy of the user or buyer for any and all losses injuries or damages resulting from the use or handling of this product whether in contract warranty tort negligence strict liability or otherwise shall not exceed the purchase price paid or at Makhteshim Agan of North America Inc s election the replacement of product

Quali Pro® is a registered trademark of Makhteshim Agan of North America Inc

Quali Pro Oxadiazon 2G (66222 211)(EPA app 01 26 07)(EPA Trans 01 04 10)(Notif to EPA 03 08 11)(Notif to EPA 04 04 12) annotated