

06243-1

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

106/16

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
Washington, D.C. 20460

JUN - 6 2006

OFFICE OF  
PREVENTION, PESTICIDES  
AND TOXIC SUBSTANCES

Rob R. Adams  
Agent  
Clean Control Corporation  
c/o Adams Technology Systems  
5145 Forest Run Trace-Suite B  
Alpharetta, GA 30022-4504

Subject: Odo-Ban Ready-To-Use  
EPA Reg. No.66243-1  
Application Dated: February 14, 2006  
Receipt Date: March 8, 2006

Dear Mr. Adams,

The following amendment submitted in connection with registration under the section 3(c)(7)(a) of Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) as amended is acceptable with comment.

**Proposed Amendment**

- Addition of minor text changes to the label.

**Comments**

Make the following changes to your labeling:

A. Make the following revisions to page two and three:

Page two, 10<sup>th</sup> claim in the left column and page three, last claim in the left column:  
The term, "safe", is false and misleading. Revise the claim to read "Will not harm washable surfaces"

## CONCURRENCES

ABOL	75/10C						
INAME	D. Kegler						
FE	06/07/06						

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

2016

Page three, 12<sup>th</sup> claim in the right column: Revise the claim, "Odo-Ban should not come in direct contact with food" to read "Odo-Ban must not come in direct contact with food"

B. Make the following changes to page seven:

Page seven: Revise the "Veterinary Clinics/Pet Shops/Kennels/Breeding and Grooming Establishments" directions to bring it into agreement with DIS/TSS 19 by adding the statement "Immerse all halters, ropes, and other types of equipment used to in handling and restraining animals as well as forks, shovels, and scrapers used for removing litter and manure." It must appear after the contact time statement, "Saturate all surfaces for a period of 10 minutes."

**General Comments**

A stamped copy of the acceptable with comments labeling is enclosed. Submit one (1) copy of your final printed labeling before distributing or selling the product bearing the revised labeling.

Should you have any questions or comments concerning this letter, please contact Velma Noble at (703) 308-6233.

Sincerely,



Velma Noble  
Product Manager (31)  
Regulatory Management Branch 1  
Antimicrobial Division  
(7510c)0

CONCURRENCES							
MBOL	7510C						
NAME	D. Kegler						
TE	06/07/06						

PA Form 1320-1A (1/90)

Printed on Recycled Paper

30916

# ODO-BAN Ready-To-Use

Disinfectant, Cleaner, Mildewstat, Virucide\*, Fungicide,  
Sanitizer, Kills 99.99% of Germs<sup>†</sup> in 60 seconds,  
Kills Viruses\* in 60 seconds, Virucidal\* in 60 seconds,  
Multi-Purpose, Deodorizer, Eliminates Odors, Odor Counteractant,  
Multi-Purpose Cleaner, All-Purpose Cleaner, Ready-to-Use, Odor Control  
(Instant Action) Air (Fabric) Freshener (Refresher), Eucalyptus Cleaner  
Eucalyptus Fragrance, Fresh Cool Breeze Scent (*Alternate formulations with fragrance only*),  
Cuts Grease / Cuts Grease and Grim, Non-streaking / Streak-Free, Triple Action Formula  
Antibacterial, Virucidal\*, Bactericidal, Deodorant,  
Odor Eliminator & Disinfectant,  
For Hospitals, Household, Institutional and Industrial Use,  
For, School, Restaurant, Bar, and RV Use,  
For, Dumpster, and Fire Restoration Use,  
Kills *Pseudomonas aeruginosa*, *Salmonella choleraesuis*, *Staphylococcus aureus*,  
HIV-1 (AIDS Virus), and *E. coli* 0157:H7

## Active Ingredients

Alkyl (C<sub>14</sub> 50%, C<sub>12</sub> 40%, C<sub>16</sub> 10%) dimethyl

benzyl ammonium chloride ..... 0.30%

Inert Ingredients..... 99.70%

Total Ingredients ..... 100.00%

KEEP OUT OF REACH OF CHILDREN

## CAUTION

See left panel for precautionary statements


EPA Registration No 66243-1  
EPA Establishment No 66243-GA-1  
Net Contents: \_\_\_\_\_ fl. oz.

ACCEPTED  
with COMMENTS

JUN - 6 2006

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, for the pesticide,  
registered under EPA Reg. No 66243-1

Manufactured by:  
CLEAN CONTROL CORPORATION  
P.O. BOX 7444  
Warner Robins GA 31095



40816

MARKED Label- Submitted to EPA 02/14/06

## **(WHERE TO USE)**

Cross-contamination is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry. **ODO-BAN Ready-To-Use** has been formulated to aid in the cross-contamination in these areas.

When used as directed, **ODO-BAN Ready-To-Use** will deodorize surfaces in toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause malodors.

**ODO-BAN Ready-To-Use** reduces the surface tension of water, improving its wettability. Microbes are capable of mass production in sub-visible pores and cracks of surfaces.

The excellent wettability of **ODO-BAN Ready-To-Use** improves penetration into areas that otherwise might not be reached.

**ODO-BAN Ready-To-Use** cleans, shines, deodorizes, and disinfects (and sanitizes) all pre-cleaned hard non-porous household surfaces, inhibits the growth of mold and mildew, leaving bathrooms clean and smelling fresh.

**ODO-BAN Ready-To-Use** is a kitchen, bathroom, and household disinfectant. It cleans, disinfects, and deodorizes most hard, non-porous surfaces leaving your house with a clean, fresh scent.

**ODO-BAN Ready-To-Use** can be used with a mop and bucket, trigger sprayer, sponge, or by soaking.

**ODO-BAN Ready-To-Use** is ideal for kitchens, bathrooms, and other household areas.

Use **ODO-BAN Ready-To-Use** on the multi-touch surfaces responsible for cross-contamination.

**ODO-BAN Ready-To-Use** is safe to use on most washable surfaces. Test a small area on surfaces first.

**ODO-BAN Ready-To-Use** is a neutral pH, multi-surface cleaner and deodorizer.

**ODO-BAN Ready-To-Use** is a balanced, neutral pH formulation which combines odor counteractants with a detergent and a quaternary ammonium compound for effective deodorizing, cleaning and disinfecting when used as directed.

**ODO-BAN Ready-To-Use** cleans rodent soiled areas.

**ODO-BAN Ready-To-Use** cuts through tough grease and grime.

**ODO-BAN Ready-To-Use** cleans and deodorizes pet stains.

**ODO-BAN Ready-To-Use** eliminates unpleasant odors on washable surfaces such as upholstery, carpets, bedding, showers, walls, and floors while leaving a fresh scent. **EXCELLENT FOR FIRE RESTORATION.**

**ODO-BAN Ready-To-Use** is a multi-surface cleaner, deodorizer, disinfectant, and sanitizer with a multitude (variety) of uses.

**ODO-BAN Ready-To-Use** maximizes labor results by effectively controlling and eliminating industrial, institutional, recreational, farm and waste odors.

**ODO-BAN Ready-To-Use** is an instant-action air freshener.

Add **ODO-BAN Ready-To-Use** to the rinse cycle to leave laundry clean and fresh-smelling.

**ODO-BAN Ready-To-Use** eliminates smoke odors and is excellent for fire restoration.

**ODO-BAN Ready-To-Use** eliminates odors caused by bacteria, mildew, and non-fresh foods on hard non-porous surfaces. It is not a masking agent.

This Industrial Liquid Odor Destroyer (Eliminator) Leaves No Residue and has a Multitude (Variety) of Uses: Odor removal from urine, mildew, smoke, pets, sewage backup, and decaying organic matter. **INSTANT ACTION AIR FRESHENER.**

This industrial strength odor destroyer (eliminator) is effective at neutralizing odors caused by mildew, pets, smoke, urine, vomit, garbage, restrooms, organic matter.

**ODO-BAN Ready-To-Use** is an industrial liquid odor destroyer (eliminator) and disinfectant, which leaves no residue, contains no dyes, phosphorous or phosphates, and has a neutral pH.

**ODO-BAN Ready-To-Use** contains an original scent of Eucalyptus and 67 exotic wild flowers. *(Alternate formulations with fragrance only)*

Use **ODO-BAN Ready-To-Use** after cooking for a cleaner, fresher household.

Use **ODO-BAN Ready-To-Use** to eliminate food odors like garlic and onion from kitchen surfaces.

**ODO-BAN Ready-To-Use** is a balanced formulation synergistically combining Clean Control's true odor counteractants with a nonionic synthetic detergent, a quaternary ammonium compound, organic chelates, and coupling agents... for effective cleaning and deodorizing when used as directed.

**ODO-BAN Ready-To-Use** is effective at eliminating odors on mattresses, pillows and shower curtains.

**ODO-BAN Ready-To-Use** may be used as a cleaner where true odor counteraction is also indicated.

**ODO-BAN** is an exclusive TRIPLE ACTION formula that cleans, disinfects, and deodorizes. For use on most household surfaces, **ODO-BAN** effectively removes soils and greasy buildup.

50916

MARKED Label- Submitted to EPA 02/14/06

Use **ODO-BAN Ready-To-Use** on floors, tables, chairs, bathroom bowls, basins, counter tops, doorknobs and handles, and glass surfaces including windows and mirrors.

Use **ODO-BAN Ready-To-Use** in kitchens, bathrooms and other household areas.

**ODO-BAN Ready-To-Use** is recommended for non-scratch cleaning of showers and tubs, shower doors and curtains, fixtures, and toilet bowls.

**ODO-BAN Ready-To-Use** is non-corrosive and non-staining to plastic, vinyl, synthetics, enamel, tile, and most common metals.

**ODO-BAN Ready-To-Use** rinses spot free. It's superior rinsing qualities makes it particularly suitable for linoleum, rubber, sealed cork, vinyl and asphalt tile floors, marble, and terrazzo.

**ODO-BAN Ready-To-Use** is effective at eliminating odors on porous surfaces such as upholstery, drapes, carpets, bedding, shower curtains, and mattresses and non-porous surfaces such as walls and floors. Affected areas should be saturated with enough **ODO-BAN Ready-To-Use** to remain damp for at least ten minutes. EXCELLENT FOR FIRE RESTORATION.

**ODO-BAN Ready-To-Use** cleans and deodorizes porcelain, tiling, grouting, stainless steel, enameled surfaces, woodwork, Formica, leather, vinyl, and plastic.

Use **ODO-BAN Ready-To-Use** on counter tops, stoves, shower stalls, bed frames, and vinyl, and plastic upholstery.

For use in households

Eliminates odors.

With Eucalyptus and 67 Exotic Wildflowers

Contains no dyes. Dye Free.

Convenient Ready To Use Formula

Original Scent: Eucalyptus and 67 exotic wild flowers

Original Eucalyptus Scent

This product contains no phosphorous.

Trigger Spray

Pump Spray

Terminodor

Odor Eliminator & Disinfectant

This is not a masking agent.

Contains no phosphates.

Solutions for Cleaning Problems

Solutions for Odor Problems

Logical Solutions

Pet Solutions

Exclusive Products of:

Another Exclusive Product from:

Commercial Products

Safe for use on Washables

Will not harm

**ODO-BAN Ready To Use** is a Hospital Disinfectant Cleaner that is effective against a wide variety of Gram positive and Gram negative bacteria. It is also an excellent deodorant and leaves a clean fresh odor.

**ODO-BAN Ready-To-Use** effectively controls mold and mildew and inhibits the growth of mold and mildew.

Use **ODO-BAN Ready-To-Use** in and around bathtubs and shower stalls to prevent the growth of mold and mildew.

Use **ODO-BAN Ready-To-Use** in basements to eliminate odors caused by mold and mildew and to prevent the growth of mold and mildew.

Use **ODO-BAN Ready-To-Use** to pre-clean critical or semi-critical medical devices prior to sterilization or high-level disinfection.

**ODO-BAN Ready-To-Use** deodorizes by killing many microorganisms that cause offensive odors on hard non-porous surfaces.

**ODO-BAN Ready-To-Use** kills common germs<sup>†</sup> and bacteria while it cleans up everyday kitchen messes.

**ODO-BAN Ready-To-Use** kills odor causing germs<sup>†</sup> and bacteria in the kitchen and bathroom.

**ODO-BAN Ready To Use** kills common household germs<sup>†</sup> and helps prevent cross-contamination on hard, non-porous kitchen, bathroom, and household surfaces.

Use **ODO-BAN Ready-To-Use** to disinfect hair-grooming tools like scissors, combs, brushes, razors, clipper blades, manicure implements, and other non-porous instruments.

**ODO-BAN Ready-To-Use** sanitizes non-food contact household surfaces in 60 seconds. A rinse is recommended for surfaces in direct contact with food such as countertops and stovetops.

**ODO-BAN** should not come in direct contact with food.

**ODO-BAN** can help prevent cross-contamination when used as a sanitizer on non-food contact surfaces in restaurants, kitchens, canteens, and food processing facilities.

**ODO-BAN** eliminates foul back draft odors from sink disposals and floor drains.

**ODO-BAN** eliminates odors from work uniforms, overalls, sports clothing, and towels.

**ODO-BAN** controls laundry malodors, softens, and eliminates static cling when added to the laundry rinse cycle.

**ODO-BAN Ready-To-Use** may be used in hospitals, homes, medical and dental offices, nursing homes, day care centers, nurseries, restaurants and bars, cafeterias, institutional facilities, public restrooms, institutions, schools, athletic facilities, camp grounds, play grounds, public facilities, transportation terminals, hotels and motels, factories, business and office buildings, boats, ships, campers, trailers and mobile homes, cars, buses, ambulances, trains, taxis, airplanes, garages, shops, and hair and nail salons.

**ODO-BAN Ready-To-Use** may be used on washable hard surfaces including countertops, stovetops, exhaust fans, sinks, appliances, refrigerators, tables, picnic tables, outdoor furniture, chairs, desks, telephones, highchairs, bed frames, washable walls, cabinets, door knobs, baby toys, tubs and tiles, toilets, portable toilets, porcelain tiling, garbage cans, stainless steel, enameled surfaces, wood work, Formica, vinyl, leather and plastic upholstery, bathtubs, shower stalls, sinks, urinals, toilet bowls, toilet bowl surfaces, related fixtures, walls, floors, and other non-porous surfaces (such as metal, stainless steel, glazed porcelain, ceramic, fiberglass, stone, and plastic).

Other suggested uses include: Homes, Veterinary Clinics, Sewage Treatment Plants, Fish Markets, Kennels, Trash Compactors, Offices, Beauty Salons, Locker Rooms, Health Spas, Conference Rooms, Elevators, Smoking Areas, Lounges, Day Care Centers, Churches, Dry Cleaners, Theaters, Farms, Auditoriums, Barber Shops, Police Vehicles, Emergency Vehicles, and Urgent Care Facilities, Restaurants, Markets, Hotels, Boats, Health Clubs, Schools, Laundromats, Nursing Homes.

**ODO-BAN Ready-To-Use** use-solutions may be used to wash hard, non-porous surfaces such as tile, glass, stainless steel, chrome, rubber, plastic, and metal and does not damage washable painted, varnished, or lacquered surfaces.

**ODO-BAN Ready-To-Use** can be used on non-porous surfaces such as walls, tables, floors, chairs, countertops, bathroom fixtures, sinks, bed frames, shelves, racks, carts, refrigerators, and other similar surfaces.

For Use On / Effective On: Countertops, exterior surface of Refrigerators and Microwaves, Walls, Floors, Sinks, Basins, Stovetops, Tabletops, Gym / Exercise / Athletic Equipment, Laundry Pails, Trash Barrels, Fishing Gear, Chrome, Aluminum, Formica®, Porcelain, and Washable Wallpaper.

**ODO-BAN** may be used to control odors on porous surfaces (in automobiles / RVs / homes) such as upholstery, drapes, carpets, pet bedding, shower curtains, headliners, and mattresses and other similar surfaces.

**ODO-BAN Ready-To-Use** is an effective fungicide against *Trichophyton mentagrophytes* (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas, and exercise facilities.

**ODO-BAN Ready-To-Use** kills common household germs<sup>†</sup> in 10 minutes.

**ODO-BAN Ready-To-Use** kills common germs<sup>†</sup> such as *Escherichia coli* (*E. coli*), *Staphylococcus aureus* (Staph), *Salmonella choleraesuis* (Salmonella), *Streptococcus pyogenes* (Strep) and Influenza A/Hong Kong (Influenza) on pre-cleaned environmental surfaces in 10 minutes. Prevents the growth of odor causing bacteria.

**ODO-BAN Ready-To-Use** is effective against animal and pet viruses such as Avian Influenza virus, Avian Infectious Bronchitis virus, Pseudorabies virus, Canine Distemper virus, Newcastle's Disease virus, Feline Viral Rhinotracheitis (FVR), Feline Leukemia Virus (FeLV), Feline Infectious Peritonitis (FIP), Rabies, and Feline Immunodeficiency Virus (FIV).

**ODO-BAN Ready-To-Use** meets AOAC efficacy standards for hospital disinfectants.

**ODO-BAN Ready-To-Use** meets AOAC efficacy standards for non-food contact surface sanitizers on hard, non-porous surfaces.

**ODO-BAN Ready-To-Use** kills 99.99% of germs<sup>†</sup> such as *Streptococcus pyogenes* (Strep), *Escherichia coli* 0157:H7 (*E. coli*) (pathogenic strain), *Listeria monocytogenes*, *Staphylococcus aureus* (Staph), *Klebsiella pneumoniae* on hard, non-porous, non-food contact surfaces in 60 seconds.

**ODO-BAN Ready-To Use** kills 99.99% of germs<sup>†</sup> such as *Escherichia coli* 0157:H7 (*E. coli* pathogenic strain), *Staphylococcus aureus* (Staph), *Streptococcus pyogenes* (Strep), and *Klebsiella pneumoniae* on hard, non-porous, non-food contact surfaces in 60 seconds.

70916

**(HOW TO APPLY)**

**DISINFECTANT DIRECTIONS / APPLICATIONS**

**ODO-BAN Ready-To-Use** is a Hospital Disinfectant for pre-cleaned surfaces, Bactericidal according to the AOAC Use Dilution Test Method, Virucidal\* according to the virucidal qualification, Fungicidal according to the Fungicidal AOAC Use Dilution Test Method, and a Mildewstat according to the EPA Mildew-Fungistatic guidelines against germs †such as:

- |   |  |
|---|--|
| <i>Pseudomonas aeruginosa</i>                             | <i>Legionella pneumophila</i>                                |
| <i>Salmonella choleraesuis</i>                            | <i>Trichophyton mentagrophytes</i><br>(Athletes Foot Fungus) |
| <i>Staphylococcus aureus</i> (Staph)                      | <i>Streptococcus pyogenes</i> (Strep)                        |
| Methicillin Resistant <i>Staphylococcus aureus</i> (MRSA) |  |
| Vancomycin Resistant <i>Enterococcus faecalis</i> (VREF)  |  |
| <i>Escherichia coli</i> (E. coli) 0157:H7                 |  |
| <i>Listeria monocytogenes</i>                             | *Herpes Simplex Type 2                                       |
| <i>Serratia marcescens</i>                                | *Influenza A/Hong Kong                                       |
| <i>Aspergillus niger</i>                                  | *HIV-1 (Aids Virus)  |

**SANITIZER DIRECTIONS / APPLICATIONS**

**ODO-BAN Ready-To-Use** is a sanitizer for pre-cleaned, hard, and non-porous non-food contact surfaces according to the method for Inanimate Non-Food Contact Surface Sanitizer in 60 seconds against germs †such as:

- Streptococcus pyogenes* (Strep)  
*Escherichia coli* 0157:H7 (E. coli) (pathogenic strain)  
*Listeria monocytogenes*  
*Staphylococcus aureus* (Staph)  
*Klebsiella pneumoniae*

**Directions for Use:**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Spray 6-8 inches from surface. Clean with a brush, sponge or cloth. Do not breathe spray.

Apply **ODO-BAN Ready-To-Use** to hard (inanimate), non-porous surfaces, thoroughly wetting surfaces as recommended and required.

**Disinfection/Virucidal\*/Mildew Control Directions:**

Pre-clean prior to disinfection. Trigger spray 6-8 inches from hard nonporous surface. Rub (Clean) with brush, sponge, or cloth. Do not breathe spray. Treated surfaces must remain wet for 10 minutes (for disinfection against bacteria and fungi or 60 seconds for disinfection against viruses\*). Wipe clean with a cloth or tissue.

**Sanitizer Directions:**

**General Household/Kitchen/Bathroom/Floor Cleaning:**

Remove cooking ingredients and food from areas to be cleaned.

**General Cleaning/Sanitizing:**

Remove gross filth or heavy soil, then thoroughly clean surfaces. To sanitize non-food contact surfaces apply solution, thoroughly wetting surfaces as recommended and required, with a cloth, sponge, or sprayer. Let stand 60 seconds then wipe.

**Sanitizer directions:** Pre-clean prior to sanitizing. Spray 6-8 inches from surface. Rub (clean) with brush, sponge, or cloth. Do not breathe spray. Treated surfaces must remain wet for 60 seconds. Wipe clean with a cloth or tissue.

**Virucidal\* directions:** Follow disinfection directions. Treated surfaces must remain wet for 60 seconds.

**VIRUCIDAL\* DIRECTIONS / APPLICATIONS**

**\*Virucidal against HIV-1 (AIDS Virus), Influenza A/Hong Kong, and Herpes Simplex Type 2.**

**KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS**, in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

**"SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS"**

**PERSONAL PROTECTION:** Clean-up should always be done wearing protective latex gloves, gowns, masks and eye protection.

**CLEANING PROCEDURE:** Blood and other body fluids containing HIV must be thoroughly cleaned from surfaces and objects before application of this product.

**CONTACT TIME:** Leave surface wet for 60 seconds. Use a 10 minute contact time for disinfection against all other bacteria fungi and viruses claimed.

**DISPOSAL OF INFECTIOUS MATERIALS:** Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to local regulations for infectious waste disposal.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

**EXPLANATION OF QUALIFIER SYMBOLS**

*(Use of the term germs<sup>†</sup>, using the single dagger qualifier symbol, refers to the sanitizer claim below:)*

Kills 99.99% of germs<sup>†</sup> (goes to →)<sup>†</sup> such as: *Streptococcus pyogenes* (Strep), *Escherichia coli* 0157:H7 (*E. coli*) (pathogenic strain), *Listeria monocytogenes*, *Staphylococcus aureus* (Staph), *Klebsiella pneumoniae* in 60 seconds.

*(Use of the term germs<sup>‡</sup>, using the double dagger qualifier symbol, refers to the disinfection claim below:)*

Kills germs<sup>‡</sup> (goes to →)<sup>‡</sup> such as: *Pseudomonas aeruginosa*, *Salmonella choleraesuis*, *Staphylococcus aureus* (Staph) *Streptococcus pyogenes* (Strep), Methicillin Resistant *Staphylococcus aureus* (MRSA), Vancomycin Resistant *Enterococcus faecalis* (VREF), *Escherichia coli* (*E. coli*) 0157:H7 *Listeria monocytogenes*, *Serratia marcescens*, *Aspergillus niger*, *Legionella pneumophila*, *Trichophyton mentagrophytes* (Athletes Foot Fungus), in 10 minutes.

*(Use of the terms viruses\*, virucide\*, or virucidal\*, using the single asterisk qualifier symbol, refers to the viruses below:)*

Viruses\*, virucide\*, or virucidal\* (goes to →) \*Herpes Simplex Type 2, Influenza A/Hong Kong, HIV-1 (AIDS Virus)



**Non-Acid Toilet Bowl Disinfectant Directions / Non-Acid Bathroom Disinfectant:**

Empty toilet bowl or urinal and apply to exposed surfaces including under the rim with a cloth, mop, sponge, or sprayer. Brush thoroughly over exposed surfaces including under the rim and flush. Repeat for disinfection and allow to stand for 10 minutes and flush.

**Non-acid Toilet Bowl Sanitizer Directions / Non-Acid Bathroom Sanitizer Directions:**

Empty toilet bowl or urinal and apply to exposed surfaces including under the rim with a cloth, mop, sponge, or sprayer. Brush thoroughly over exposed surfaces including under the rim and flush. Repeat for sanitizing and allow to stand for 60 seconds and flush.

**(Salon / Barber) Instrument and Tool Directions / Cosmetology Directions:**

Completely immerse pre-cleaned combs, brushes, scissors, clipper blades, razors, manicure implements and other non-porous instruments so that surfaces remain wet for 10 minutes. Rinse thoroughly and dry before use. Change solution daily or when visibly dirty (soiled).

**Note:** Plastics may remain immersed until ready to use. Stainless steel shears and instruments must be removed after 10 minutes, rinsed, dried, and kept in a clean, non-contaminated receptacle. Prolonged soaking may cause damage to metal instruments.

**Veterinary Clinics/Pet Shop/Kennels/Breeding and grooming Establishment Disinfection Directions:** For cleaning and disinfecting the following hard nonporous surfaces: Equipment, utensils, instruments, cages, kennels, stables, stalls and catteries. Remove all animals and feeds from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or transversed by animals. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces for a period of 10 minutes. Ventilate buildings and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried. Thoroughly scrub all treated feed racks, automatic feeders, waters, and other equipment which dispenses food or water with soap or detergent, and rinse with potable water before reuse.

*immerse all halves....*

**Deodorizer Directions / Deodorizer Applications:****Air (Fabric) Freshener (Refresher), (Porous Surfaces):**

Apply a light spray into the air, or onto surfaces such as upholstery, drapes, bedding, carpet, A/C Filters, etc.

**Pet Odors (Carpet and Upholstery):**

(For urine, feces, and vomit on carpet and upholstery,) Saturate pre-cleaned area with enough **ODO-BAN Ready-To-Use** to remain damp for at least 10 minutes, then blot with a clean cloth. Repeat if necessary. Effective on bedding and litter boxes. Allow to dry. Test a hidden area for colorfastness.

**Laundry:**

8-16 ounces during the final rinse will deodorize offensive odors. (Add 8-16 ounces per load during the final rinse to eliminate offensive odors without damaging fibers / to control laundry malodors, soften, and eliminate static cling without damaging fibers.)

**Automobile/RV:**

Spraying liberally onto seats, carpets, headliner and ashtray or into trunk and all vents will eliminate odors from tobacco, beverage spills, and musty carpet. (Spray liberally onto seats, carpets, headliner and ashtray or into trunk and all vents to eliminate odors from tobacco, beverage spills, and musty carpet.)

**Hard Surfaces:**

Apply directly to odor source such as diaper or garbage pails, fishing gear, bed pans, hampers, toilets, shower curtains, fireplace, athletic or work shoes, etc. Use in sick rooms, closets, basements, or anywhere there are odors.

**ODO-BAN** is effective at eliminating odors on porous surfaces such as upholstery, drapes, carpets, bedding, shower curtains, and mattresses and (as well as) non-porous surfaces such as walls and floors. Affected areas should be saturated with enough **ODO-BAN** to remain damp for at least ten minutes. Then blot with a clean cloth and allow to dry.

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

**Pesticide Storage:** Store only in tightly closed, original container in a secure area inaccessible to children and away from food or feed.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Do not reuse empty container (bottle, can, bucket). Wrap (container) and put in trash.

*(If container is one gallon or less, use the following Storage and Disposal statement.)*

### STORAGE AND DISPOSAL

Store in areas inaccessible to small children. Do not reuse container. Wrap and put in trash.

### Precautionary Statements

### Hazards to Humans and Domestic Animals

### CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

### FIRST AID

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

*(Optional First Aid Statement)*

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

*(If container size is five gallons or greater, use the following environmental hazards statement.)*

### ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

[Alternate Language - Back Panel for Industrial Label for Small Containers (one quart or less)]

**OdoBan Ready-To-Use**

Disinfectant • Cleaner • Fungicide • Mildewstat • Virucide\*  
 Sanitizer • Deodorizer • Eucalyptus Fragrance

**Active Ingredients**

Alkyl (C<sub>14</sub> 50%, C<sub>12</sub> 40%, C<sub>16</sub> 10%) dimethyl  
 benzyl ammonium chloride..... 0.30%

**Inert Ingredients**..... 99.70%

**Total Ingredients**..... 100.00%

KEEP OUT OF REACH OF CHILDREN

**CAUTION**

See left panel for precautionary statements

EPA Registration No 66243-1  
 EPA Establishment No 66243-GA-1

Net Contents: \_\_\_\_\_ fl. oz.

Manufactured by:  
 CLEAN CONTROL CORPORATION  
 P.O. BOX 7444  
 Warner Robins GA 31095

[Alternate Language - Back Panel for Industrial Label for Small Containers (one quart or less)]

**ODO-BAN Ready-To-Use** is a balanced, neutral pH formulation which combines odor counteractants with a detergent and a quaternary ammonium compound for effective deodorizing, cleaning and disinfecting when used as directed.

- Safe to use on most washable surfaces - non-corrosive and non-staining to plastic, vinyl, synthetics, enamel, tile, and most common metals.
- Use on nonporous surfaces; such as, walls, tables, floors, chairs, countertops, bathroom fixtures, sinks, shelves, racks and carts

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Spray 6-8 inches from surface. Clean with a brush, sponge or cloth. Do not breathe spray.

#### DISINFECTANT DIRECTIONS

**ODO-BAN Ready-To-Use** is a Hospital Disinfectant for pre-cleaned hard nonporous surfaces, Bactericidal according to the AOAC Use Dilution Test Method, Virucidal\* according to the virucidal qualification, Fungicidal according to the Fungicidal AOAC Use Dilution Test Method, and a Mildewstat according to the EPA Mildew-Fungistatic guidelines against germs †such as: *Pseudomonas aeruginosa*, *Legionella pneumophila*, *Salmonella choleraesuis*, *Trichophyton mentagrophytes* (Athletes Foot Fungus), *Staphylococcus aureus* (Staph), *Streptococcus pyogenes* (Strep); Methicillin Resistant *Staphylococcus aureus* (MRSA), Vancomycin Resistant *Enterococcus faecalis* (VREF), *Escherichia coli* (*E. coli*) 0157:H7, *Listeria monocytogenes*, *Serratia marcescens*, *Aspergillus niger*, \**Herpes Simplex Type 2*, \**Influenza A/Hong Kong*.

#### Disinfection/Virucidal\*/Mildew Control Directions:

Pre-clean prior to disinfection. Trigger spray 6-8 inches from hard nonporous surface. Clean with brush, sponge, or cloth. Do not breathe spray. Treated surfaces must remain wet for 10 minutes. Wipe clean with a cloth or tissue.

#### SANITIZER DIRECTIONS

**ODO-BAN Ready-To-Use** is a sanitizer for pre-cleaned, hard, and non-porous non-food contact surfaces according to the method for Inanimate Non-Food Contact Surface Sanitizer in 60 seconds against germs †such as: *Streptococcus pyogenes* (Strep), *Escherichia coli* 0157:H7 (*E. coli*) (pathogenic strain), *Listeria monocytogenes*, *Staphylococcus aureus* (Staph), *Klebsiella pneumoniae*

#### General Cleaning/Sanitizing:

Remove gross filth or heavy soil, then thoroughly clean surfaces. To sanitize non-food contact surfaces apply solution, thoroughly wetting surfaces as recommended and required, with a cloth, sponge, or sprayer. Let stand 60 seconds then wipe.

#### DEODORIZER DIRECTIONS

**Hard Surfaces:** Apply directly to odor source such as diaper or garbage pails, fishing gear, bed pans, hampers, toilets, shower curtains, fireplace, athletic or work shoes, etc. Use in sick rooms, closets, basements, or anywhere there are odors.

#### STORAGE AND DISPOSAL

Store in areas inaccessible to small children. Do not reuse container. Wrap and put in trash.

#### Precautionary Statements

##### Hazards to Humans and Domestic Animals

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

##### FIRST AID

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

##### (Optional First Aid Statement)

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

130f16

[Alternate Language - Front Panel for Hospital Label for Small Containers (one quart or less)]

**OdoBan Ready-To-Use**

Odor Control  
Multi-Purpose  
Pet Solutions  
Kills 99.99% of Germs<sup>†</sup>

Eliminates Odors  
Deodorizer • Disinfectant  
Mildewstat, • Virucide\* • Sanitizer  
Original Eucalyptus Scent

**Active Ingredients**

Alkyl (C<sub>14</sub> 50%, C<sub>12</sub> 40%, C<sub>16</sub> 10%) dimethyl  
benzyl ammonium chloride..... 0.30%  
**Inert Ingredients**..... 99.70%  
**Total Ingredients**..... 100.00%

KEEP OUT OF REACH OF CHILDREN

**CAUTION**

See Precautionary Statements on Back Panel

EPA Registration No     66243-1

Net Contents:            \_\_\_\_\_ fl. oz.

[Alternate Language - Front Panel for Hospital Label for Small Containers (one quart or less)]

**OdoBan Ready-To-Use (RTU)** is a balanced, neutral pH formulation which combines odor counteractants with a detergent and a quaternary ammonium compound for effective deodorizing, cleaning and disinfecting when used as directed.

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

#### WHERE TO USE

**OdoBan RTU** is non-corrosive and non-staining to plastic, vinyl, synthetics, enamel, tile, and most common metals. **OdoBan RTU** can be used on non-porous surfaces such as walls, tables, floors, chairs, countertops, bathroom fixtures, sinks, shelves, racks, and carts. **OdoBan RTU** may be used in hospitals, homes, medical and dental offices, nursing homes, day care centers, nurseries, restaurants and bars, cafeterias, institutional facilities, public restrooms, institutions, schools, athletic facilities, camp grounds, play grounds, public facilities, transportation terminals, hotels and motels, factories, business and office buildings, boats, ships, campers, trailers and mobile homes, cars, buses, ambulances, trains, taxis, airplanes, garages, shops, and hair and nail salons.

#### HOW TO APPLY

Spray 6-8 inches from surface. Clean with a brush, sponge or cloth. Do not breathe spray.

#### DEODORIZER DIRECTIONS

**Air Freshener, Porous Surfaces:** Apply a light spray into the air, or onto surfaces such as upholstery, drapes, bedding, carpet, A/C Filters, etc.

**Hard Surfaces:** Apply directly to odor source such as garbage pails, bed pans, hampers, toilets, shower curtains, fireplace, athletic and work shoes, etc. Use in sick rooms, closets, basements, or anywhere there are odors.

#### DISINFECTANT DIRECTIONS

**OdoBan RTU** is a Hospital Disinfectant for pre-cleaned hard nonporous surfaces, Bactericidal according to the AOAC Use Dilution Test Method, Virucidal\* according to the virucidal qualification, Fungicidal according to the Fungicidal AOAC Use Dilution Test Method, and a Mildewstat according to the EPA Mildew-Fungistatic guidelines against germs †such as: *Pseudomonas aeruginosa*, *Salmonella choleraesuis*,

(Strep), Methicillin Resistant *Staphylococcus aureus* (MRSA), Vancomycin Resistant *Enterococcus faecalis* (VREF), *Escherichia coli* (*E. coli*) 0157:H7, *Listeria monocytogenes*, *Serratia marcescens*, \**Herpes Simplex* Type 2, \**Influenza A/Hong Kong*, *Aspergillus niger*.

#### Disinfection/Virucidal\*/Mildew Control Directions:

Pre-clean prior to disinfection. Apply to hard nonporous surfaces as required. Treated surfaces must remain wet for 10 minutes. Wipe clean with a cloth or tissue.

#### SANITIZER DIRECTIONS

**OdoBan RTU** is a sanitizer for pre-cleaned, hard, and non-porous non-food contact surfaces according to the method for Inanimate Non-Food Contact Surface Sanitizer in 60 seconds against germs †such as: *Streptococcus pyogenes* (Strep), *Escherichia coli* 0157:H7 (*E. coli*) (pathogenic strain), *Listeria monocytogenes*, *Staphylococcus aureus* (Staph), *Klebsiella pneumoniae*

#### Sanitizing:

Remove heavy soil, then thoroughly clean surfaces. To sanitize, apply to non-food contact surfaces as required. Let stand 60 seconds then wipe.

#### STORAGE AND DISPOSAL

Store in areas inaccessible to small children. Do not reuse container. Wrap and put in trash.

#### Precautionary Statements

##### Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

##### FIRST AID

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Manufactured by: CLEAN CONTROL CORPORATION  
P.O. BOX 7444 • Warner Robins GA 31095 • 800.841.3904  
EPA Registration No. 66243-1 EPA Establishment No. 66243-GA-1

15 of 16

[Alternate Language - Front Panel for Retail Accordion Label for Small Containers (one quart or less)]

Kills 99.99% of Germs<sup>†</sup>  
**OdoBan Ready-To-Use**  
Eliminates Odors  
Eucalyptus Scent  
Multi-Purpose Cleaner  
Air Freshener  
Fabric Refresher

**Active Ingredients**  
Alkyl (C<sub>14</sub> 50%, C<sub>12</sub> 40%, C<sub>16</sub> 10%) dimethyl  
benzyl ammonium chloride..... 0.30%  
**Inert Ingredients**..... 99.70%  
**Total Ingredients**..... 100.00%

KEEP OUT OF REACH OF CHILDREN

**CAUTION**

See Precautionary Statements on Back Panel


EPA Registration No    66243-1

Net Contents:            \_\_\_\_\_ fl. oz.

*[Alternate Language - Back Panel for Retail Accordion Label for Small Containers (one quart or less)]*

(Back Panel - Accordion, outside)

**ODO-BAN Ready-To-Use** is an instant-action air freshener. Use **ODO-BAN Ready-To-Use (RTU)** in kitchens, bathrooms and other household areas to eliminate unpleasant odors on floors, walls, garbage areas, showers, upholstery, carpets and bedding while leaving a fresh scent. Triple action formula cleans, disinfects and deodorizes.



- Eliminates Smoke Odors
- Controls Garbage Area Odors
- Cleans, Disinfects & Deodorizes
- Safe for use on Washables
- OdoBan is not a Masking Agent

(Back Panel - Accordion, inside page 1)

**ODO-BAN RTU** eliminates unpleasant odors on upholstery, carpets, bedding, showers, walls and floors while leaving a fresh scent. **ODO-BAN RTU** eliminates odors caused by bacteria, mildew, and non-fresh foods on hard nonporous surfaces. Use **OdoBan RTU** in kitchens, bathrooms and other household areas.

**Air Freshener:** Apply a light spray into the air, or onto A/C Filters.


**Fabric Refresher:** Apply a light spray onto surfaces such as upholstery, drapes, bedding and carpets. Safe on most washable surfaces. Test a small area on surfaces first.

**Pet Odors (Carpet and Upholstery):** Saturate pre-cleaned area with enough **ODO-BAN RTU** to remain damp for at least 10 minutes. Blot with a clean cloth. Repeat if necessary. Allow to dry. Test a hidden area for colorfastness.

**Automobile/RV:** Spraying liberally onto seats, carpets, headliner and ashtray or into trunk and all vents will eliminate odors from tobacco, beverage spills, and musty carpet.

**Hard Surfaces:** Apply directly to odor source. Use in diaper or garbage pails, sick rooms, closets, basements, or anywhere there are odors.

**Use OdoBan anywhere there are Odors!**



(Back Panel - Accordion, inside page 2 attached to bottle)

**Directions for Use:**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**SANITIZER DIRECTIONS**

**ODO-BAN RTU** kills 99.99% of germs <sup>†</sup>such as *Streptococcus pyogenes* (Strep), *Escherichia coli* 0157:H7 (*E. coli*) (pathogenic strain), *Listeria monocytogenes*, *Staphylococcus aureus* (Staph), *Klebsiella pneumoniae* on hard, non-porous, non-food contact surfaces in 60 seconds.

**General Cleaning/Sanitizing:** Remove heavy soil, and then thoroughly clean surfaces. To sanitize non-food contact surfaces apply solution, thoroughly wetting surfaces as recommended and required, with a cloth, sponge, or sprayer. Let stand 60 seconds then wipe.

**DISINFECTANT DIRECTIONS**

**ODO-BAN RTU** kills common germs <sup>†</sup>such as *Escherichia coli* (*E. coli*), *Staphylococcus aureus* (Staph), *Salmonella choleraesuis* (*Salmonella*), *Streptococcus pyogenes* (Strep) and Influenza A/Hong Kong (Influenza) on pre-cleaned environmental surfaces in 10 minutes. An effective fungicide against *Trichophyton mentagrophytes* (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas, and exercise facilities.

**Disinfection/Virucidal\*/Mildew Control Directions:** Pre-clean prior to disinfection. Trigger spray 6-8 inches from surface. Clean with brush, sponge, or cloth. Do not breathe spray. Treated surfaces must remain wet for 10 minutes. Wipe clean with a cloth or tissue.

**STORAGE AND DISPOSAL**

Store in areas inaccessible to small children. Do not reuse container. Wrap and put in trash.

**Precautionary Statements**

**Hazards to Humans and Domestic Animals**

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

**FIRST AID**

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Manufactured by: CLEAN CONTROL CORPORATION  
P.O. BOX 7444 • Warner Robins GA 31095 • 800.841.3904  
EPA Registration No. 66243-1 EPA Establishment No. 66243-GA-1