Pr.	10
-----	----

66301-1

10	66301-1		/
	U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 °M° St., S.W.	EPA Reg. Number: 66301-1	Date of Immance: 20 JUN 1994
A PROTECTO	Washington, D.C. 20460	Term of Issuance:	Conditional
Registration Reregistration		Name of Pesticide Product: UBIX Animal Wash or	
	gistrant (include ZIP Code):	Spray	
Enzymes Plu 1451 Sugar Sugar Land Note: Changes in labelin	ffiliates, Inc. us Division Creek Blvd. , TX 77478 g differing in substance from that accepted in connection with this registration mu		
	the label in commerce. In any correspondence on this product always refer to the ion furnished by the registrant, the above named pesticide is hereby registered/rea		······
the Administrator, on his connection with the regis has been covered by othe This FIFRA sec. 1. S reregistra Agency reg	product is conditionally registere 3(c)(7)(A) provided that you: ubmit and/or cite all data require tion of your product under FIFRA s uires all registrants of similar p	rdance with the Act. The right to exclusive use of ed in accor ed for regisee. 3(c) (5 products to	the acceptance of any name in of the name or to its use if it cdance with stration/ b) when the b submit such
	submit acceptable responses requir oduct under FIFRA section 4.	ed for fer	egistration
2. M	ake the following label changes:		
	Revise the EPA Registration Number No. 66301-1".	to read,	"EPA Reg.
	Add the phrase to the front label children" and make certain both th signal word (Caution) are of the p shown in 40 CFR 156.10.	nis stateme	ent and the
	Remove the word organic from the p from bicdegradable organic materia tion regarding this product's biod	als". Supp	oly informa-
	Remove the phrase "Promotes helair abrasions. This is a medicinal cl be authorized by FDA.		
Signature of Approving	Official	Date: 20 J	UN 1994
A Lorm \$570.6		1	

page 2 EPA Reg. No. 66301-1

3. Submit two copies of the revised final printed label for the record.


If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

Robert S. Brennis Acting Product Manager 10 Insecticide & Rodenticide Branch Registration Division (7505C) 2.75

CONTROL & REPELL FLEAS, FLYS & TICKS. ANIMAL AND BARNYARD DEODORIZER: DOGS & CATS, CATTLE & HORSES, - WASH DOWN FOR CONFINEMENT HOGS & PENS - APPLY BATH, SPRAY OR DIP TANK



BEST AVAILABLE COPY

ACCEPTED with COMMENTS In EPA Letter Dated

20 JUN 1994

Under the Test ral Incerte de. Foregroup of Portsman Head above of the test test bestelde registered under EPA Reg No.

۰[°]

1

T (H) 131

with COMMENTS In EPA Letter Dated 20 JUN 1994 Under the Fictoral Insecticide. Fungleide, mit and anticide Act as amended, for the pesticide

ACCEPTED

requistered under EPA Reg. No. 1. 11

 \leq

UBIX 0071 ANIMAL CARE PRODUCTS MASTER LABEL

CONTROL & REFELL FLEAS, FLYS & TICKS. ANIMAL AND BARNYARD DEODORIZER: DOGS & CATS, CATTLE & HORSES, - WASH DOWN FOR CONFINEMENT HOGS & PENS - APPLY BATH, SPRAY OR DIP TANK

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

CAUTTON:

<u>ر _ _</u>

Hazards to Humans and Domestic Animals

Avoid contact with eyes. In case of contact flush eyes with plenty of water. Get medical attention if irritation persists.

UBIX is made from biodegradable organic materials that when mixed with water will destroy offensive odors and becomes an effective bath, washdown, dip tank or spray treatment repelling insects and deodorizing animals, barnyard areas and waste deposits. Promotes healing of mkin sures or obrasions. Aids in the debridement of scabs or dead tissue.

DIRECTIONS FOR USE

FOR DOGS: Achieve hest results by tub bath use warm water with animal submerged to head. As tub fills, add 4 oz UBIX. Scoop hubbles from water surface, place in ears, fold ear flap gently palipate to moisten ear. Wipe out ear mites with wet wash cloth. Allow pet to stand, mix 4 oz UBIX and 2-3 cups of bath water, use as a shampoo. Rub deep into coat areas where flees nest and breed. Once thoroughly wetted, ticks will relax and drop off. Rinse thoroughly with tub water. Follow with clean water rinse. Dry with soft towel. FOR NONTUB USA: Mix 4 oz with 5 gal warm water. Soak pet to skin with soft cloth. Mix 6 oz UBIX with 2-3 Cups water. Work into coat as described above. Rinse with clear water. Dry.

BEST AVAILABLE COPY

ACCEPTED with COMMENTS In EPA Latter Dated 20 JUN 1994

Under the Color d'Insecticide, har one and Podeniicide Act as chemical, for the pesticide registered under LPA Reg No.

CATS: Use 2 oz UBIX in small tub or sink filled with warm water. Cover arms with heavy sleeves or long rubber gloves, submerge cat. Do not rinse. Towel dry.

TO CONTROL SEVERE FLEA AND TICK INFESTATIONS AND "HOT SPOTS" REPEAT WEEKLY FOR 3-6 WEEKS AS REQUIRED, THEREAFTER MONTHLY

RANGE CATTLE: Fill dip tank with water that is slightly warm or has been warmed by the sun. Mix 2 Gal UBIX to 500 gal water. Submerge each animal for a few seconds. Do not rinse. Replanish dip with water & UBIX when solids accumulate or tank water level reduces appreciably.

DAIRY HERDS: For spray or hand application: If by spray, mix 1 gallon UBIX per 500 Gal tepid/warm water, spray animal thoroughly do not rinse. If by hand, use 4 or UBIX to 5 gal tepid/warm water. Wet thoroughly. Do not rinse.

HORSES: Currycomb or brush well. Apply 4 oz UBIX mixed with 2-3 gal tepid water. Solution may be applied with gentle spray sponge or soft brush. Wet horse down to its hide. Apply generously to entire animal. Do not rinse off. Animal is now deodorized and will repel insects. Gives coats a beautiful sheen.

HOG WASH: Clean confinement area by thoroughly spraying with a solution of 50 gal tepid/warm w_0 er to 1 gal UBIX. Apply to walls, ceilings and floors. Do not rinse. Apply to animal with an aerating spray, overhead or hand held. If a misting spray is used continuously, double the dilution ratio. Do not rinse. If applied by hand use sponge or soft brushes, mix 6 of UBIX with 5 gal water. Do not rinse.

GENERAL: After first freatment appply as frequently as necessary when insects once again seem to be attracted to animals. Always dilute with water otherwise a sticky residue will remain on the animal. Control barnyard odors by rinsing stanchions, walls, floor areas and manure piles with a solution of 1 gal UBIX to 50 Gal water.

BEST AVAILABLE COPY

11250455816 WPW 15:64 IS:E64 IS:E64 IS:E64

בר אי

BADERSONELLIFIES