PM J2 66330-25

1-26-99

5

Page 1 of <del>6</del>7 Captan 75 SP

Net Weight:

#### CAPTAN® 75 SEED PROTECTANT

### (FUNGICIDE) A Slurry Product - Contains Binder Prevents Seed Rot and Damp-off Diseases

ACTIVE INGREDIENTS:	
Captan*	73.3%
Related Derivatives	1.7%
INERT INGREDIENTS:	25.0%
TOTAL	100.0%

\* N-Trichloromethylthio-4-cyclohexene-1,2-dicarboximide.

EPA Reg. No. 10182-29066330-25 EPA Est. No. 10182-

)


÷

# **KEEP OUT OF REACH OF CHILDREN**

#### DANGER

See Side Panel For Additional Precautionary Statements

Made in U.S.A. **ZENECA Ag Products** ZENECA-Inc. Wilmington, DE-19897 TOMEN AGRO, Inc. 100 First Street, Suite 1610 San Francisco, CA 94105



#### STATEMENT OF PRACTICE TREATMENT

**IF SWALLOWED**: Contact physician, Poison Control Center, or emergency clinic before inducing vomiting. Give water or milk to drink and induce vomiting by touching back of throat with finger, or by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person. If medical advice cannot be obtained, take person and a copy of the label or technical bulletin to the nearest emergency treatment facility.

IF IN EYES: Immediately flush eyes with plenty of clear water and get medical attention.

**IF ON SKIN**: Wash with plenty of soap and water. See a doctor if irritation occurs or rash develops.

IF INHALED: Remove person from exposure area.

FOR 24-HOUR EMERGENCY MEDICAL ASSISTANCE CALL-1-800-F-A-S-T-M-E-D (327-8633)1-800-228-5635, Extension 174.

FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accident call CHEMTREC 1-800-424-9300.

#### PRECAUTIONARY STATEMENTS

#### **HAZARDS TO HUMANS & DOMESTIC ANIMALS**

#### DANGER


)

)

Causes irreversible eye damage. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Wear goggles or face shield when handling. Avoid contact with skin and clothing. Avoid inhalation of dust. Remove and separately launder clothing before reuse.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not clean equipment or dispose of equipment washwaters in a manner that will contaminate water resources. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil.



## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

Mixers/loaders when mixing and loading this product must wear a long sleeved shirt and long pants or a coverall that covers all parts of the body except the head, hands and feet. Wear chemical resistant gloves, goggles or a face shield and a chemically resistant apron.

Fieldworkers and harvesters must wear chemical resistant gloves if entering treated areas within 4 days following application. Leather or fabric gloves are not acceptable.

A dust mask must be worn when mixing and loading this product.

**AFTER WORK**: Take off all clothes and shoes. Shower using soap and water. Do not wear contaminated clothing. Wash protective clothing and equipment with soap and water after each use. Personal clothing worn during use must be laundered separately from household articles. Clothing and protective equipment heavily contaminated or drenched with captan must be destroyed according to state and local regulations.

CAPTAN 75 SEED PROTECTANT is a special formulation containing CAPTAN for seed treatment application. CAPTAN 75 Seed Protectant now contains a binder which helps to adhere the treater to the seed so that there is minimum loss during processing and planting. Has no adverse effect on seed germination or planting rate. It is used in preventing seed rot and damp-off diseases on germinating seedlings and smut on onion and hulled sorghum seed.

## ) USE PRECAUTIONS

When using formulation that do not contain dye, to comply with 21 CFR Chapter 1, Section 2.5, all seed treated with a pesticide must be colored to distinguish and prevent subsequent inadvertent use as a food for man or feed for animals.

SLURRY TREATMENT: When used in slurry treaters, do not allow mixtures to stand overnight. Clean out equipment thoroughly between treating operations.

GLADIOLUS CORMS: FOR PREVENTION OF BULB ROT – Use 1<sup>1</sup>/<sub>2</sub> ounces in 1 gallon water (1 pound to 10 gallons). Soak bulbs in mixture 20 to 30 minutes.

GRASS SEED (RANGE GRASSES SUCH AS WHEATGRASS AND BRCMEGRASS): TO CONTROL PODOSPORIELLA VERTICILLATA: 12 oz. Captan 75 Seed Protectant per 100 lbs. of seed. Apply as slurry treatment.

ONION SEED PELLETING: Use 1 pound CAPTAN 75 Seed Protectant per 1 pound of seed plus ¼ pint methyl cellulose 5% solution.

47

49

THE FOLLOWING TABLE gives amount of CAPTAN 75 Seed Protectant to use on various seeds. DO NOT USE ON BABY LIMA BEANS.

SEED	DOSAGE RATE	Lbs. Seed Treated/lb. of Product
Corn – Field	1¼ oz./100 lbs	1280
	<b>⅔</b> oz./bu.	
Corn – Sweet	2 <sup>2</sup> / <sub>3</sub> oz./100 lbs.	600
	1½ oz./bu	
Wheat	1¼ oz./100lb.	1280
For seed and	<b>⅔</b> oz./bu	
Oats Seedling Rots-	2 oz./100 lbs.	800
Not for Smut	<b>⅔</b> oz./bu	
Barley	1½ oz./100 lbs.	1070
	²∕₃ oz./bu	
Flax	21/2 oz./100 lbs.	640
	11/3 oz/bu	
Beans (Except Baby Limas)	1¾ oz./100 lbs.	910
Peas	1 oz./bu	
Lentils (Washington & Idaho Only)	1¾ oz./100 lbs.	910
Carrot	6 oz./100 lbs.	265
Cucumber Cantaloupe	2 oz./100 lbs.	800
Squash, Pumpkin, Watermelon	11/3 oz./100 lbs.	1200
Beets, Swiss Chard	8 oz./100 lbs.	200
Rutabaga	3 oz./100 lbs.	530
Sugar Beets	8 oz./100 lbs.	200
Clover	51/2 oz./100 lbs.	290
Alfalfa	31⁄3 oz./bu	
Soybeans	1 <sup>2</sup> / <sub>3</sub> oz./100 lbs.	960
	1 oz./bu	
Turnip	2 oz./100 lbs.	800
Cotton – Acid Delinted	2 oz./100 lbs.	800
Cotton – Machine Delinted	3 oz./100 lbs	530
Fuzzy (not delinted)		
Blue Grass	5½ oz./100 lbs.	290
Cabbage, Cauliflower, Radish,	1 oz./100 lbs.	1600
Broccoli, Brussels Sprouts		
Spinach, Eggplant	4 oz./100 lbs.	400
Sorghum (Hulled-Kernel Smut)	3 oz./100 lbs.	530
Peppers	2 oz./100 lbs.	
Cowpeas	2 oz./100 lbs.	800
	1¼ oz./bu.	
Rye	1¾ oz./100 lbs.	910
Sesame	1 oz./100 lbs.	1600

)

"Do not feed treated seed to animals. Do not reuse treated seed for human consumption. Seeds treated with CAPTAN 75 Seed Protectant, sold or shipped as feed or foodstuffs may be considered adulterated under state and federal laws. Treated seed must be labeled as follows: "TREATED SEED. DO NOT USE FOR FOOD, FEED OR OIL."

+

•

)

Page 6 Captan 75 SP

## STORAGE AND DISPOSAL

**PROHIBITIONS:** Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited.

**STORAGE:** Keep pesticide in original container. Do not store or transport near feed or food. Store in a cool, dry place. Protect from excessive heat. For help with any spill, leak, fire or exposure involving this material, call day or night CHEMTREC 1-800-424-9300.

**PESTICIDE DISPOSAL:** This product is acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instruction, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Completely empty liner by shaking and taping sides and bottom to loosen clinging particles. Empty residue into application equipment. Do not reuse container. Dispose of liner in a sanitary landfill, or incineration if allowed by state and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.

NOTICE TO BUYER AND USER: Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Seller, and Buyer and User assume the risk of any such use. SELLER DISCLAIMS ALL OTHER WARRANTIES EXPRESSED OR IMPLIED INCLUDING ANY WARRANTY OF FITNESS OR MERCHANTABILITY. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE-PRICE.

## **NOTICE TO BUYER AND USER:**

## CONDITIONS OF SALE:

)

- 1. <u>TOMEN AGRO, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with the directions under normal conditions of use.</u>
- 2. This warranty does not extend to the use of this product contrary to latel instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Tomen. TOMEN DISCLAIMS ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF FITNESS OR MERCHANTABILITY. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT

Page 7

DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE. TOMEN DOES NOT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE ANY OTHER WARRANTY, GUARANTEE OR REPRESENTATION CONCERNING THIS PRODUCT.

3. Critical and unforeseeable factors beyond Tomen's control prevent if from eliminating all risks in connection with the use of this product. Such risks include, but are not limited to, damage to plants and crops to which the product is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated on the label and even though label directions are followed. Except as stated in 1 above, Buyer and User acknowledge and assume all risks and liability resulting from handling, storage, and use of this product.

RQ HAZARDOUS SUBSTANCE, SOLID, N.O.S., NA 9188, (CAPTAN)

)