UNITE TATES ENVIRONMENTAL PROTECTION

66330-55

5/13/2008

Page 137

Ms. Heather R. Bjornson Regulatory Assistant Arysta LifeScience North American Corporation c/o Technology Sciences Group, Incorporated 1150 18th Street, N.W. Suite 1000 Washington, D.C. 20036

MAY 1 3 2008

Subject: Arysta LifeScience North American Corporation, Carpovirusine

EPA Registration No. 66330-55

Label Amendments to add the Organic Materials Review Institute (OMRI) symbol and update the storage and disposal statements in accordance with PR Notice 2007-4

Resubmission Dated 04/18/2008

Dear Ms. Bjornson:

The amendments referred to above, submitted in connection with registration under FIFRA section 3(c)(5), are acceptable provided that you:

- 1. Submit and/or cite all data required for registration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
- 2. Submit two (2) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of a final printed label.

Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions. If you have any questions contact Jeannine Kausch at 703-347-8920 or by email at: kausch.jeannine@epa.gov.

A stamped copy of the label is enclosed for your records.

Sincerely,

Sheryl Reilly, Ph.D. Chief Microbial Pesticides Branch Biopesticides and Pollution

Prevention Division (7511P)

Enclosures

				CONCURRENC	ES	alida a sa Saria Baran sa Santa Santa		
SYMBOL	75118	75/18	7511P					
SURNAME >	KAUSCH	B. sceland	Rull					
DATE	05/13/2008	6.1/13/08	5/13/08			ß	:	
EPA Form 1	320-1A (1/90)	/ /	P	rinted on Recycled	l Paper		OFFIC	IAL-FILE COPY

[Front panel]

CARPOVIRUSINE

A selective larvicide against Codling moth on apples, pears and walnuts



ACTIVE INGREDIENT*:	
Cydia pomonella Granulosis Virus	
INERT INGREDIENTS:	
Total:	100.00%
*Minimum 10 ¹³ Granulosis virions I quart	

KEEP OUT OF REACH OF CHILDREN

WARNING I AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

(If you do not understand the label, find someone to explain it to you in detail.)

you do not understand the label, find someone to explain it to you in detail.)

See side panel for first aid and additional precautionary statements

For Product Information Call: 1-866-761-9397

Produced for:

ARYSTA LIFESCIENCE NORTH AMERICA CORPORATION 15401 Weston Parkway, Suite 150 Cary, NC 27513

Manufactured by:

Natural Plant Protection Route d'Artix 64150 Nogueres France

EPA Reg. No. 66330-55 **EPA Est. No.** 070057-FRA-001

Net contents: 1.06 quart (1 liter)

ACCEPTED MAY 1 3 2008

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 66330 -55

CARPOVIRUSINE 051208 Page 2 of 6

[Side panel]

FIRST AID				
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 			
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 			

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

FOR 24-HOUR EMERGENCY MEDICAL ASSISTANCE:

Call 1-866-303-6952 or 1-651-632-8946 if calling from outside of the U.S.

FOR CHEMICAL EMERGENCY:

Spill, leak, fire, exposure, or accident, call CHEMTREC 1-800-424-9300 or 1-703-527-3887 if calling from outside of the U.S.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Wear protective eyewear such as goggles, face shield, or shielded safety glasses. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear:

- Protective eyewear such as goggles, face shield, or shielded safety glasses
- Chemical resistant gloves made of waterproof material
- Long-sleeved shirt and long pants
- Shoes and socks

Mixer/loaders and applicators must wear a dust/mist filtering respirator meeting NIOSH standards of at least N-95, R-95 or P-95.

Repeated exposure to high concentrations of microbial proteins can cause allergic sensitization.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

CARPOVIRUSINE 051208 Page 3 of 6

USER SAFETY RECOMMENDATIONS

Users should:

- Remove clothing/PPE immediately if pesticide gets inside.
 Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

For terrestrial uses: Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or Tribe, consult the State or Tribal agency responsible for pesticide regulations.

CARPOVIRUSINE 051208 Page 4 of 6

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas (that is permitted under the Worker Protection Standard and involves contact with anything that has been treated, such as plants, soil, or water), is:

- Protective eyewear such as goggles, face shield, or shielded safety glasses,
- Chemical resistant gloves made of waterproof material
- Coveralls
- Shoes and socks

General Information

CARPOVIRUSINE is for treatment against Codling moth on apples, pears and walnuts. The viral particles in CARPOVIRUSINE must be ingested by larvae to be effective.

Application Instructions

Dilute CARPOVIRUSINE in water with agitation, and apply with any conventional sprayer in a spray volume sufficient for thorough coverage of the tree canopy. Do not apply this product through any type of irrigation system. No spray adjuvant is required. Start applications at the beginning of egg hatch of the first generation, targeting the eggs and young larvae, as per local specifications/warnings by Extension offices. Repeat applications as necessary to maintain control; generally every 7 to 10 days as long as oviposition is evident, and while adults are captured in sex pheromone traps. Applications at low rates may need to be more frequent than those at high rates to provide comparable levels of control. CARPOVIRUSINE is best used in an Integrated Pest Management Program.

CARPOVIRUSINE can be applied up to and including the day of harvest.

CARPOVIRUSINE 051208 Page 5 of 6

APPLES, PEARS and WALNUTS

PEST	APPLICATION RATE	APPLICATION TIMING		
Codling moth	6.8-13.5 fl. oz/A	Start at beginning of first		
	(0.2-0.4 liters/A)	generation egg hatch.		
		 Repeat as needed to maintain control. 		

SPECIAL INSTRUCTIONS AND RESTRICTIONS

Apply in a spray volume sufficient for thorough coverage of the tree canopy.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in a cool, dry place. Store product at 15-20°C (59-68°), or in refrigerator at 4°C (39°F) for use during the current campaign or in freezer for storage periods greater than one year. Thaw frozen product in refrigerator. Do not heat or microwave to thaw.

PESTICIDE DISPOSAL: To avoid wastes, use all material in this container according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry).

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration. Do not burn, unless allowed by state and local ordinances

CARPOVIRUSINE 051208 Page 6 of 6

CONDITIONS OF SALE

- 1 Arysta LifeScience North America Corporation ("Arysta") warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with the Directions for Use under normal conditions of use.
- 2. To the extent consistent with applicable law, this warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Arysta. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, ARYSTA DISCLAIMS ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR MERCHANTABLITY. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM OR IN CONNECTION WITH THE MANUFACTURE, SALE, DELIVERY, USE, HANDLING OR STORAGE OF THIS PRODUCT. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, SELLER'S LIABILITY A SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE. ARYSTA DOES NOT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE ANY OTHER WARRANTY, **GUARANTEE OR REPRESENTATION CONCERNING THIS PRODUCT.**
- 2. Critical and unforeseeable factors beyond Arysta's control prevent Arysta from eliminating all risks in connection with the use of this product. Such risks include, but are not limited to, damage to plants and crops to which the product is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the use stated on the label and even though label directions are followed. Except as stated in 1 above, to the extent consistent with applicable law, by purchasing, accepting and using this product, the buyer and user acknowledge and assume all risks and liabilities resulting from handling, storage, and use of this product.