1/4

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

W. A. Hawkins Arysta LifeScience North America, LLC 15401 Western Parkway, Suite 150 Cary, NC 27513

JUL 2 0 2011

Dear Dr. Hawkins:

Subject:

Response to the Dimethoate Reregistration Eligibility Decision

EPA Reg. No. 66330-271

Submission dated January 2, 2009

The proposed labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable under FIFRA § 3(c)(5) provided that you submit two copies of your final printed label before you release the product for shipment. Products shipped after 12 months from the date of this amendment or the next printing of the label whichever occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e).

The basic Confidential Statement of Formula (CSF) dated 4/21/11 is acceptable. All other CSF's including Alternates have been superseded by this new basic. This has been added to your record.

Your product has met and complied with the risk mitigation provisions of the Dimethoate RED and therefore your product is reregistered pursuant to FIFRA § 4(g)(2)(C). But note, EPA is currently reassessing the cumulative impacts of organophosphates and that review may impact your product once complete.

A stamped copy of the labeling is enclosed for your records. If you have any questions, please contact Jennifer Urbanski at 703-347-0156 or <u>urbanski.jennifer@epa.gov</u>.

Regards,

John Hebert, PM 07

Insecticide-Rodenticide Branch Registration Division (7505P)

Enclosure

DIMETHOATE TECHNICAL FOR FORMULATION OF INSECTICIDES ONLY

ACTIVE INGREDIENT: Dimethoate (O,O-Dimethyl S-(N-(methylcarbamoyl)methyl)phosphorodithioate).......98.4% TOTAL: 100.0%

KEEP OUT OF REACH OF CHILDREN WARNING AVISO

AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. TO THE USER: If you cannot read English, do not use this product until it has been explained to you.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

	FIRST AID
	Dimethoate is an organophosphate insecticide that inhibits cholinesterase.
If swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
lf on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 -20 minutes. Call a poison control center of doctor for treatment advice.
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If inhaled	 Move person to fresh air If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth to mouth, if possible. Call a poison control center or doctor for further treatment advice.
	HOTLINE NUMBER

ORGANOPHOSPHATE

Have the product container or label with you when calling poison control center or doctor, or going for treatment.

EMERGENCY NUMBERS:

FOR 24- HOUR EMERGENY MEDICAL ASSISTANCE CALL: 1-866-303-6952

FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accident call CHEMTREC 1-800-424-9300

NOTE TO PHYSICIAN

Antidote: administer atropine sulfate in large doses. TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 or 10-minute intervals until signs of atropinization appear. 2-PAM chloride is a pharmacologic antidote and may be administered as an adjunct to, but not a substitute for, atropine, which is a symptomatic and often life-saving antidote. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Dimethoate is a cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and relapses have been reported after initial improvement; VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

NET WEIGHT:

EPA Reg. No. 66330-271

EPA Est. No.

ACCEPTED JUL 2 0 2011

Manufactured For:

Under the Federal Insecticide, Fungicide, Arysta LifeScience North America Corporation Rodenticide Act, as amended, for the 15401 Weston Parkway, Suite 150 pesticide registered under:

EPA. Reg. No:__

AD XXXXXX

Carv. NC 27513

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals WARNING

May be fatal if swallowed. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes and clothing. Wear protective clothing, rubber gloves and a mask or pesticide respirator jointly approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health. Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing and wash before reuse.

USER SAFETY RECOMMENDATIONS

- User should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NDPES) permit and permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

ONLY FOR FORMULATION INTO AN INSECTICIDE FOR THE FOLLOWING USE(S) [alfalfa, alfalfa for seed, asparagus, beans (excluding cowpeas), broccoli, Brussels sprouts, cauliflower, celery, cherries, Christmas tree farms, conifer seed farms, cotton, endive, field corn, grass grown for seed, herbaceous ornamentals in commercial nurseries, grapefruit, leaf lettuce (except head lettuce), lemons, lentils, kale, melons, mustard greens, oranges, pears, peas, pecans, peppers, popcorn, potatoes, safflower, sorghum, soybeans, Swiss chard, tangerines, tangelos, tomatoes, turnips, watermelons, wheat, cottonwood grown for pulp, and woody ornamentals in commercial nurseries].

Not for formulation into wettable powder end-use products (EUP), unless the EUP is package in water-soluble bags.

Not for formulation into end-use products intended for use by homeowners or that permit use at residential sites.

This product may be used to formulate products for specific use(s) not listed on the MP label if the formulator, user group, or grower has complied with U.S. EPA submission requirements regarding support of such use(s).

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a secure, cool, dry place and keep container tightly closed. Dimethoate is stable for a long period when stored under temperatures not exceeding 20/23°C (68/74°F). Dimethoate should not be heated above 35°C (95°F). At higher temperatures dimethoate will decompose rapidly.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Refillable Container. Refill this container with this pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

CONDITIONS OF SALE

- 1. Arysta LifeScience North America Corporation ("Arysta") warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with the directions under normal conditions of use.
- 2. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Arysta. ARYSTA DISCLAIMS ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR MERCHANTABILITY. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM OR IN CONNECTION WITH THE MANUFACTURE, SALE, DELIVERY, USE, HANDLING OR STORAGE OF THIS PRODUCT. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, SELLER'S LIABILITY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE. ARYSTA DOES NOT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE ANY OTHER WARRANTY, GUARANTEE OR REPRESENTATION CONCERNING THIS PRODUCT.
- 3. Critical and unforeseeable factors beyond Arysta's control prevent Arysta from eliminating all risks in connection with the use of this product. Such risks include, but are not limited to, damage to plants and crops to which the product is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated on the label and even though label directions are followed. Except as stated in 1. above, to the extent consistent with applicable law, by purchasing, accepting and using this product, the Buyer and User acknowledge and assume all risks and liability resulting from handling, storage, and use of this product.

DIMETHOATE TECHNICAL (PENDING) 07/06/11